



**Copiers 1995-2001
Energy Star® Qualified**

Brand Model		Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour or B-W	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Canon	C120F	-	4.0	-	BW	12	-	-	-	0	S	-	RA	1997	16168
Canon	C122	-	4.0	-	BW	12	-	-	-	0	S	-	-	1997	16182
Canon	C122F	-	4.0	-	BW	12	-	-	-	0	S	-	-	1998	16164
Canon	C160	-	3.1	-	BW	16	-	-	-	0	S	-	RA	1997	16154
Canon	C200D	-	4.0	-	BW	21	-	x	-	12	S	-	RA	1997	16152
Canon	C250D	88	3.5	-	BW	25	-	x	-	16	S	-	-	1998	16163
Canon	C330D	105	10.0	-	BW	30	-	x	-	17	S	-	-	1998	16180
Canon	NP4050	-	0.0	-	BW	40	-	x	-	18	S	-	-	1997	16170
Canon	NP6012	-	4.0	-	BW	12	-	-	-	0	S	-	-	1997	16183
Canon	NP6012F	-	4.0	-	BW	12	-	-	-	0	S	-	-	1997	16184
Canon	NP6016	-	3.1	-	BW	16	-	-	-	0	S	-	-	1995	16171
Canon	NP6025	-	0.0	-	BW	25	-	-	-	13	S	-	-	1996	16172
Canon	NP6030	-	0.0	-	BW	30	-	-	-	14	S	-	-	1996	16173
Canon	NP6035	-	0.1	-	BW	35	-	-	-	18	S	-	H	1997	16153
Canon	NP6045	-	9.0	-	BW	45	-	x	-	29	S	-	H	1997	16166
Canon	NP6050	-	8.0	-	BW	50	-	x	-	30	S	-	-	1995	16174
Canon	NP6085	-	30.0	-	BW	85	-	x	-	35	S	-	-	1997	16169
Canon	NP6230	-	0.1	-	BW	30	-	-	-	16	S	-	H	1997	16167
Canon	NP6285	-	30.0	-	BW	85	-	x	-	29	S	-	-	1997	16181
Canon	NP6330	105	10.0	-	BW	30	-	x	-	17	S	-	-	1997	16195
Canon	NP6412	-	4.0	-	BW	12	-	-	-	0	S	-	-	1997	16197
Canon	NP6412F	-	4.0	-	BW	12	-	-	-	0	S	-	-	1997	16196
Canon	NP6521	-	4.0	-	BW	21	-	x	-	12	S	-	RA	1996	16175
Canon	NP6545	110	6.0	-	BW	45	-	x	-	29	S	-	-	1997	16199
Canon	NP6551	122	6.0	-	BW	50	-	x	-	30	S	-	-	1997	16200
Canon	NP6560	145	6.0	-	BW	60	-	x	-	39	S	-	-	1997	16198
Canon	NP7850	260	2.0	22	BW	85	x	x	-	-	S	-	H	2001	16203
Canon	NP9850II	100	0.0	-	BW	85	-	x	-	51	S	-	-	1996	16176
Canon	PC1060	-	1.1	-	BW	13	-	-	-	-	S	-	RA	2001	16206
Canon	PC1061	-	1.1	-	BW	13	-	-	-	-	S	-	RA	2001	16205
Canon	PC300	-	0.7	-	BW	0	-	-	-	0	S	-	-	1997	16185
Canon	PC310	-	2.0	-	BW	0	-	-	-	0	S	-	-	1997	16186
Canon	PC320	-	0.7	-	BW	4	-	-	-	0	S	-	-	1997	16187
Canon	PC325	-	0.7	-	BW	4	-	-	-	0	S	-	-	1997	16188
Canon	PC330	-	2.0	-	BW	6	-	-	-	0	S	-	-	1997	16189
Canon	PC330L	-	2.0	-	BW	6	-	-	-	0	S	-	-	1997	16190
Canon	PC400	-	4.0	-	BW	4	-	-	-	0	S	-	RA	1998	16162
Canon	PC420	-	3.0	-	BW	4	-	-	-	0	S	-	RA	1998	16160
Canon	PC430	-	3.0	-	BW	4	-	-	-	0	S	-	RA	1998	16161
Canon	PC530	-	2.0	-	BW	6	-	-	-	0	S	-	-	1997	16191
Canon	PC550	-	2.0	-	BW	6	-	-	-	0	S	-	-	1997	16192
Canon	PC710	-	2.0	-	BW	8	-	-	-	0	S	-	-	1996	16178
Canon	PC720	-	2.0	-	BW	8	-	-	-	0	S	-	-	1998	16165
Canon	PC730	-	2.0	-	BW	10	-	-	-	0	S	-	-	1996	16179
Canon	PC735	-	4.0	-	BW	10	-	-	-	0	S	-	RA	1998	16155
Canon	PC740	-	2.0	-	BW	10	-	-	-	0	S	-	-	1997	16193
Canon	PC745	-	4.0	-	BW	10	-	-	-	0	S	-	RA	1998	16156
Canon	PC770	-	2.0	-	BW	12	-	-	-	0	S	-	-	1997	16194
Canon	PC775	-	4.0	-	BW	12	-	-	-	0	S	-	RA	1998	16157
Canon	PC785	-	4.0	-	BW	12	-	-	-	0	S	-	-	1998	16158
Canon	PC790	-	2.0	-	BW	12	-	-	-	0	S	-	RA	1996	16150
Canon	PC795	-	4.0	-	BW	12	-	-	-	0	S	-	RA	1998	16159
Canon	PC850	-	1.0	-	BW	16	-	-	-	0	S	-	-	1995	16177
Canon	PC940	-	0.1	-	BW	13	-	-	-	-	S	-	RA	2001	16201
Canon	PC941	-	0.1	-	BW	13	-	-	-	-	S	-	RA	2001	16202
Copystar	CS-2013	-	0.0	-	BW	13	-	-	-	0	S	-	-	1996	14653
Copystar	CS-2014	11.7	0.2	-	BW	14	-	-	-	0	S	-	HP	1998	10415
Copystar	CS-2114	16.5	0.2	-	BW	14	-	-	-	0	S	-	-	1998	10414
Copystar	CS-2218	36	0.0	-	BW	18	-	x	-	16	S	-	HP	1998	10416
Copystar	CS-2221	42	8.5	-	BW	23	-	x	-	16	S	-	HP	1998	14650



**Copiers 1995-2001
Energy Star® Qualified**

Brand Model

	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour or B-W	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Copystar	RC-2030	170.2	18.0	-	BW	30	-	x	-	19	S	-	1997	14661
Copystar	RC-2250	14.3	14.3	-	BW	50	-	x	-	33	S	HP	1998	10417
Danka	A75	183.9	17.7	-	BW	75	-	x	-	41	S	-	1997	10336
Kodak	70CP Series II	-	17.0	-	BW	70	-	x	-	70	S	-	1996	10723
Kodak	ImageSource 110	710	0.0	-	BW	##	-	x	-	110	S	-	1997	10722
Kodak	ImageSource 85	-	0.0	-	BW	85	-	x	-	85	S	-	1997	10721
Konica	2125	-	25.5	-	BW	25	-	x	-	14	S	-	1997	11654
Konica	2130	-	25.5	-	BW	30	-	-	-	16	S	-	1997	11653
Konica	5370M	-	28.0	-	BW	70	-	x	-	45	S	-	1997	11651
Konica	6190M	-	28.0	-	BW	90	-	x	-	59	S	-	1997	11652
Kyocera Mita	CS-2014	11.7	0.2	-	BW	14	-	x	-	0	S	HP	1998	14649
Kyocera Mita	CS-2115	44	0.0	-	BW	15	-	x	-	0	S	HP	1998	14645
Kyocera Mita	CS-2121	67.4	13.0	-	BW	23	-	-	-	18	S	-	1996	14654
Kyocera Mita	DC 1355	-	0.0	-	BW	13	-	-	-	0	S	-	1996	14655
Kyocera Mita	DC 1560	44	0.0	-	BW	15	-	-	-	0	S	-	1997	14657
Kyocera Mita	DC 2355	67.4	13.0	-	BW	23	-	-	-	18	S	-	1996	14656
Kyocera Mita	DC 3055	170.2	18.0	-	BW	30	-	x	-	19	S	-	1997	14660
Kyocera Mita	DC 3060	120	0.0	-	BW	30	-	x	-	27	S	-	1997	14638
Kyocera Mita	DC 4090	149	0.0	-	BW	40	-	x	-	34	S	-	1997	14658
Kyocera Mita	DC 4685	141	18.0	-	BW	46	-	x	-	27	S	-	1997	14659
Kyocera Mita	DC-1460	11.7	0.2	-	BW	14	-	-	-	0	S	HP	1998	14640
Kyocera Mita	DC-1470	16.5	0.2	-	BW	14	-	-	-	0	S	-	1998	14652
Kyocera Mita	DC-1860	36	0.0	-	BW	18	-	x	-	16	S	HP	1998	14641
Kyocera Mita	DC-2360	42	8.5	-	BW	23	-	x	-	16	S	HP	1998	14642
Kyocera Mita	DC-5090	14.3	14.3	-	BW	50	-	x	-	33	S	-	1998	14644
Kyocera Mita	DC-6500	125.4	15.1	-	BW	65	-	x	-	35	S	HP	1998	14639
Kyocera Mita	Point Source Xi-3648	-	0.0	-	BW	2	-	-	-	0	L	HP	1998	14643
Kyocera Mita	RC-2130	120	0.0	-	BW	30	-	x	-	27	S	HP	1998	14646
Kyocera Mita	RC-2250	14.3	14.3	-	BW	50	-	x	-	33	S	HP	1998	14651
Kyocera Mita	RC-2440	149	0.0	-	BW	40	-	x	-	34	S	HP	1998	14647
Kyocera Mita	RC-2465	125.4	15.1	-	BW	65	-	x	-	35	S	HP	1998	14648
Lanier	5020	100	1.6	-	BW	20	-	x	-	16	S	-	1997	11558
Lanier	5025	95	2.0	-	BW	25	-	x	-	14	S	-	1998	11568
Lanier	5040	150	0.0	-	BW	40	-	x	-	22	S	-	1998	11567
Lanier	5235	130	12.0	-	BW	35	-	x	-	19	S	-	1998	11550
Lanier	5245	143	12.0	-	BW	45	-	x	-	24	S	-	1998	11549
Lanier	5265	205	16.5	-	BW	65	-	x	-	35	S	-	1998	11548
Lanier	5622	7	7.0	10	BW	22	x	-	-	-	S	HP	2001	11581
Lanier	5627	8	8.0	10	BW	27	x	-	-	-	S	HP	2001	11582
Lanier	5635	118	8.0	3	BW	35	x	x	-	-	-	HP	2001	11573
Lanier	5645	153	8.0	3	BW	45	x	x	-	-	-	HP	2001	11574
Lanier	5685	293	11.0	30	BW	85	x	x	-	-	-	HP	2001	11571
Lanier	5705	293	11.0	30	BW	##	x	x	-	-	-	HP	2001	11572
Lanier	6625	-	22.0	-	BW	25	-	-	-	-	S	A HP	1995	11560
Lanier	6632	-	27.0	-	BW	32	-	-	-	-	S	A	1995	11561
Lanier	6735	-	29.0	-	BW	35	-	x	-	-	S	A	1995	11562
Lanier	6775	-	37.0	-	BW	75	-	x	-	42	S	A	1995	11563
Lanier	7213	-	4.0	-	BW	13	-	-	-	0	S	-	1997	11559
Lanier	7228	-	0.0	-	BW	28	-	-	-	-	S	A HP	1996	11564
Lanier	7313	-	4.0	-	BW	13	-	-	-	0	S	-	1997	11556
Lanier	7320	-	0.0	-	BW	20	-	-	-	0	S	-	1996	11565
Lanier	7328	-	0.0	-	BW	28	-	x	-	18	S	A HP	1996	11566
Lanier	7355	171.2	17.0	-	BW	55	-	x	-	34	S	-	1997	11551
Lanier	7365	171.2	17.0	-	BW	65	-	x	-	36	S	-	1996	11554
Lanier	7375	183.9	17.7	-	BW	75	-	x	-	41	S	-	1997	11557
Lanier	7385	106	0.0	-	BW	85	-	x	-	62	S	-	1996	11555
Lanier	7335AG	94.9	0.0	-	BW	35	-	x	-	20	S	-	1998	11553
Lanier	7345AG	137.2	0.0	-	BW	45	-	x	-	25	S	-	1998	11552
Minolta	EP1030	-	0.1	-	BW	13	-	-	-	-	S	A	1997	1006247
Minolta	EP1030	-	0.1	-	BW	13	-	-	-	-	S	A	1997	13012



**Copiers 1995-2001
Energy Star® Qualified**

Brand Model

		Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour or B-W	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Minolta	EP1031	-	0.1	-	BW	13	-	-	-	-	S	A	-	1997	1006249
Minolta	EP1031	-	0.1	-	BW	13	-	-	-	-	S	A	-	1997	13014
Minolta	EP1031F	-	0.1	-	BW	13	-	-	-	-	S	A	-	1997	13015
Minolta	EP1031F	-	0.1	-	BW	13	-	-	-	-	S	A	-	1997	1006250
Minolta	EP1080	88	3.0	-	BW	18	-	-	-	17	S	A	HP	1995	12999
Minolta	EP1081	88	3.0	-	BW	18	-	-	-	0	S	A	HP	1995	13000
Minolta	EP1083 CS/Pro	-	4.9	-	BW	18	-	-	-	0	S	A	-	1997	13005
Minolta	EP2010	-	6.6	-	BW	21	-	-	-	0	S	A	-	1997	13006
Minolta	EP2050	156	3.0	-	BW	25	-	-	-	24	S	A	HP	1995	13001
Minolta	EP2080	-	6.0	-	BW	28	-	-	-	0	S	A	-	1997	13007
Minolta	EP3050	183	5.0	-	BW	35	-	-	-	33	S	A	HP	1995	13002
Minolta	EP5000 CS/Pro	166.4	5.0	-	BW	50	-	x	-	18	S	A	-	1997	13009
Minolta	EP6000	218	15.3	-	BW	60	-	x	-	53	S	A	HP	1995	13003
Minolta	EP8010	210	6.8	-	BW	81	-	x	-	69	S	A	HP	1995	13004
Minolta	EP8015 CS/Pro	238	14.8	-	BW	81	-	x	-	36	S	A	-	1997	13011
Oce	2375	-	13.0	-	BW	65	-	x	-	65	S	-	-	1996	12420
Oce	2465	-	0.0	-	BW	65	-	x	-	65	S	-	-	1997	12432
Oce	2475	-	13.0	-	BW	75	-	x	-	75	S	-	-	1996	12429
Oce	7051	13	13.0	-	BW	26	-	-	-	0	L	-	-	1999	12422
Oce	7055	13	13.0	-	BW	26	-	-	-	0	L	-	-	1999	12423
Oce	7056	13	13.0	-	BW	26	-	-	-	0	L	-	-	1999	12424
Oce	2465 CRU	-	2.0	-	BW	65	-	x	-	65	S	-	-	1996	12425
Oce	2465 FIN	-	2.0	-	BW	65	-	x	-	65	S	-	-	1996	12428
Panasonic	FP-7160	218.5	15.3	-	BW	60	-	x	-	29	S	-	-	1997	15595
Panasonic	FP-7181	268.5	0.0	-	BW	81	-	x	-	39	S	-	H	1997	15594
Panasonic	FP-7718	85	5.0	-	BW	18	-	-	-	0	S	-	-	1996	15596
Panasonic	FP-7722	85	5.0	-	BW	22	-	-	-	19	S	-	-	1996	15592
Panasonic	FP-7728	105	5.0	-	BW	28	-	-	-	22	S	-	-	1996	15597
Panasonic	FP-7735	130	5.0	-	BW	35	-	-	-	25	S	-	-	1996	15598
Panasonic	FP-7742	160	7.0	-	BW	42	-	-	-	31	S	-	-	1996	15599
Panasonic	FP-7750	180	7.0	-	BW	50	-	x	-	36	S	-	-	1996	15593
Pitney Bowes	C 350	-	5.0	-	BW	35	-	-	-	0	S	-	-	1996	18173
Pitney Bowes	C 450	-	5.0	-	BW	45	-	-	-	24	S	-	-	1996	18174
Pitney Bowes	C 600	-	15.3	-	BW	60	-	x	-	29	S	-	-	1996	18175
Pitney Bowes	C 800	210	6.8	-	BW	81	-	x	-	41	S	-	-	1996	18170
Pitney Bowes	C270	15	25.3	-	BW	27	-	-	-	12	S	-	-	1996	18171
Pitney Bowes	C320	15	25.3	-	BW	32	-	-	-	12	S	-	-	1996	18172
Ricoh	Aficio	8	8.0	10	BW	27	x	x	-	-	S	-	-	2001	12946
Ricoh	Aficio 1015	80	1.0	30	BW	15	-	-	-	-	S	-	HP	2001	12949
Ricoh	Aficio 1018	80	1.0	30	BW	18	-	-	-	-	S	-	HP	2001	12950
Ricoh	Aficio 1022	7	7.0	10	BW	22	x	x	-	-	S	-	-	2001	12945
Ricoh	Aficio 1035	6	15.0	10	BW	35	x	x	-	-	S	-	H	2001	12943
Ricoh	Aficio 1045	6	20.0	15	BW	45	x	x	-	-	S	-	H	2001	12944
Ricoh	Aficio 200	115	2.0	-	BW	20	-	x	-	11	S	-	HP	1998	12928
Ricoh	Aficio 250	95	2.0	-	BW	25	-	x	-	14	S	-	HP	1998	12929
Ricoh	Aficio 340	130	12.0	-	BW	35	-	x	-	19	S	-	-	1998	12908
Ricoh	Aficio 400	110	0.0	-	BW	40	-	x	-	22	S	-	HP	1998	12930
Ricoh	Aficio 401	110	0.0	-	BW	40	-	x	-	22	S	-	-	1998	12931
Ricoh	Aficio 450	143	12.0	-	BW	45	-	x	-	24	S	-	-	1998	12909
Ricoh	Aficio 500	190	0.0	-	BW	50	-	x	-	20	S	-	HP	1998	12932
Ricoh	Aficio 650	205	16.5	-	BW	65	-	x	-	35	S	-	-	1998	12910
Ricoh	FT3013	-	0.0	-	BW	13	-	-	-	0	S	-	H	1998	12934
Ricoh	FT3213	-	0.0	-	BW	13	-	-	-	0	S	-	H	1998	12935
Ricoh	FT3513/FT3713	-	0.0	-	BW	13	-	-	-	0	S	-	HP	1998	12918
Ricoh	FT4015	-	0.0	-	BW	15	-	-	-	0	S	-	HP	1998	12919
Ricoh	FT4022	89.7	10.0	-	BW	22	-	-	-	0	S	-	H	1998	12938
Ricoh	FT4027	109	10.0	-	BW	27	-	-	-	0	S	-	H	1998	12939
Ricoh	FT4214	-	0.0	-	BW	15	-	-	-	0	S	-	H	1998	12936
Ricoh	FT4215	-	0.0	-	BW	15	-	-	-	0	S	-	-	1998	12916
Ricoh	FT4522	89.7	10.0	-	BW	22	-	x	-	13	S	-	H	1998	12937



**Copiers 1995-2001
Energy Star® Qualified**

Brand Model

Brand Model	Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour or B-W	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Ricoh FT4527	109	10.0	-	BW	27	-	x	-	15	S	-	H	1998	12940
Ricoh FT5035	139.8	10.0	-	BW	35	-	-	-	0	S	-	H	1998	12941
Ricoh FT5535	139.8	10.0	-	BW	35	-	x	-	17	S	-	H	1998	12902
Ricoh FT6645	-	10.0	-	BW	45	-	x	-	25	S	-	-	1995	12912
Ricoh FT6655	-	10.0	-	BW	55	-	x	-	30	S	-	-	1995	12913
Ricoh FT6665	-	10.0	-	BW	65	-	x	-	31	S	-	H	1995	12914
Ricoh FT7650	197.5	15.0	-	BW	50	-	x	-	32	S	-	-	1998	12925
Ricoh FT7660	236	15.0	-	BW	60	-	x	-	38	S	-	HP	1998	12926
Ricoh FT7670	274.5	15.0	-	BW	70	-	x	-	38	S	-	HP	1998	12927
Ricoh FT8680	-	30.4	-	BW	80	-	x	-	37	S	-	H	1996	12915
Ricoh FW740	-	0.0	-	BW	3	-	-	-	0	L	-	H	1998	12942
Ricoh FW830	-	0.3	-	BW	7	-	-	-	0	L	-	H	1998	12911
Savin 9013	-	0.0	-	BW	13	-	-	-	0	S	-	-	1995	13262
Savin 9015	-	0.0	-	BW	15	-	-	-	0	S	-	-	1995	13261
Savin 9027	108	10.0	-	BW	27	-	-	-	0	S	-	-	1995	13264
Savin 9035	139	10.0	-	BW	35	-	-	-	0	S	-	-	1995	13266
Savin 9220	89.7	10.0	-	BW	22	-	-	-	0	S	-	-	1995	13268
Savin 9450	-	10.0	-	BW	45	-	x	-	25	S	-	-	1995	13270
Savin 9550	-	10.0	-	BW	55	-	x	-	30	S	-	-	1995	13271
Savin 9650	-	10.0	-	BW	65	-	x	-	31	S	-	-	1995	13272
Savin 9800	-	30.4	-	BW	80	-	x	-	37	S	-	-	1996	13273
Savin 9013Z	-	0.0	-	BW	13	-	-	-	0	S	-	-	1995	13263
Savin 9027DL	108	10.0	-	BW	27	-	x	-	15	S	-	-	1995	13265
Savin 9035 DL	139	10.0	-	BW	35	-	x	-	17	S	-	-	1995	13267
Savin 9220 DL	89.7	10.0	-	BW	22	-	x	-	13	S	-	-	1995	13269
Sharp SD-2175	180.2	9.0	-	BW	75	-	x	-	0	S	-	-	1998	17930
Sharp SD-2260	201.3	9.1	-	BW	60	-	x	-	38	S	-	-	1998	17934
Sharp SD-2275	201.3	7.5	-	BW	75	-	x	-	40	S	-	-	1998	17935
Sharp SD-4085	110	0.0	-	BW	85	-	x	-	69	S	-	-	1996	17939
Sharp SF-2020	-	4.8	-	BW	20	-	-	-	0	S	-	-	1998	17916
Sharp SF-2025	-	16.5	-	BW	25	-	-	-	15	L	A	-	1996	17940
Sharp SF-2040	-	22.3	-	BW	40	-	-	-	22	L	A	HL	1995	17937
Sharp SF-2050	176.5	17.2	-	BW	50	-	x	-	32	S	-	-	1995	17938
Sharp SF-2052	155.3	0.1	-	BW	52	-	x	-	34	S	-	-	1998	17933
Sharp SF-2120	-	4.8	-	BW	20	-	x	-	13	S	-	-	1998	17931
Sharp SF-2216	-	4.5	-	BW	16	-	-	-	0	S	-	-	1998	17932
Sharp SF-2314	-	0.0	-	BW	14	-	-	-	0	S	-	-	1998	17929
Sharp SF-2414	-	0.0	-	BW	14	-	-	-	0	S	-	-	1998	17927
Sharp SF-2514	-	0.0	-	BW	14	-	-	-	0	S	-	-	1998	17928
Sharp Z-820-GY	-	1.5	-	BW	8	-	-	-	0	S	-	-	1998	17923
Sharp Z-835-GY	-	1.5	-	BW	10	-	-	-	0	S	-	-	1998	17924
Sharp Z-840-GY	-	1.5	-	BW	12	-	-	-	0	S	-	-	1998	17925
Sharp Z-845-GY	-	1.5	-	BW	12	-	-	-	0	S	-	-	1998	17926
SINDORICOH My Copy 800	-	4.5	-	BW	8	-	-	-	0	S	-	-	1998	13421
SINDORICOH My Copy 850	-	4.5	-	BW	8	-	-	-	0	S	-	-	1998	13422
SINDORICOH Spirio 4220	88.3	9.0	-	BW	22	-	-	-	0	S	-	-	1998	13423
Toshiba 1360	-	4.0	-	BW	13	-	-	-	0	S	-	-	1997	13449
Toshiba 1370	-	4.0	-	BW	13	-	-	-	0	S	-	-	1997	13451
Toshiba 2060	-	0.0	-	BW	20	-	-	-	0	S	-	-	1997	13444
Toshiba 2532	-	27.0	-	BW	32	-	-	-	0	S	-	HP	1995	13440
Toshiba 2540	-	22.0	-	BW	25	-	-	-	0	S	-	HP	1995	13441
Toshiba 2860	89.2	0.0	-	BW	28	-	-	-	0	S	-	-	1997	13448
Toshiba 3550	-	29.0	-	BW	35	-	-	-	0	S	-	HP	1995	13439
Toshiba 5560	171.2	17.0	-	BW	55	-	x	-	34	S	-	-	1997	13447
Toshiba 6560	171.2	17.0	-	BW	65	-	x	-	36	S	-	-	1997	13446
Toshiba 7550	-	37.0	-	BW	75	-	x	-	42	S	-	-	1995	13442
Toshiba 7560	183.9	17.7	-	BW	75	-	x	-	41	S	-	-	1997	13445
Toshiba 9050	-	24.0	-	BW	90	-	x	-	59	S	-	-	1997	13443
Toshiba 9060	320	13.0	-	BW	90	-	x	-	56	L	-	-	1997	13450
Xerox 1090	-	1.0	-	BW	92	-	x	-	45	S	-	-	1997	14328



**Copiers 1995-2001
Energy Star® Qualified**

Brand Model

		Watts in Low Power	Watts in Off	Low Power Recovery Time (seconds)	Colour or B-W	Speed (ppm, ipm)	Duplexing Capable	Duplexing Default	Duplexing Optional	Duplexing Speed (ppm)	Size Format: Standard/ Large	Analog/Digital Technology	Copier Fusing Unit	Year	PD_ID
Xerox	5337	220	0.0	-	BW	37	-	x	-	20	S	-	-	1996	14319
Xerox	5343	200	0.0	-	BW	43	-	x	-	20	S	-	-	1997	14343
Xerox	5345	165	38.0	-	BW	45	-	x	-	16	S	-	-	1997	14296
Xerox	5355	165	38.0	-	BW	55	-	x	-	21	S	-	-	1997	14295
Xerox	5385	128	0.0	-	BW	80	-	x	-	35	S	-	-	1997	14300
Xerox	5624	-	37.0	-	BW	24	-	-	-	0	S	-	-	1996	14297
Xerox	5626	-	38.5	-	BW	24	-	-	-	0	S	-	-	1998	14316
Xerox	5665	200	0.0	-	BW	64	-	x	-	25	S	-	-	1996	14321
Xerox	5680	-	1.0	-	BW	80	-	x	-	40	S	-	-	1997	14312
Xerox	5800	447.2	14.9	-	BW	##	-	x	-	60	S	-	-	1997	14340
Xerox	5828	-	0.0	-	BW	30	-	-	-	0	S	-	-	1997	14329
Xerox	5830	-	39.5	-	BW	30	-	x	-	15	S	-	-	1996	14320
Xerox	5837	195	0.6	-	BW	37	-	x	-	20	S	-	-	1997	14298
Xerox	5845	195	0.6	-	BW	45	-	x	-	20	L	-	-	1997	14330
Xerox	5855	195	0.6	-	BW	55	-	x	-	24	S	-	-	1997	14299
Xerox	5890	285	15.0	-	BW	##	-	x	-	50	S	-	-	1998	14311
Xerox	5892	-	1.0	-	BW	92	-	x	-	45	S	-	-	1997	14327
Xerox	5895	349	15.0	-	BW	##	-	x	-	50	S	-	SS	1998	14313
Xerox	212 DC	3.2	0.0	-	BW	14	-	-	-	0	S	-	-	1997	14342
Xerox	214DC	3.2	0.0	-	BW	14	-	-	-	0	S	-	-	1997	14337
Xerox	5352/5352c	200	0.0	-	BW	52	-	x	-	22	S	-	-	1997	14338
Xerox	DC 220DC	51.4	1.0	-	BW	20	-	x	-	10	S	-	-	1997	14317
Xerox	DC 230DC	51.4	1.0	-	BW	30	-	-	-	15	S	-	-	1997	14336
Xerox	DC 240DC	132	4.3	-	BW	40	-	x	-	25	S	-	-	1997	14341
Xerox	DC 265DC/FX DC 65	230	3.7	-	BW	65	-	x	-	35	S	-	-	1997	14318
Xerox	DC255DC	205	1.0	-	BW	55	-	x	-	20	S	-	-	1998	14315
Xerox	DocuLink 5690	360	0.0	-	BW	##	-	x	-	68	S	-	-	1997	14339
Xerox	XC1020	1.6	0.0	-	BW	10	-	-	-	0	S	-	-	1996	14322
Xerox	XC1040	1.6	0.0	-	BW	10	-	-	-	0	S	-	-	1996	14323
Xerox	XC1044	2	0.0	-	BW	10	-	-	-	0	S	-	-	1997	14334
Xerox	XC1045	2	0.0	-	BW	10	-	-	-	0	S	-	-	1997	14335
Xerox	XC1255	2	0.0	-	BW	12	-	-	-	0	S	-	-	1997	14333
Xerox	XC540	8.7	0.0	-	BW	5	-	-	-	0	S	-	-	1997	14331
Xerox	XC580	8.7	0.0	-	BW	5	-	-	-	0	S	-	-	1997	14332
Xerox	XC810	1.6	0.0	-	BW	8	-	-	-	0	S	-	-	1996	14324
Xerox	XC820	1.6	0.0	-	BW	8	-	-	-	0	S	-	-	1996	14325
Xerox	XC830	1.6	0.0	-	BW	8	-	-	-	0	S	-	-	1996	14326
Xerox	XC865	29	0.0	-	BW	8	-	-	-	0	S	-	-	1998	14314

Legend: Copier Fusing Unit

Heat/ Pressure (Roller)	HP
Heat Roller	H
Rapid Fusing System	RA
Silicon Soft Roll Fuser	SS
Quartz	Q
Halogen Lamp	HL