



Implementation of the CMP Guidelines

24. Madrid Forum

Kristóf Kovács
European Commission, DG Energy

15 – 16 October 2013



European
Commission

Contractual congestion is still not a myth!

IP Name	Border and Direction	Technical physical capacity in GWh/d (July 2012)	Average yearly firm contracted capacity	Average yearly used capacity	For those bidirectional IPs with physical flows in both directions average utilisation for all days when the flow is in the relevant direction	Month of maximum capacity utilisation	Monthly maximum capacity
[REDACTED]	[REDACTED]	[REDACTED]	95%	67%	-	January	67%
[REDACTED]	[REDACTED]	[REDACTED]	99%	62%	-	December	80%
[REDACTED]	[REDACTED]	[REDACTED]	99%	42%	-	April	73%
[REDACTED]	[REDACTED]	[REDACTED]	100%	54%	-	February	78%
[REDACTED]	[REDACTED]	[REDACTED]	91%	54%	-	April	69%
[REDACTED]	[REDACTED]	[REDACTED]	100%	77%	-	April	97%
[REDACTED]	[REDACTED]	[REDACTED]	100%	26%	30%	August	58%
[REDACTED]	[REDACTED]	[REDACTED]	100%		17%	November	24%
[REDACTED]	[REDACTED]	[REDACTED]	91%	45%	-	April	62%
[REDACTED]	[REDACTED]	[REDACTED]	91%	84%	-	February	95%
[REDACTED]	[REDACTED]	[REDACTED]	66%	54%	-	February	71%
[REDACTED]	[REDACTED]	[REDACTED]	91%	84%	-	February	95%
[REDACTED]	[REDACTED]	[REDACTED]	94%	43%	-	February	66%
[REDACTED]	[REDACTED]	[REDACTED]	100%	53%	-	February	84%
[REDACTED]	[REDACTED]	[REDACTED]	73%	61%	-	February	82%
[REDACTED]	[REDACTED]	[REDACTED]	95%	83%	89%	June	100%
[REDACTED]	[REDACTED]	[REDACTED]	100%		52%	December	64%
[REDACTED]	[REDACTED]	[REDACTED]	100%	91%	-	July	100%

Source: „Sneak preview“ of ACER Monitoring report



CMP Guidelines to be interpreted and implemented consistently across EU

- CMP measures shall be implemented as of 1 October 2013
- EC is keen on ensuring harmonised and full implementation in line with objectives
 - OS&BB shall be designed as effective system that provides FIRM capacity
 - Buy-back caps (other than hub spread) or pro rata are problematic as they negate firmness concept
 - Aim should be to provide more than just day-ahead "additional" capacity
 - In case OS&BB cannot be implemented effectively due to risks FDA UIOLI may also need to be considered (applied up-front already in DE, AT)
 - OS&BB and FDA UIOLI on two side of an IP cause compatibility problems which need to be resolved in harmonized way
 - Capacity surrender is not „sweetener“ as that promotes hoarding and should be more than "simple" secondary market transaction
 - LT UIOLI is tough measure in hands of NRA to prevent hoarding

Way forward

- Recital 7 of CMP: *"In particular national regulatory authorities and transmission system operators should have regard to best practices and endeavour to harmonise processes for the implementation of these Guidelines."*
- EC welcomes ACER „Issues Paper“
- Further orientation may be necessary in order to ensure harmonized implementation
- EC looking to ACER/ENTSOG for information on implementation and thereafter to CMP Report on status of congestion

**Thank you for
your attention!**