



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
A Plus AS1770	85	7.6	1.0	CRT	1280x1024	17.0	X	X		1999	1.31	10141
AAT LM-15UA	27	5.0	2.0	LCD	1024x768	15.0				2000	0.79	9681
Acer AJ15	75	15.0	5.0	CRT	1024x768	15.0		X		2000	0.79	10000
Acer AJ17	75	15.0	5.0	CRT	1280x1024	17.0		X		1999	1.31	9999
ADTEC AD-LTDR15C	35	5.0	5.0	LCD	1024x768	15.0		X		2000	0.79	9568
ADTEC TL710A	34	4.5	4.5	LCD	1280x1024	17.0		X		2001	1.31	9569
ADVAN AGM 15TL	40	8.0	8.0	LCD	1024x768	15.0	X		X	1999	0.79	10132
ADVAN AGM15TK	21	4.5	4.5	LCD	1024x768	15.0	X	X		2000	0.79	9585
Amtran 15 TFT LCD	24	2.7	2.6	LCD	1024x768	15.0	X			1998	0.79	15235
Amtran A95f		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10193
Amtran AT 1782D	120	14.0	6.0	CRT	1280x1024	17.0		X		1996	1.31	10177
Amtran AT 1782F	120	14.0	6.0	CRT	1280x1024	17.0		X		1996	1.31	10178
Amtran AT1020DB		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10187
Amtran AT1097DA		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10190
Amtran AT1097F		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10186
Amtran AT1099H1		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10191
Amtran AT320DB		11.5	2.5	CRT	1600x1200	21.0				2001	1.92	10195
Amtran AT330HB		10.0	2.0	CRT	1600x1200	21.0				2001	1.92	10194
Amtran AT396D	120	5.0	5.0	CRT	1600x1200	21.0	X	X		1996	1.92	10179
Amtran AT396F	120	20.0	5.0	CRT	1600x1200	21.0	X	X		1996	1.92	10180
Amtran AT396S	120	20.0	5.0		1600x1200	21.0	X	X		1996	1.92	10181
Amtran AT897D		11.2	2.5	CRT	1280x1024	17.0				2001	1.31	10189
Amtran AX1##T		2.8	2.8	LCD	1024x768	15.0				2001	0.79	10184
Amtran AX170T		2.0	2.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	10202
Amtran AX191		2.8	2.8	LCD	1280x1024	19.0	X	X	X	2001	1.31	10200
Amtran DT897		11.2	2.5	CRT	1280x1024	17.0				2001	1.31	10185
Amtran DT897N		11.2	2.5	CRT	1280x1024	17.0				2001	1.31	10188
Amtran L#-15		2.8	2.8	LCD	1024x768	15.0	X	X	X	2001	0.79	10199
Amtran L2-15	36	2.8	2.8	LCD	1024x768	15.0	X	X	X	2001	0.79	10198
Amtran L2-17		2.9	2.9	LCD	1280x1024	17.0	X	X	X	2001	1.31	10201
Amtran P95f		11.4	2.5	CRT	1600x1200	19.0				2001	1.92	10192
Amtran RX174		2.8	2.8	LCD	1280x1024	17.0				2001	1.31	10183
Amtran RX180		2.8	2.8	LCD	1280x1024	18.0				2001	1.31	10182
Amtran RX201	70	2.9	2.9	LCD	1600x1200	20.0	X	X	X	2001	1.92	10197
Amtran RX231	95	2.7	2.7	LCD	1600x1200	23.0	X	X		2001	1.92	10196
AOC 2248-G03	65	25.0	5.0		1024x768	14.0		X		1996	0.79	10164
AOC 4V/4VA/4Vlr/4VlrA-A	90		4.6	CRT	1024x768	14.0		X		2001	0.79	10172
AOC 4Vlr	65	25.0	5.0		1024x768	14.0		X		1996	0.79	10156
AOC 4VlrA	75	25.0	5.0		1024x768	14.0		X		1996	0.79	10157
AOC 5E	70		5.0		1024x768	15.0		X		1998	0.79	10145
AOC 5E/5EA/5Elr/5ElrA	90		4.0	CRT	1024x768	15.0		X		2001	0.79	10167
AOC 5EA	70		5.0		1024x768	15.0		X		1998	0.79	10143
AOC 5Elf	70		5.0		1024x768	15.0		X		1998	0.79	10146
AOC 5ElrA	70		5.0		1024x768	15.0		X		1998	0.79	10144
AOC 5Glr	71		1.0		1280x1024	15.0		X		1996	1.31	10158
AOC 5Glr/5GlrA/5Glr+/5GlrA+	100		4.0	CRT	1280x1024	15.0		X		2001	1.31	10166
AOC 5Nlr	80	20.0	5.0		1280x1024	15.0				1996	1.31	10159
AOC 5NlrA	80	20.0	5.0		1280x1024	15.0				1996	1.31	10160
AOC 5Vlr	80	25.0	5.0		1280x1024	15.0		X		1996	1.31	10161
AOC 7Dlr	80		5.0		1280x1024	17.0		X		1997	1.31	10154
AOC 7DlrA	80		5.0		1280x1024	17.0		X		1996	1.31	10162
AOC 7Elr/7ElrA	120		4.0	CRT	1280x1024	17.0		X		2000	1.31	15896
AOC 7F	120		1.9	CRT	1280x1024	17.0		X		2001	1.31	15910
AOC 7Glr	94		3.5		1280x1024	17.0	X	X		1997	1.31	10147
AOC 7Glr/7GlrA	120		4.0	CRT	1600x1200	17.0		X		2001	1.92	10169
AOC 7GlrA	94		3.5		1280x1024	17.0				1997	1.31	10148
AOC 7Klr/7KlrA	120		4.3	CRT	1600x1200	17.0	X			2000	1.92	15909
AOC 7Nlr	105	25.0	3.0		1600x1200	17.0		X		1996	1.92	10163
AOC 7Vlr	82		4.0		1024x768	17.0		X		1997	0.79	10151
AOC 7Vlr+	82		4.0		1024x768	17.0	X	X		1997	0.79	10149



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
AOC 7VlrA	82		4.0		1024x768	17.0		X		1997	0.79	10152
AOC 7VlrA+	82		4.0		1024x768	17.0	X	X		1997	0.79	10150
AOC 9GlrA	130		4.2	CRT	1600x1200	19.0	X			2000	1.92	15907
AOC 9Glr	150		5.0		1600x1200	19.0	X	X		1997	1.92	10153
AOC 9GlrS/9GlrSA	150		4.0	CRT	1600x1200	19.0	X	X		2001	1.92	10171
AOC 9Klr/9KlrA	130		4.3	CRT	1600x1200	19.0	X			2000	1.92	15898
AOC LM-700	45		1.3	LCD	1280x1024	17.0	X			2001	1.31	15902
AOC SPECTRUM 4V/4VA/4Vlr/4VlrA-A	90		4.6	CRT	1024x768	14.0		X		2001	0.79	10176
AOC SPECTRUM 5E/5EA/5Elr/5ElrA	90		4.0	CRT	1024x768	15.0		X		2001	0.79	10175
AOC SPECTRUM 5E/5EA/Elr/5ElrA	80		4.0		1024x768	15.0		X		1999	0.79	15877
AOC SPECTRUM 7GlrS/7GlrA	85		4.0		1600x1200	17.0	X	X		1999	1.92	15893
AOC SPECTRUM 7GlrS/7GlrSA	120		4.0	CRT	1600x1200	17.0	X	X		2001	1.92	10165
AOC SPECTRUM 9GlrS/9GlrSA	120		4.0	CRT	1600x1200	19.0	X	X		2001	1.92	10170
AOC SPECTRUM 9GlrS/9GlrSA	150		4.0		1600x1200	19.0	X	X		1999	1.92	15885
AOC SPECTRUM LM-500	37		1.2	LCD?	1024x768	15.0	X	X		1999	0.79	15894
AOC SPECTRUM LM-500	63		4.0	LCD	1024x768	15.0	X	X		2001	0.79	10168
AOC SPECTRUM5Glr/5GlrA/5Glr+/5GlrA	80		4.0		1280x1024	15.0	X	X		1999	1.31	15886
AOC SPECTRUM5Glr/5GlrA/5Glr+/5GlrA	100		4.0	CRT	1280x1024	15.0	X	X		2001	1.31	10174
AOC SPECTRUM7Vlr/7VlrA/7Vlr+/7VlrA	85		4.0		1280x1024	17.0		X		1999	1.31	15892
AOC SPECTRUM7Vlr/7VlrA/7Vlr+/7VlrA	120		4.0	CRT	1280x1024	17.0	X	X		2001	1.31	10173
AOC SPECTUM 4V/4VA/4Vlr/4VlrA	75		4.6		1024x768	14.0				1999	0.79	15876
Apple M6204 Studio Display, CRT	180	11.0	2.5		1280x1024	21.0	X	X		1999	1.31	14860
Apple M6221 Studio Display	150	7.0	4.0		1024x768	17.0	X	X		1999	0.79	14861
Apple M7478 Cinema Display,Flat Panel	62	2.5	2.5		1280x1024		X	X		1999	1.31	14862
Apple M7612 Studio Display,Flat Panel	45	4.0	4.0		1024x768	15.0	X	X		1999	0.79	14863
Ariestec 14c	71	10.9	5.6		800x600	14.0				1998	0.48	14855
Ariestec 14cl	71	11.0	5.8		800x600	14.0		X		1998	0.48	14854
Ariestec 14cx	71	10.9	5.7		800x600	14.0		X		1998	0.48	14856
ASK IMAGE30	25	9.0	9.0	LCD?	640x480	10.0			X	1997	0.31	10139
ASK IMAGE35	25	9.0	9.0	LCD?	640x480	10.0			X	1997	0.31	10137
ASK IMAGE40	25	9.0	9.0	LCD?	640x480	10.0			X	1997	0.31	10138
ASK IMAGE45	25	9.0	9.0	LCD?	640x480	10.0			X	1997	0.31	10136
ATI AT-5869D	65	7.4	5.6		1280x1024	15.0		X		1999	1.31	9388
ATI AT-7869D	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9375
AURORA VISION SM583B	80	15.0	5.0		1024x768	15.0				1996	0.79	13241
AURORA VISION SM584	80	15.0	5.0		1280x1024	15.0				1996	1.31	13238
Axion CF-1754	70	20.0	1.0		1024x768	17.0				1995	0.79	9891
Axion CK-4148	70	20.0	3.0		1024x768	14.0		X		1995	0.79	9892
Axion CK-4158	80	20.0	1.0		1280x1024	15.0		X		1995	1.31	9893
Axion CX-4158	80	20.0	1.0		1280x1024	15.0		X		1995	1.31	9894
Belinea 10 15 60	20	1.4	1.4	LCD	1024x768	15.0	X	X		2000	0.79	9983
Belinea 10 17 10	42	1.5	1.5	LCD	1280x1024	17.0	X	X		2000	1.31	9984
Belinea 10 17 20	34	2.3	2.3	LCD	1280x1024	17.0	X			2001	1.31	10023
Belinea 10 18 10	63	2.3	2.3	LCD	1280x1024	18.0	X			1999	1.31	9967
Belinea 10 18 15	63	2.3	2.3	LCD	1280x1024	18.0	X			1999	1.31	9966
Belinea 10 18 20	64	3.1	3.1	LCD	1280x1024	18.0	X			2001	1.31	10024
Belinea 10 30 10	121	7.5	4.0	CRT	1280x1024	17.0				1999	1.31	9344
Belinea 10 30 30	121	7.5	4.0	CRT	1280x1024	17.0				1999	1.31	9343
Belinea 10 30 40	97	6.0	3.0	CRT	1280x1024	17.0				1999	1.31	9345
Belinea 10 30 60	94	8.0	6.0	CRT	1600x1200	17.0				1999	1.92	9346
Belinea 10 60 20	190	8.0	8.0	CRT	1600x1200	19.0				1999	1.92	9347
Belinea 10 60 30	125	8.5	2.5	CRT	1600x1200	19.0				1999	1.92	9348
Belinea 10 70 10	68	7.0	3.5	CRT	1280x1024	17.0	X	X		1997	1.31	17255
Belinea 10 80 10	103	21.6	4.5	CRT	1600x1200	21.0	X	X		1997	1.92	17257
Belinea 101540	30	3.2	3.2	LCD	1024x768	15.0	X			2000	0.79	9353
Belinea 103025	73	8.0	3.0	CRT	1280x1024	17.0				2001	1.31	11748
Belinea 103045	87	7.6	3.5	CRT	1280x1024	17.0	X	X		2000	1.31	9354
Belinea 103045	88	5.8	2.7	CRT	1600x1200	17.0	X	X		2001	1.92	13316
Belinea 103065	95	6.0	2.8		1280x1024	17.0	X		X	2000	1.31	13313
Belinea 103080	83	10.0	2.9	CRT	1600x1200	17.0	X			2000	1.92	9349



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Belinea 106035	115	12.5	2.5		1600x1200	19.0	X		X	2000	1.92	13312
Belinea 106065	110	10.0	2.6	CRT	1600x1200	19.0	X	X		2001	1.92	13317
Belinea 106080	107	7.1	2.6	CRT	1600x1200	19.0	X			2000	1.92	9350
Belinea 108025	119	6.2	2.5	CRT	1600x1200	21.0	X			2000	1.92	9351
Belinea 108080	130	7.4	2.6	CRT	1600x1200	21.0	X			2000	1.92	9352
Belinea Belinea 10 70 30	80	5.8	3.9	CRT	1280x1024	17.0	X	X		1997	1.31	17256
Benq 1570i	67	7.0	1.5		640x480	15.0	X			1998	0.31	9935
Benq 1772ie	93	7.0	4.5		1024x768	17.0	X			1998	0.79	9933
Benq 1772j		15.0		CRT?	1280x1024	17.0				1998	1.31	9912
Benq 7134e		5.0		CRT?	1024x768	14.0				1998	0.79	9900
Benq 7134T		15.0		CRT?	1024x768	14.0				1998	0.79	9898
Benq 7134TS		5.0		CRT?	1024x768	14.0				1998	0.79	9899
Benq 7154e		15.0		CRT?	1024x768	15.0				1998	0.79	9903
Benq 7154s		15.0		CRT?	1024x768	15.0				1998	0.79	9904
Benq 7176ie		15.0		CRT?	1280x1024	17.0				1998	1.31	9916
Benq 7177is		15.0		CRT?	1280x1024	17.0				1998	1.31	9915
Benq 7178ie		15.0		CRT?	1280x1024	17.0				1998	1.31	9923
Benq 72211c		15.0		CRT	1600x1024	21.0				1998	1.92	9926
Benq 7234e		5.0		CRT	1024x768	14.0				1998	0.79	9901
Benq 7235c		5.0		CRT?	1024x768	14.0				1998	0.79	9902
Benq 7254s		15.0		CRT?	1024x768	15.0				1998	0.79	9905
Benq 7256c		5.0		CRT?	1280x1024	15.0				1998	1.31	9907
Benq 7256I		5.0		CRT?	1280x1024	15.0				1998	1.31	9906
Benq 7257c	61	1.6	1.6	CRT	1024x768	15.0	X	X		1998	0.79	9897
Benq 7257e	70	7.0	1.5	CRT	1024x768	15.0	X	X		1999	0.79	9960
Benq 7257I		5.0		CRT?	1280x1024	15.0				1998	1.31	9909
Benq 7276c		15.0		CRT?	1280x1024	17.0				1998	1.31	9911
Benq 7276e		15.0		CRT?	1280x1024	17.0				1998	1.31	9913
Benq 7276j		15.0		CRT?	1280x1024	17.0				1998	1.31	9910
Benq 7276sl		15.0		CRT?	1280x1024	17.0				1998	1.31	9919
Benq 7277c	93	7.0	4.5		1024x768	17.0	X			1998	0.79	9934
Benq 7277e	93	7.0	4.5		1024x768	17.0	X			1998	0.79	9931
Benq 7278c		15.0		CRT?	1280x1024	17.0				1998	1.31	9918
Benq 7279c		15.0		CRT?	1280x1024	17.0				1998	1.31	9921
Benq 7279g		15.0		CRT	1280x1024	17.0				1998	1.31	9920
Benq 7299c		15.0		CRT	1280x1024	19.0				1998	1.31	9925
Benq 7299g	120	9.2	2.8	CRT	1280x1024	19.0	X	X		1999	1.31	9952
Benq 7299sl	118	2.5	2.5	CRT	1280x1024	19.0	X	X		1999	1.31	9954
Benq 7377xe	79	2.1	2.1	CRT	1024x768	17.0	X	X		1999	0.79	9951
Benq 7379xg	89	3.4	3.4	CRT	1280x1024	17.0	X	X		2000	1.31	9970
Benq 7631F		5.0		CRT?	1024x768	13.0				1998	0.79	9927
Benq 7650F		5.0		CRT?	1280x1024	17.0				1998	1.31	9928
Benq 7651F	35	2.5	2.5	LCD?	1024x768	15.0	X			1998	0.79	9930
Benq Aspire 55s	60	5.0	5.0	CRT	1024x768	15.0		X		1999	0.79	9937
Benq Aspire 55s-1	60	5.0	5.0	CRT	1024x768	15.0		X		1998	0.79	9955
Benq Aspire 77s	93	7.0	4.5	CRT	1024x768	17.0	X			1998	0.79	9932
Benq D5064**	34	2.3	2.3	LCD	1280x1024	17.0	X	X		2001	1.31	10009
Benq F51e	35	2.5	2.5	LCD	1024x768	15.0	X	X		1999	0.79	9959
Benq FP350	13	1.9	1.9	LCD	1024x768	13.0	X	X		2000	0.79	9976
Benq FP503	23	1.4	1.4	LCD	1024x768	15.0				2000	0.79	9981
Benq FP551	28	3.5	3.5	LCD	1024x768	15.0	X	X		1999	0.79	9957
Benq FP553	23	1.2	1.2	LCD	1024x768	15.0	X			2001	0.79	9991
Benq FP555	32	4.5	3.5	LCD	1024x768	15.0	X	X		1999	0.79	9958
Benq FP557	21	1.3	1.3	LCD	1024x768	15.0	X	X		2001	0.79	10021
Benq FP558	20	1.4	1.4	LCD	1024x768	15.0				2000	0.79	9978
Benq FP559	20	1.4	1.4	LCD	1024x768	15.0				2000	0.79	9977
Benq FP563	33	1.6	1.6	LCD	1024x768	15.0	X	X		2000	0.79	9988
Benq FP563X2	23	2.1	2.1	LCD	1024x768	15.0	X	X		2001	0.79	10004
Benq FP567	22	1.3	1.3	LCD	1024x768	15.0	X			2001	0.79	10026
Benq FP581	16	1.5	1.5	LCD	1024x768	15.0	X	X		2001	0.79	10002



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Benq FP741	39	2.4	2.4	LCD	1280x1024	17.0	X	X		2001	1.31	10014
Benq FP750	42	1.5	1.5	LCD	1280x1024	17.0	X	X		2000	1.31	9975
Benq FP751	42	1.5	1.5	LCD	1280x1024	17.0	X	X		2000	1.31	9982
Benq FP752	34	2.4	2.4	LCD	1280x1024	17.0	X	X		2001	1.31	9997
Benq FP855	63	2.3	2.3	LCD	1280x1024	19.0	X	X		1999	1.31	9948
Benq FP882	64	3.1	3.1	LCD	1280x1024	18.0	X			2001	1.31	10025
Benq G571	75	2.4	2.4	CRT	1024x768	15.0	X	X		2001	0.79	10008
Benq G774	78	2.9	2.9	CRT	1280x1024	17.0	X	X		2001	1.31	10016
Benq G781	85	2.0	2.0	CRT	1280x1024	17.0	X			2000	1.31	9985
Benq G991	101	2.3	2.3	CRT	1280x1024	19.0	X	X		2000	1.31	9974
Benq P211	134	3.9	3.9	CRT	1600x1200	21.0	X	X		2001	1.92	9992
Benq P3901X	19	2.1	2.1	LCD	1024x768	15.0				2001	0.79	10003
Benq P992	99	3.4	3.4	CRT	1600x1200	19.0	X			2001	1.92	10022
Benq V551	63	3.0	3.0	CRT	800x600	15.0		X		2001	0.48	9998
Benq V771	79	2.1	2.1	CRT	1024x768	17.0	X	X		2000	0.79	9979
Benq V772	70	2.9	2.9	CRT	1024x768	17.0	X	X		2001	0.79	10010
Benq V991	107	4.6	4.6	CRT	1280x1024	19.0	X	X		2001	1.31	10020
BEXIM 17DB06	87	9.4	7.7		1280x1024	17.0		X		1998	1.31	9372
Boundless Techn. ADDS 29XX/7XX	26	26.2	0.0	LCD?		14.0				1997	0.00	9662
Boundless Techn. ADDS 4000/1XX	26	26.2	0.0	LCD?		14.0				1997	0.00	9663
Boundless Techn. ADDS 4000/2XX	34	26.2	0.0	LCD?		14.0				1997	0.00	9664
Boundless Techn. ADDS 4000/XXXLF	27	26.5	0.0			9.0				1997	0.00	9654
Boundless Techn. ADDS 4000/XXXLFC	27	26.5	0.0			9.0				1997	0.00	9655
Boundless Techn. Dorio VGB10	29	26.0	0.0	LCD?		14.0				1997	0.00	9656
Boundless Techn. Dorio VGB20	32	14.0	0.0	LCD?		14.0				1997	0.00	9657
Boundless Techn. Dorio VGB25	77	10.0	10.0			15.0				1997	0.00	9658
Boundless Techn. VT510	32	28.5	0.0	LCD?		14.0				1997	0.00	9659
Boundless Techn. VT520	32	14.0	0.0	LCD?		14.0				1997	0.00	9660
Boundless Techn. VT525	77	10.0	10.0			15.0				1997	0.00	9661
Canon 15C01	65	10.0	0.0		1280x1024	15.0				1997	1.31	16091
CLEVO LM85	27	5.2	1.2	LCD?	1024x768	15.0	X	X		1999	0.79	14740
Compal BP350	40	5.0	5.0		1024x768	15.0	X	X		1999	0.79	9461
Compal CM350	25	5.0	5.0	LCD?	1024x768	15.0	X	X		2000	0.79	9475
Compal CT350	25	5.0	5.0	LCD?	1024x768	15.0	X	X		2000	0.79	9478
Compal D796	85	3.6	3.6		1280x1024	17.0	X	X		2000	1.31	9477
Compal F115	110	1.6	1.6		1600x1200	21.0	X	X		2000	1.92	9480
Compal F115/DJ82X/CM823FXX	110	1.6	1.6		1600x1200	21.0	X	X		2000	1.92	9481
Compal LA15R01-Z	21	1.4	1.4	LCD	1024x768	15.0	X	X		2001	0.79	9489
Compal SL340	15	5.0	5.0	LCD?	1024x768	14.0	X	X		1999	0.79	9470
Compal SL350	15	5.0	5.0	LCD?	1024x768	15.0	X	X		1999	0.79	9464
Compal ST340	15	5.0	5.0	LCD?	1024x768	14.0	X	X		1999	0.79	9465
Compal ST350	15	5.0	5.0	LCD?	1024x768	15.0	X	X		1999	0.79	9466
Compal V500	60	6.6	2.1		1024x768	15.0				2000	0.79	9485
Compal V553	60	6.6	2.1		1024x768	15.0				2000	0.79	9486
Compal V798	85	7.8	2.9		1024x768	17.0	X	X		2000	0.79	9472
Compal V799	60	3.0	3.0		1280x1024	17.0	X	X		1999	1.31	9469
Compal V999	86	4.5	4.5		1600x1200	19.0	X	X		1999	1.92	9468
Compaq CM350	25	5.0	5.0	LCD?	1024x768	15.0	X	X		2000	0.79	9476
Compaq CO1053X	80	9.0	5.0		1024x768	15.0	X	X		2000	0.79	9473
Compaq CO1057X	100	7.3	5.0		1280x1024	17.0	X	X		2000	1.31	9474
Compaq CO1064X (FS740)	74	1.8	1.8		1280x1024	17.0	X			2000	1.31	9479
Compaq P110		7.9	0.0	CRT?	1600x1200	21.0				1998	1.92	17352
Compaq P1610		11.2	0.0	CRT?	1920x1200	24.0				1998	2.30	17353
Compaq P75		9.3	0.0	CRT?	1024x768	17.0				1998	0.79	17351
Compaq PE-1123	95	9.0	5.0		1280x1024	17.0				1999	1.31	17374
Compaq PE1203	40	5.0	5.0		1024x768	15.0	X	X		1999	0.79	9460
Compaq Presario 1525		10.9	0.0	CRT?	1024x768	15.0				1998	0.79	17357
Compaq Presario 1725		9.5	0.0	CRT?	1280x1024	17.0				1998	1.31	17358
Compaq Presario FX500		8.4	0.0	CRT?	1024x768	15.0				1998	0.79	17359
Compaq Presario FX700		9.6	0.0	CRT?	1280x1024	17.0				1998	1.31	17360



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Compaq Presario V410e		8.5	0.0	CRT?	1024x768	14.0				1998	0.79	17356
Compaq S700		10.3	0.0	CRT?	1280x1024	17.0				1998	1.31	17362
Compaq S900		7.0	0.0	CRT?	1600x1200	19.0				1998	1.92	17361
Compaq TFT450		3.4	0.0	LCD	1024x768	14.0				1998	0.79	17355
Compaq TFT500		3.3	0.0	LCD	1024x768	15.0				1998	0.79	17354
Compaq V1000		4.7	0.0	CRT!	1800x1440	21.0				1998	2.59	17363
Compaq V55		10.2	0.0	CRT?	1024x768	15.0				1998	0.79	17348
Compaq V75		10.4	0.0	CRT?	1280x1024	17.0				1998	1.31	17349
Compaq V90		10.9	0.0	CRT?	1600x1200	19.0				1998	1.92	17350
Compaq V900		7.5	0.0	CRT?	1600x1200	19.0				1998	1.92	17364
Cornerstone 40/95	107	4.2	4.2		1600x1200	17.0	X	X		1998	1.92	10405
Cornerstone 50/95	139	11.0	6.0		1280x1024	21.0	X	X	X	1998	1.31	10404
Cornerstone c1025	160	8.0	15.0	CRT	1280x1024	21.0	X	X		2000	1.31	9583
Cornerstone C900	114	9.8	2.9		1280x1024	19.0	X	X	X	1998	1.31	10408
Cornerstone C901	150	15.0	8.0	CRT	1280x1024	19.0	X	X		2000	1.31	9582
Cornerstone CD 50/115 sf	92	22.3	4.8		1800x1440	21.0				1997	2.59	10407
Cornerstone CD2077A/01	118	5.0	5.0		1600x1200	20.0				1996	1.92	10411
Cornerstone CD2181A/01	126	29.0	6.0		1600x1200	21.0				1996	1.92	10412
Cornerstone CD50/101 sf	91	22.0	4.8		1600x1200	21.0				1997	1.92	10406
Cornerstone CD50115A/01	112	28.0	5.0		1600x1200	21.0				1996	1.92	10413
Cornerstone f825	60	15.0	5.0	LCD	1280x1024	18.0	X	X		2000	1.31	9581
Cornerstone P1450	90	7.0	2.5	CRT	1280x1024	19.0	X	X		2000	1.31	9584
Cornerstone p1500	135	4.9	4.9		1600x1200	21.0	X	X	X	1998	1.92	10410
Cornerstone p1600	135	4.9	4.9		1600x1200	21.0	X	X	X	1998	1.92	10409
CTL 5ts	35	4.5	4.5	LCD	1024x768	15.0				2000	0.79	10391
CTL 5xln	66	8.2	3.8	CRT	1024x768	15.0				2000	0.79	10392
CTL 700TF	85	15.0	5.0	CRT	1600x1200	17.0				2000	1.92	10389
CTL 700VF	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9410
CTL 7dln	65	5.7	2.6	CRT	1280x1024	17.0		X		1999	1.31	10386
CTL 7dln, 7sln	87	8.0	5.8		1280x1024	17.0		X		1998	1.31	9387
CTL 7sln	63	5.5	2.5	CRT	1280x1024	17.0		X		1999	1.31	10387
CTL 900vx	87	5.1	2.3	CRT	1280x1024	19.0				2000	1.31	10390
CTL 9ln	120	15.0	5.0	CRT	1600x1200	19.0				1998	1.92	10388
CTX 1451C/CLR	79	5.0	1.0		1024x768	14.0				1996	0.79	14765
CTX 1451D	84	5.0	1.0		1024x768	14.0				1996	0.79	14766
CTX 1565MS	99	7.0	2.0		1280x1024	15.0				1996	1.31	14767
CTX 1565S	89	6.0	2.0		1280x1024	15.0				1996	1.31	14768
CTX 1759MS	120	7.0	5.0		1024x768	17.0				1996	0.79	14769
CTX 1765D	120	5.0	2.0		1280x1024	17.0				1996	1.31	14759
CTX 1765S	120	7.0	2.0		1280x1024	17.0				1996	1.31	14760
CTX 1765XE	120	8.0	3.0		1280x1024	17.0				1996	1.31	14761
CTX 1769E	120	15.0	6.0		1280x1024	17.0				1997	1.31	14753
CTX 1769MS	130	12.0	5.0		1280x1024	17.0				1996	1.31	14770
CTX 1769SE	120	15.0	6.0		1280x1024	17.0				1997	1.31	14754
CTX 1769UA	120	10.0	6.0		1280x1024	17.0				1997	1.31	14744
CTX 1785S	120	8.0	3.0		1600x1200	17.0				1996	1.92	14762
CTX 1785XE	120	8.0	3.0		1600x1200	17.0				1996	1.92	14763
CTX 1785XED	120	8.0	3.0		1600x1200	17.0				1996	1.92	14764
CTX 1792E	130	15.0	6.0		1600x1200	17.0				1997	1.92	14749
CTX 1792SA	130	15.0	6.0		1600x1200	17.0				1997	1.92	14746
CTX 1792SE	130	15.0	6.0		1600x1200	17.0				1997	1.92	14750
CTX 1792UA	130	10.0	6.0		1600x1200	17.0				1997	1.92	14742
CTX 1792UE	130	10.0	6.0		1600x1200	17.0				1997	1.92	14747
CTX 17XA	129	8.0	4.0		1600x1200	17.0				1996	1.92	14771
CTX 2085	159	10.0	5.0		1600x1200	20.0				1996	1.92	14772
CTX 2085XE	159	9.0	5.0		1600x1200	20.0				1996	1.92	14773
CTX 2185XA	159	9.0	5.0		1600x1200	21.0				1996	1.92	14774
CTX 2185XE	159	8.0	5.0		1600x1200	21.0				1996	1.92	14775
CTX 2195UE	160	10.0	6.0		1600x1200	21.0				1997	1.92	14756
CTX 2195XE	130	15.0	6.0		1600x1200	21.0				1997	1.92	14755



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
CTX CEP1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2000	0.79	14816
CTX CFA1797C	100	15.0	5.0	CRT	1600x1200	17.0	X	X	X	2000	1.92	14829
CTX CGP1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2000	0.79	14823
CTX CGP1797C	100	15.0	5.0	CRT	1600x1200	17.0	X	X	X	2000	1.92	14824
CTX CHP1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2000	0.79	14830
CTX CHP1797C	100	15.0	5.0	CRT	1600x1200	17.0	X	X	X	2000	1.92	14832
CTX CKQ1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14822
CTX CKQ1797C	100	15.0	5.0	CRT	1600x1200	17.0				2001	1.92	14820
CTX CLQ1555A	70	15.0	5.0	CRT	1024x768	15.0				2000	0.79	14827
CTX CLQ1570A	75	15.0	5.0	CRT	1024x768	15.0	X	X	X	2000	0.79	14825
CTX CNP1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2000	0.79	14821
CTX CNP1797C	100	15.0	5.0	CRT	1600x1200	17.0	X	X	X	2000	1.92	14833
CTX CSP1772A	80	15.0	5.0	CRT	1024x768	17.0	X	X	X	2000	0.79	14826
CTX EX1200	140	12.0	7.0		1600x1200	21.0	X	X		1999	1.92	14791
CTX EX1300	140	12.0	7.0		1600x1200	21.0	X	X		1999	1.92	14792
CTX EX700	120	8.0	3.0		1600x1200	17.0				1996	1.92	14776
CTX EX710	130	10.0	6.0		1600x1200	17.0				1997	1.92	14748
CTX EX800	160	9.0	5.0		1600x1200	20.0				1996	1.92	14777
CTX EX900	160	8.0	5.0		1600x1200	21.0				1996	1.92	14778
CTX EX910	160	10.0	6.0		1600x1200	21.0				1997	1.92	14757
CTX EX950F	100	15.0	5.0	CRT	1600x1200	19.0	X	X	X	2000	1.92	14828
CTX EX960	130	12.0	7.0		1600x1200	19.0	X	X		1999	1.92	14796
CTX Fx*7200	130	15.0	6.0		1600x1200	17.0				1997	1.92	14752
CTX Fx*9100	130	15.0	6.0		1600x1200	21.0				1997	1.92	14758
CTX MS600	120	7.0	5.0		1024x768	17.0				1996	0.79	14779
CTX MS700	130	12.0	5.0		1280x1024	17.0				1996	1.31	14780
CTX PL5A	90	12.0	7.0		1024x768	15.0				1999	0.79	14809
CTX PL7	100	13.0	7.0		1280x1024	17.0				1999	1.31	14797
CTX PL9	130	12.0	7.0		1600x1200	19.0				1999	1.92	14793
CTX PR1400F	140	12.0	7.0			21.0	X	X		1999	0.00	14808
CTX PR500F	100	12.0	5.0		1280x1024	15.0	X	X		1999	1.31	14803
CTX PR700	120	10.0	6.0		1280x1024	17.0				1997	1.31	14745
CTX PR705F	110	11.0	5.0		1600x1200	17.0	X	X		1999	1.92	14790
CTX PR710	130	10.0	6.0		1600x1200	17.0				1997	1.92	14743
CTX PR711F	130	11.0	6.0		1600x1200	17.0	X	X		1999	1.92	14789
CTX PR900	160	9.0	5.0		1600x1200	21.0				1996	1.92	14781
CTX PR960F	130	10.0	7.0		1600x1200	19.0	X	X		1999	1.92	14788
CTX PV505	35	5.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14818
CTX PV510	35	5.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14831
CTX PV520	35	5.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14817
CTX PV710	40	5.0	3.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	14812
CTX PV710A	40	5.0	3.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	14811
CTX PV720	40	5.0	5.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	14814
CTX PV720A	40	5.0	3.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	14813
CTX VL500	90	12.0	7.0		1280x1024	15.0				1999	1.31	14804
CTX VL510	100	10.0	5.0	CRT	1280x1024	15.0				1999	1.31	14815
CTX VL700	100	14.0	7.0		1280x1024	17.0				1999	1.31	14798
CTX VL700SLT	110	13.0	7.0		1600x1200	17.0	X	X		1999	1.92	14806
CTX VL700T	100	14.0	7.0		1280x1024	17.0				1999	1.31	14810
CTX VL710	130	15.0	6.0		1600x1200	17.0				1997	1.92	14751
CTX VL710SL	110	12.0	7.0		1600x1200	17.0	X	X		1999	1.92	14800
CTX VL710ST	110	13.0	7.0		1600x1200	17.0	X	X		1999	1.92	14799
CTX VL950	1300	13.0	7.0	CRT	1600x1200	19.0	X	X	X	1999	1.92	14846
CTX VL950SL	130	13.0	7.0		1600x1200	19.0	X	X		1999	1.92	14801
CTX VL950ST	130	14.0	7.0		1600x1200	19.0	X	X		1999	1.92	14802
CTX VL950T	130	12.0	7.0		1600x1200	19.0	X	X		1999	1.92	14795
CTX X50	90	12.0	7.0		1024x768	15.0				1999	0.79	14805
CTX X70	100	14.0	7.0		1280x1024	17.0				1999	1.31	14807
CTX X90	130	12.0	7.0		1600x1200	19.0	X	X		1999	1.92	14794
CTX XP500	35	5.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14819



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Custom Video Display CD996MCN	110	10.0	2.0	CRT	1280x1024	19.0	X	X		2001	1.31	15549
CyberVision C112	170	8.0	8.0		1600x1200	21.0	X	X	X	1998	1.92	10382
CyberVision C40	80	8.0	8.0	CRT	1024x768	14.0		X		1998	0.79	13519
CyberVision C50	85	8.0	8.0	CRT	1024x768	15.0		X		1998	0.79	13518
CyberVision C50-2	80	5.0	5.0		1024x768	15.0				1998	0.79	10385
CyberVision C52	100	15.0	5.0		1280x1024	15.0		X		1998	1.31	10383
CyberVision C70	100	15.0	5.0		1280x1024	17.0		X		1998	1.31	10384
CyberVision C72	100	5.0	5.0	CRT	1280x1024	17.0		X		1998	1.31	13520
CyberVision CCDTS21573-XX	80	5.1	2.5		1024x768	17.0		X		1999	0.79	10273
DAEWOO 423X	85	14.0	3.0		1024x768	14.0	X	X		1999	0.79	10374
DAEWOO 431x	71	4.6	4.6		800x600	14.0				1998	0.48	10356
DAEWOO 511B	72	4.5	4.5		1024x768	15.0		X		1998	0.79	10357
DAEWOO 512B	73	4.7	4.7		1024x768	15.0		X		1998	0.79	10358
DAEWOO 518B	72	52.0	2.8		1024x768	15.0		X		1998	0.79	10359
DAEWOO 518X	68	4.8	2.8		800x600	15.0		X		1998	0.48	10360
DAEWOO 519B	77	3.6	3.6		1024x768	15.0		X		1998	0.79	10351
DAEWOO 523X	90	14.0	3.0		1024x768	15.0		X		1999	0.79	10373
DAEWOO 707B	86	5.2	5.2		1024x768	17.0		X		1998	0.79	10352
DAEWOO 710B	91	6.3	6.3		1024x768	17.0		X		1998	0.79	10353
DAEWOO 710C	94	2.6	2.6		1280x1024	17.0		X		1998	1.31	10354
DAEWOO 712B	90	8.0	4.5		1280x1024	17.0				1999	1.31	10371
DAEWOO 901D	123	4.5	4.5		1600x1200	19.0		X		1998	1.92	10355
DAEWOO b500	90	14.0	3.0		1280x1024	15.0	X	X		1999	1.31	10367
DAEWOO CMC-1427S	75	13.0	5.0		1024x768	14.0		X		1995	0.79	10340
DAEWOO CMC-1427X	75	13.0	5.0		1024x768	14.0		X		1995	0.79	10341
DAEWOO CMC-1505X	80	14.0	5.0		1024x768	15.0		X		1995	0.79	10342
DAEWOO CMC-1507X	80	13.0	5.0		1024x768	15.0		X		1995	0.79	10343
DAEWOO CMC-1509B	95	14.7	4.7		1024x768	15.0		X		1996	0.79	10346
DAEWOO CMC-1703B	100	14.0	7.0		1280x1024	17.0		X		1995	1.31	10344
DAEWOO CMC-1704C	135	13.0	8.0		1600x1200	17.0	X	X		1997	1.92	10345
DAEWOO CMC-1705B	113	17.4	5.9		1024x768	17.0		X		1996	0.79	10347
DAEWOO DTO1510SN	28	2.6	2.6	LCD	1024x768	15.0	X	X	X	2001	0.79	9448
DAEWOO F7S755	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9422
Daewoo International 953DF	91	8.1	4.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	9445
Daewoo International 9S926BT9	87	5.1	5.1	CRT	1600x1200	19.0	X	X	X	2001	1.92	9435
Daewoo International DW15	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9423
Daewoo International DW17A	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9429
Daewoo International DW17F	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9431
Daewoo International DW19	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9430
Daewoo International F7S755	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9446
Daewoo International N7U790T9	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9436
Datron DpF770	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9447
Datron DT996	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9444
Daytek 15NF	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9438
Daytek 17N5	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9437
Daytek 17N7	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9439
Daytek 17PF	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9441
Daytek 19NF	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9440
Daytek 755DB	65	12.0	3.2	CRT	1280x1024	17.0	X	X	X	2001	1.31	9402
Daytek DT-1436A	80	13.4	6.0		1024x768	14.0				1996	0.79	10348
Daytek DT-1436-D	81	12.7	12.7		1024x768	14.0		X		1998	0.79	10337
Daytek DT-1436DM2	81	12.7	12.7		1024x768	14.0		X		1998	0.79	10338
Daytek DT-1436M4	80	13.4	6.0		1024x768	14.0		X		1996	0.79	10349
Daytek DT-1439	80	13.4	6.0		1024x768	14.0		X		1996	0.79	10350
Daytek DT-1530	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9417
Daytek DT-1536D	81	12.7	12.7		1024x768	15.0		X		1998	0.79	10339
Daytek DT-1726D, -1731D	87	8.0	5.8		1280x1024	17.0		X		1998	1.31	9386
Daytek DT-1769D	87	9.4	7.7		1280x1024	17.0		X		1998	1.31	9373
Daytek DT-1769D	87	9.4	7.7		1280x1024	17.0				1998	1.31	10361
Daytek DT-57A	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9406



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Daytek DT-57P	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9424
Daytek DT-75A, DT-77 A	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9408
Daytek DT-77 A	96	5.5	2.7		1280x1024	17.0	X	X		2000	1.31	9397
Daytek DT-95P	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9398
Dell 1400FP	40	8.0	8.0	LCD	1024x768	14.0			X	1997	0.79	12052
Dell 1401FP	21	5.5	5.5	LCD	1024x768	15.0		X		2000	0.79	9467
Dell 1501FP	30	8.0	3.0	LCD	1024x768	15.0	X			1999	0.79	15446
Dell 1502FP	25	6.0	6.0	LCD	1024x768	15.0		X		2000	0.79	9471
Dell 1503FP	24	2.3	2.3	LCD	1024x768	15.0				2000	0.79	15451
Dell 2000FP	63	4.6	4.6	LCD	1600x1200	20.0	X			2001	1.92	10012
Dell D1025 HTX	85	7.0	7.0	CRT	1280x1024	17.0	X	X	X	1997	1.31	17194
Dell D1025TM	100	9.0	7.0	CRT	1280x1024	17.0	X	X	X	1998	1.31	15439
Dell D825HT	85	9.0	7.0	CRT	1280x1024	15.0		X		1996	1.31	15441
Dell D825TM	85	9.0	7.0	CRT	1280x1024	15.0	X	X	X	1998	1.31	15440
Dell E151FP	24	1.2	1.2	LCD	1024x768	15.0	X	X		2001	0.79	15454
Dell E551	72	1.8	1.8	CRT	800x600	15.0				2000	0.48	9980
Dell E771a	78	2.5	2.5	CRT	1024x768	17.0	X	X		2000	0.79	9987
Dell P1130	119	1.6	1.6	CRT		21.0	X	X		2001	0.00	15453
Dell P792	105	3.0	3.0		1280x1024	17.0				2001	1.31	15452
Dell SL340	15	5.0	5.0	LCD	1024x768	14.0	X	X		1999	0.79	9463
Delta DB-456xxx	85	12.0	6.0		800x600	14.0		X		1999	0.48	10261
Delta DC-PP5xxx	115	10.4	1.6		1600x1200	19.0	X	X		1999	1.92	10249
Delta DD-556xxx	90	12.0	6.0		800x600	15.0		X		1999	0.48	10262
Delta DD-995 xxx	120	9.8	2.5		1600x1200	19.0	X	X		1999	1.92	10269
Delta DE-986 xxx	120	10.0	2.5		1280x1024	19.0		X		1999	1.31	10268
Delta DE-995 xxx	125	10.0	2.3		1600x1200	19.0	X	X		1999	1.92	10270
Delta F996xxx	110	10.0	2.0	CRT	1280x1024	19.0	X	X		2000	1.31	10297
Delta G-556 xxx	80	13.0	6.4		800x600	15.0				2000	0.48	10281
Delta G-570 xxx	80	13.0	6.2		800x600	15.0		X		2000	0.48	10282
Delta G786 XXX	80	6.0	2.5		1024x768	17.0				2000	0.79	10289
Delta G986 XXX	88	4.6	2.2		1600x1200	19.0				2000	1.92	10288
Delta H770 XXX	80	8.6	4.0		1280x1024	17.0		X		2001	1.31	10290
Delta H996 XXX	95	2.9	2.9	CRT	1280x1024	19.0		X		2001	1.31	10295
Delta HG-500FE	22	2.9	1.8	LCD?	1024x768	15.0	X	X	X	1998	0.79	10241
Delta J556XXX	73	5.0	5.0	CRT	800x600	15.0				2001	0.48	10293
Delta J570XXX	66	5.5	5.5	CRT	1024x768	15.0				2001	0.79	10294
Delta L15AXX	22	1.5	1.5	LCD	1024x768	15.0	X	X		2001	0.79	10296
DeluxScan 17S HT-7682B	120	6.0	6.0		1280x1024	17.0		X	X	1997	1.31	11728
Digital D17F	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9432
Digital PCX AV-Y*	140	15.0	5.0		1280x1024	17.0	X	X		1996	1.31	14153
Digital PCXAV-A*	200	15.0	8.0		1920x1200	24.0	X			1997	0.00	14146
Digital PCXAV-T*	120	15.0	8.0		1600x1200	19.0	X			1997	1.92	14145
Digital PCXAV-W*	170	8.0	8.0		1600x1200	21.0	X			1997	1.92	14149
Digital PCXAV-YA/B/ C	140	15.0	5.0		1280x1024	17.0	X			1997	1.31	14147
Digital PCXAV-Z*	170	30.0	10.0		1600x1200	21.0	X			1996	1.92	14154
Digital PCXBV-E*	90	15.0	8.0		1024x768	15.0	X			1997	0.79	14150
Digital PCXBV-F*	110	15.0	8.0		1280x1024	17.0	X			1997	1.31	14148
Digital PCXBV-T*	90	15.0	5.0		1280x1024	15.0	X			1996	1.31	14155
Digital PCXBV-V*	110	15.0	6.0		1280x1024	17.0	X			1996	1.31	14156
Digital PCXBV-Y*	80	15.0	5.0		1024x768	15.0		X		1996	0.79	14157
Digital PCXBV-Z*	110	15.0	8.0		1280x1024	17.0		X		1996	1.31	14158
Digital PCXCV-C*	85	15.0	8.0		1024x768	14.0	X			1997	0.79	14152
Digital PCXCV-D*	85	15.0	8.0		1024x768	15.0	X			1997	0.79	14151
Digital PCXCV-S*	80	15.0	8.0		1024x768	14.0		X		1996	0.79	14159
Digital PCXCV-T*	80	15.0	8.0		1024x768	15.0		X		1996	0.79	14160
Digital PCXCV-U*	80	15.0	8.0		1024x768	15.0		X		1996	0.79	14161
Digital PCXCV-V*	80	15.0	8.0		1024x768	14.0		X		1996	0.79	14162
EigerVue EVM 5780	75	8.2	6.0		1280x1024	15.0		X		1999	1.31	9385
EigerVue EVM-5780	75	8.2	6.0		1280x1024	15.0		X		1999	1.31	9383
EigerVue EVM-7760, -7780	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9376



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
EIZO 531L	28	2.9	2.9	LCD?	1024x768	15.0	X			2000	0.79	10678
EIZO 5341LT-G R	29	3.0	3.0	LCD?	1024x768	15.0				2000	0.79	10679
EIZO 630L	29	7.2		LCD	1024x768	15.0	X	X	X	2001	0.79	10691
EIZO F931	108	6.3	1.7		1600x1200	21.0				2001	1.92	10681
EIZO FA-1550	32	1.6	1.6	LCD?	1024x768	15.0	X	X		2000	0.79	10675
EIZO FA-1560	27	8.2	0.0	LCD?	1024x768	15.0	X	X	X	1997	0.79	10639
EIZO FA-1561	29	8.9	0.0	LCD?	1024x768	15.0	X	X	X	1997	0.79	10640
EIZO FA-1562	26	1.4	1.3	LCD?	1024x768	15.0	X	X	X	1998	0.79	10629
EIZO FA-1563	26	1.4	1.3	LCD?	1024x768	15.0	X	X	X	1998	0.79	10630
EIZO FA-1564-M	25	1.2	1.2	LCD?	1024x768	15.0	X	X		1999	0.79	10660
EIZO FA-1564-S	32	1.2	1.2	LCD?	1024x768	15.0	X	X		1999	0.79	10661
EIZO FA-1565	25	3.6	3.6	LCD?	1024x768	15.0	X	X		2000	0.79	10673
EIZO FA-1880	46	1.6	1.6		1280x1024		X	X	X	1998	1.31	10633
EIZO FA-1881	46	1.6	1.6		1280x1024		X	X	X	1998	1.31	10634
EIZO FA-1882-B	56	1.7	1.7		1280x1024	18.0	X	X		2000	1.31	10671
EIZO FA-1882-H	57	1.6	1.6		1280x1024	19.0	X	X		1999	1.31	10658
EIZO FA-1882-S	43	1.8	1.8		1280x1024	19.0	X	X		1999	1.31	10659
EIZO FA-1883	41	2.8	2.8		1280x1024	18.0	X	X		2000	1.31	10672
EIZO FA-1990	45	1.9	1.9		1600x1200	19.0	X	X		2000	1.92	10674
EIZO FC-2090	70	1.7	1.7	LCD		17.0				2001	0.00	10683
EIZO FC2090B	65	1.7	1.7	LCD	1280x1024	20.0				2000	1.31	10682
EIZO FN-1530	25	2.8	2.8	LCD?	1024x768	15.0		X		2000	0.79	10669
EIZO FT-1882	65	1.8	1.8		1280x1024	18.0		X		2000	1.31	10668
EIZO FX-B5	87	6.1	0.0		1024x768	15.0	X	X	X	1997	0.79	10652
EIZO FX-C5	94	6.6	0.0		1024x768	17.0	X	X	X	1997	0.79	10651
EIZO FX-C6	102	6.3	0.0		1280x1024	17.0	X	X	X	1997	1.31	10650
EIZO FX-E7	139	6.3	0.0		1600x1200	21.0	X	X	X	1997	1.92	10645
EIZO FX-E8	166	6.6	0.0		1600x1200	21.0	X	X	X	1997	1.92	10644
EIZO KA-4260	302	3.7	3.7							2000	0.00	10663
EIZO L23	29	11.4	0.0	LCD?	1024x768	14.0	X	X	X	1997	0.79	10643
EIZO L330	24	2.5	2.5	LCD!	1024x768	15.0	X	X		2000	0.79	10676
EIZO L331	24	1.1	1.0	LCD	1024x768	15.0	X			2001	0.79	10684
EIZO L355	19	1.1	1.1	LCD	1024x768	15.0	X	X		2001	0.79	10694
EIZO L365	31	1.2	1.2	LCD	1024x768	15.0	X	X		2001	0.79	10687
EIZO L375	35	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	10690
EIZO L465	33	2.1	2.1	LCD	1280x1024	16.0	X	X	X	2001	1.31	10693
EIZO L660	56	1.7	1.7		1280x1024	18.0	X	X		2000	1.31	10665
EIZO L661P	6	1.8	1.8	LCD?	1280x1024	19.0				2000	1.31	10677
EIZO L676	50	1.0	1.0	LCD	1280x1024	18.0	X	X	X	2001	1.31	10685
EIZO L685	47	1.0	0.3	LCD	1280x1024	18.0	X	X	X	2001	1.31	10692
EIZO MA-1786	82	8.2	2.5		1024x768	17.0	X	X	X	1998	0.79	10635
EIZO MA-1787	106	5.2	1.1		1024x768	17.0	X	X	X	1999	0.79	10653
EIZO MA-1792	114	2.9	0.0		1280x1024	17.0	X	X		1997	1.31	10642
EIZO MA-1793	106	6.4	2.0		1280x1024	17.0	X	X	X	1998	1.31	10636
EIZO MA-1794	102	6.0	1.7		1280x1024	17.0	X	X	X	1998	1.31	10628
EIZO MA-1796	103	6.0	1.7		1280x1024	17.0	X	X		2000	1.31	10670
EIZO MA-1990	110	8.0	0.0		1600x1200	19.0	X	X	X	1997	1.92	10638
EIZO MA-1991	119	8.9	0.0		1600x1200	19.0	X	X	X	1997	1.92	10637
EIZO MA-1992	121	10.8	1.7		1280x1024	19.0	X	X		1999	1.31	10657
EIZO MA-19B1	128	9.5	1.9		1280x1024	19.0	X	X		2000	1.31	10667
EIZO MA-2192	139	3.0	0.0		1600x1200	21.0	X	X		1997	1.92	10641
EIZO MA-21B1	134	3.1	3.1		1280x1024	21.0	X	X	X	1998	1.31	10632
EIZO MA-21B2	136	6.4	1.8		1600x1200	21.0	X	X	X	1998	1.92	10631
EIZO MA-21B3	133	8.1	1.8		1600x1200	21.0	X	X		1999	1.92	10662
EIZO MA-21D1	120	4.7	1.5		1600x1200	21.0	X	X		2000	1.92	10664
EIZO MA-21D2	143	8.2	1.4		1600x1200	21.0		X		2000	1.92	10666
EIZO T565	106	6.7	1.5	CRT	1600x1200	17.0	X	X	X	2001	1.92	10688
EIZO T765	124	7.1	1.8	CRT	1600x1200	19.0	X	X	X	2001	1.92	10686
EIZO TX-C7	112	6.1	0.0		1280x1024	17.0	X	X	X	1997	1.31	10649
EIZO TX-C7S	124	7.2	0.0		1280x1024	17.0	X	X	X	1997	1.31	10648



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
EIZO TX-D7	139	7.7	0.0		1600x1200	20.0	X	X	X	1997	1.92	10647
EIZO TX-D7S	136	7.5	0.0		1600x1200	20.0	X	X	X	1997	1.92	10646
Elements Cyclone 7A	120		6.0	CRT	1280x1024	17.0		X		2001	1.31	15895
Elonex MN015CFH	16	3.4	3.4	LCD	1024x768	15.0				2001	0.79	16210
Elonex MN015COM	68	6.9	3.0	CRT	1024x768	15.0				2000	0.79	16209
Elonex MN017COM	60	3.0	3.0	CRT	1280x960	17.0				1999	1.31	16211
Elonex MN017FS	28	1.5	1.5	LCD	1280x1024	17.0				2001	1.31	16212
Elonex MN019COM	86	4.5	4.5	CRT	1600x1200	19.0				1999	1.92	16213
Elonex MN021CM	110	1.6	1.6	CRT	1600x1200	21.0				2000	1.92	16214
ELSA ECOMO 341LCD	32	3.0	3.0	LCD	1024x768	15.0	X	X		2001	0.79	11637
ELSA ECOMO 440LCD	40	3.0	3.0		1280x1024	15.0				2001	1.31	11640
Envision 1456, 1456+, 1456A, 1456A+	75		4.5		1024x768	14.0		X		1999	0.79	15884
Envision 1556, 1556+, 1556A, 1556A+	80		4.0		1024x768	15.0				1999	0.79	15883
Envision 1570, 1570+, 1570A, 1570A+	80		4.0		1280x1024	15.0		X		1999	1.31	15888
Envision 1770, 1770+, 1770A, 1770A+	85		4.0		1280x1024	17.0		X		1999	1.31	15887
Envision 1785, 1785A	85		4.0		1600x1200	17.0	X	X		1999	1.92	15889
Envision 1995, 1995A	150		4.0		1600x1200	19.0	X	X		1999	1.92	15890
Envision EN-510	75		5.0	CRT	1024x768	15.0				2000	0.79	15899
Envision EN-5100	37		5.0	LCD	1024x768	15.0	X			2000	0.79	15900
Envision EN-5100e	25		1.3	LCD	1024x768	15.0				2001	0.79	15906
Envision EN-710	120		4.0	CRT	1280x1024	17.0				2000	1.31	15912
Envision EN-7100e	45		1.2	LCD	1280x1024	17.0				2001	1.31	15905
Envision EN-710e	120		4.0	CRT	1280x1024	17.0				2001	1.31	15903
Envision EN-770e	120		1.9	CRT	1280x1024	17.0		X		2001	1.31	15911
Envision EN-780	120		4.3	CRT	1600x1200	17.0		X		2000	1.92	15901
Envision EN-780e	120		4.3	CRT	1600x1200	17.0		X		2001	1.92	15904
Envision EN-910	130		4.0	CRT	1600x1200	19.0		X		2000	1.92	15908
Envision EN-980e	130		4.3	CRT	1600x1200	19.0		X		2001	1.92	15897
Envision EN-D1456, EN-D1456A	75		4.5		1024x768	14.0				1999	0.79	15872
Envision EN-D1556, EN-D1556A	80		4.0		1024x768	14.0		X		1999	0.79	15881
Envision EN-LM500	37		1.2	LCD?	1024x768	15.0	X	X		1999	0.79	15891
Envision EN-S1570, EN-S1570A	80		4.0		1280x1024	15.0		X		1999	1.31	15873
Envision EN-S1770, EN-S1770A	85		4.0		1280x1024	15.0		X		1999	1.31	15870
Envision EN-S1785, EN-S1785A	85		4.0		1600x1200	17.0	X	X		1999	1.92	15871
Envision EN-S1995, EN-S1995A	150		4.0		1600x1200	19.0	X	X		1999	1.92	15875
Epson CRV-1790GX	110	6.4	3.1		1600x1200	17.0		X		2000	1.92	15048
Epson Direct CR-570MA	86	5.6	2.9		1280x1024	15.0		X		2001	1.31	15050
Epson Direct CR-770MA	106	6.5	3.2		1280x1024	17.0		X		2000	1.31	15049
Epson Direct EDT13MA	19	2.2	2.2	LCD	1024x768	13.0				2001	0.79	9770
Ergovision 2150TCO95	152	6.5	6.5		1600x1200	21.0	X	X	X	1998	1.92	17670
Ergovision 2160TCO95	152	6.5	6.5		1600x1200	21.0	X	X	X	1998	1.92	17671
Ergovision 430LR	78	7.3	7.3		1024x768	14.0		X	X	1998	0.79	17672
Ergovision 550TCO95	82	7.1	7.1		1280x1024	15.0	X	X	X	1998	1.31	17660
Ergovision 550TCO95-5	82	7.1	7.1		1280x1024	15.0	X	X	X	1998	1.31	17661
Ergovision 730TCO95	82	4.3	4.3		1280x1024	17.0	X	X	X	1998	1.31	17662
Ergovision 730TCO95-5	82	4.3	4.3		1280x1024	17.0	X	X	X	1998	1.31	17663
Ergovision 740TCO95	109	6.5	6.5		1600x1200	17.0	X	X	X	1998	1.92	17664
Ergovision 740TCO95-5	109	6.5	6.5		1600x1200	17.0	X	X	X	1998	1.92	17665
Ergovision 750TCO95	120	6.5	6.5		1600x1200	17.0	X	X	X	1998	1.92	17666
Ergovision 760TCO95	100	7.0	7.0		1280x1024	17.0	X	X	X	1998	1.31	17667
Ergovision 760TCO95-5	100	7.0	7.0		1280x1024	17.0	X	X	X	1998	1.31	17668
Ergovision 975TCO95	119	5.4	5.4		1600x1200	19.0	X	X	X	1998	1.92	17669
Fan Shaing F-1450A	63	8.1	7.8		1024x768	14.0				1998	0.79	17378
Faqtor 9G926T9	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9407
Founder FX569-FB	79	6.1	3.6		1024x768	15.0				2000	0.79	9702
Founder FX569-FC	79	6.1	3.6		1024x768	15.0				2000	0.79	9701
Founder FX769-FC	85	5.8	3.6		1280x1024	17.0				2000	1.31	9705
Fujitsu A3415A	28	3.5	3.5	LCD	1024x768	15.0	X	X		1999	0.79	9947
Fujitsu e150f	38	5.0	5.0	LCD?	1024x768		X	X		1997?	0.79	18226
Fujitsu e155	75	5.0	5.0	CRT?	1024x768		X	X		2003	0.79	18218



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Fujitsu e174	90	15.0	8.0		1024x768		X			1997	0.79	18203
Fujitsu e175	120	14.0	5.0		1280x1024		X			1997	1.31	18201
Fujitsu e176	90	15.0	8.0	CRT?	1280x1024		X	X		2003	1.31	18217
Fujitsu e177	90	15.0	5.0	CRT?	1024x768		X	X		2003	0.79	18225
Fujitsu e177	90	15.0	5.0	CRT?	1024x768		X	X		2003	0.79	18228
Fujitsu e213	160	30.0	5.0	CRT?	1600x1200		X	X		2003	1.92	18216
Fujitsu FMVDP84x76	80	13.0	6.2		800x600	15.0		X		2000	0.48	10286
Fujitsu FMVDP84X7G	80	10.0	8.0		800x600	15.0		X		2000	0.48	9199
Fujitsu FMVDP84X9G	85	5.0	5.0	CRT	1024x768	15.0				2001	0.79	10292
Fujitsu ICL 401	80	25.0	5.0		1024x768			X		1996	0.79	18208
Fujitsu ICL 501	95	15.0	5.0		1024x768			X		1996	0.79	18209
Fujitsu ICL e173	81	15.0	5.0		1280x1024		X	X		1996	1.31	18210
Fujitsu ICL ErgoPro c153	95	15.0	5.0		1280x1024			X		1996	1.31	18211
Fujitsu ICL ErgoPro e212	100	15.0	5.0		1600x1200			X		1996	1.92	18212
Fujitsu ICL ErgoPro x173	100	15.0	5.0		1280x1024		X			1996	1.31	18213
Fujitsu ICL ErgoPro x173n	100	15.0	5.0		1280x1024			X		1996	1.31	18214
Fujitsu P1115A	62	9.7	2.0	CRT?	1024x768					2003	0.79	18215
Fujitsu Siemens 151E	53	5.4	3.1	CRT	800x600	15.0	X	X		2001	0.48	9203
Fujitsu Siemens 15P2	65	5.9	2.7	CRT	1024x768	15.0	X	X		2001	0.79	9210
Fujitsu Siemens 176V	73	2.0	2.0	CRT	1024x768	17.0	X	X		2001	0.79	9209
Fujitsu Siemens 17F1	92	9.4	3.0	LCD	1024x768	17.0				2001	0.79	9213
Fujitsu Siemens 17P3	87	8.7	0.1	CRT	1280x1024	17.0	X			2000	1.31	9201
Fujitsu Siemens 19P2	106	1.8	1.8	CRT	1280x1024	19.0	X	X		2001	1.31	9208
Fujitsu Siemens 21P3	104	5.1	1.5	CRT	1600x1200	21.0	X			2000	1.92	9191
Fujitsu Siemens 3814 FA	21	1.9	1.5	LCD	1024x768	15.0	X	X		2000	0.79	9194
Fujitsu Siemens 3814FAM	20	1.3	1.3	LCD	1024x768	15.0				2001	0.79	9212
Fujitsu Siemens 3851FA	29	3.3	1.7	LCD	1024x768	15.0	X			2000	0.79	9200
Fujitsu Siemens 4377 FA	41	2.5	2.2	LCD	1280x1024	17.0	X	X		2000	1.31	9195
Fujitsu Siemens 4612 FA	6	2.9	2.9	LCD	1280x1024	19.0	X	X		2000	1.31	9196
Fujitsu Siemens C381FA	20	1.5	1.5	LCD	1024x768	15.0	X	X		2000	0.79	9190
Fujitsu Siemens C382FA	20	1.5	1.5	LCD	1024x768	15.0	X	X		2000	0.79	9189
Fujitsu Siemens C383FA	19	1.8	1.8	LCD?	1024x768	15.0	X	X		2001	0.79	9211
Fujitsu Siemens C551	6	6.6	4.6	CRT	800x600	15.0				2000	0.48	9192
Fujitsu Siemens C557	62	6.6	4.6	CRT	800x600	15.0				2000	0.48	9202
Fujitsu Siemens C778	75	3.0	3.0	CRT	1024x768	17.0	X	X		2001	0.79	9207
Fujitsu Siemens C788	89	3.2	3.2	CRT	1280x1024	17.0	X	X		2001	1.31	9206
Fujitsu Siemens C992	102	8.6	4.1	CRT	1280x1024	19.0	X	X		2000	1.31	9197
Fujitsu Siemens C994	92	2.5	2.6	CRT	1280x1024	19.0	X	X		2001	1.31	9205
Fujitsu Siemens MCM 21T2	122	7.7	0.4	CRT		21.0	X	X		2000	0.00	9193
Fujitsu Siemens X178	96	2.1	2.1	CRT	1280x1024	17.0	X	X		2001	1.31	9204
Fujitsu Siemens x178	100	8.3	1.7	CRT	1280x1024	17.0	X	X		2000	1.31	9198
Fujitsu x140f	30	22.0	6.0	LCD?	1024x768		X			1996	0.79	18204
Fujitsu x150f	40	4.5	4.5	LCD?	1024x768		X	X		1997?	0.79	18220
Fujitsu x152	80	15.0	5.0		1280x1024		X			1997	1.31	18205
Fujitsu x153	90	7.0	4.5		1280x1024		X			1997	1.31	18202
Fujitsu x174	130	30.0	1.0		1600x1200		X			1997	1.92	18206
Fujitsu x174a	130	30.0	1.0		1600x1280		X			1997	1.92	18207
Fujitsu X176	95	4.5	2.0	CRT?	1024x768		X	X		2003	0.79	18224
Fujitsu x177		13.0	4.5	CRT?	1280x1024		X	X		2003	1.31	18227
Fujitsu X177A		13.0	4.5	CRT?	1280x1024		X	X		2003	1.31	18223
Fujitsu x180f	55	8.0	5.0	LCD?	1280x1024		X	X		1997?	1.31	18222
Fujitsu X191	130	15.0	5.0	CRT?	1600x1200		X	X		2003	1.92	18221
Fujitsu X192		5.0	1.5	CRT?	1280x1024		X	X		2003	1.31	18219
Fujitsu x214		6.5	2.5	LCD?	1280x1024	21.0	X			1997?	1.31	11963
Fujitsu/ICL 402	70	20.0	0.5		1024x768	14.0				1996	0.79	10502
Fujitsu/ICL e142	95	5.0	5.0		1024x768	14.0				1996	0.79	10503
Fujitsu/ICL e153	95	15.0	5.0		1280x1024	15.0				1996	1.31	10504
Fujitsu-Siemens 21T3	114	1.3	1.3	CRT	1600x1200	21.0	X	X		2001	1.92	9214
Fujitsu-Siemens 381V FA	29	1.3	1.3	LCD	1024x768	15.0	X	X		2001	0.79	9216
Fujitsu-Siemens 381V PA	32	3.0	3.0	LCD?	1024x768	15.0	X	X	X	2001	0.79	11645



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Fujitsu-Siemens 4312 FA	38	2.7	1.2	LCD	1280x1024	17.0	X	X		2001	1.31	9217
Fujitsu-Siemens 4613 FA	68	1.3	1.3	LCD	1280x1024	18.0	X	X		2001	1.31	9215
Fujitsu-Siemens 462V FA	33	1.9	1.9	LCD	1280x1024	18.0	X	X		2001	1.31	9218
Fujitsu-Siemens SM492C	80	15.0	5.0		1024x768	14.0				1996	0.79	9158
Funai FCM1448GA	70	13.0	8.0		1024x768	14.0		X		1995	0.79	15054
Funai FCM-1550GA	64	10.1	6.9		1024x768	15.0		X		1996	0.79	15055
Funai FCM-1550GD	74	11.2	5.5		1024x768	15.0		X		1996	0.79	15056
Funai FCM-1564GD	79	10.8	5.2		1280x1024	15.0		X		1996	1.31	15057
Funai FCM-1750GD	86	15.9	3.1		1280x1024	17.0		X		1996	1.31	15058
Funai FCM-1764GD	86	15.9	3.1		1280x1024	17.0		X		1996	1.31	15059
Future Power 15DB03	65	7.4	5.6		1280x1024	15.0		X		1999	1.31	9384
Future Power 15DB04	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9416
Future Power 15DB07	72	6.6	4.4		1280x1024	15.0		X		2000	1.31	9396
Future Power 17DB06	87	9.4	7.7		1280x1024	17.0		X		1999	1.31	9393
Future Power 17DB26	96	5.5	2.7		1280x1024	17.0		X		1999	1.31	9399
Future Power 17DB75	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9411
Future Power 17DB77	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9404
Future Power 17PF74	65	12.0	3.2	CRT	1280x1024	17.0	X	X	X	2001	1.31	9403
Future Power 19DB02	85	9.8	2.2		1600x1200	19.0	X	X		1999	1.92	9364
Future Power 5W520	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9415
Gateway 7A	105	11.0	1.0		1280x1024	17.0	X	X	X	1998	1.31	14345
Gateway 7B	105	11.0	1.0		1280x1024	17.0	X	X	X	1998	1.31	14346
Gateway CPD-EG300	100	9.0	7.0		1600x1200	17.0	X	X	X	1998	1.92	14344
Gateway CPD-GF100	85	9.0	7.0		1280x1024	15.0		X		1996	1.31	14348
Gateway CPD-GF1007	85	9.0	7.0		1280x1024	15.0	X			1996	1.31	14349
Gateway DL31-1	106	12.2	0.0		800x600	31.0				1997	0.48	14347
Gateway EV500	62	4.4	4.4	CRT	800x600	15.0	X	X		2001	0.48	14364
Gateway EV500(LG)	79	9.5	3.5		1280x1024	15.0				1999	1.31	14355
Gateway EV500B	75	2.6	2.6		1024x768	15.0				2001	0.79	14361
Gateway EV700(LG)	95	10.5	3.0		1280x1024	17.0				1999	1.31	14356
Gateway EV700B	92	6.5	6.5		1024x768	17.0	X			2000	0.79	14360
Gateway EV700C	85	4.5	3.0	CRT	1024x768	17.0				2001	0.79	14367
Gateway EV910C	120	3.5	3.5	CRT	1600x1200	19.0	X	X		2000	1.92	14362
Gateway EVF720	110	2.0	2.0	CRT	1600x1200	17.0	X	X		2000	1.92	14369
Gateway FPD 1510	30	5.0	5.0	LCD	1024x768	15.0	X			2001	0.79	14366
Gateway FPD 1810	42	4.0	4.0	LCD	1280x1024	18.0	X			2001	1.31	14368
Gateway FPD1520	23	1.8	1.8	LCD	1024x768	15.0				2001	0.79	11759
Gateway FPD1520	23	1.8	1.8	LCD	1024x768	15.0				2001	0.79	14370
Gateway FPD1730RA	36		2.0	LCD	1280x1024	17.0				1998	1.31	1E+06
Gateway LE500	68	13.0	6.2		800x600	15.0				2000	0.48	14359
Gateway VX1100	150	15.0	8.0		1600x1200	21.0				1999	1.92	14350
Gateway VX1100	150	15.0	8.0		1600x1200	21.0	X	X		1999	1.92	14351
Gateway VX1120	141	3.5	3.5	CRT		22.0	X	X		2000	0.00	14363
Gateway VX700	105	15.0	8.0		1600x1200	17.0	X	X		1999	1.92	14352
Gateway VX720	95	3.5	3.5		1600x1200	17.0				2000	1.92	14358
Gateway VX900	125	25.0	3.0		1600x1200	19.0				1999	1.92	14353
Gateway VX900T	120	15.0	8.0		1600x1200	19.0	X	X		1999	1.92	14354
Gateway VX920	120	3.5	3.5		1600x1200	19.0				2000	1.92	14357
GBM Ray System CX1787XX	82	3.4	3.4	CRT	1280x1024	17.0				2002	1.31	9785
GBM Ray System CX1997XX	102	4.6	3.7	CRT	1600x1200	19.0	X			2002	1.92	9779
GBM Ray System F141	16	1.0	1.0	LCD	1024x768	14.0	X	X		2002	0.79	9776
GBM Ray System F151	18	2.0	2.0	LCD	1024x768	15.0	X	X		2001	0.79	9772
GBM Ray System F152	18	3.0	3.0	LCD	1024x768	15.0	X	X		2001	0.79	9773
GBM Ray System F153	30	2.0	2.0	LCD	1024x768	15.0	X	X		2002	0.79	9775
GBM Ray System F171	35	3.0	2.0	LCD	1280x1024	17.0	X	X		2002	1.31	9774
GBM Ray System F172	38	2.1	1.6	LCD	1280x1024	17.0	X			2002	1.31	9780
GBM Ray System F172 DVI	39	2.6	1.9	LCD	1280x1024	17.0	X			2002	1.31	9781
GBM Ray System F173	33	1.4	1.4	LCD	1280x1024	17.0	X			2003	1.31	9782
GBM Ray Systems C*1772	82	5.5	2.0	CRT	1280x1024	17.0	X			2003	1.31	9777
GBM Ray Systems CX1797XX	84	3.9	3.8	CRT	1600x1200	17.0	X			2002	1.92	9778



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
GEM SM785B	95	15.0	8.0		1280x1024	17.0		X		1996	1.31	13239
GETAC MT-GE-1520-AC		3.4	0.0	CRT?	1024x768	15.0				1999	0.79	13345
GoldStar 1465DL	70	9.2	4.8		1024x768	14.0				1995	0.79	13861
GoldStar 1466LR	70	9.2	4.8		1024x768	14.0		X		1995	0.79	13862
GoldStar 1467	70	9.2	4.8		1024x768	14.0				1995	0.79	13863
GoldStar 1468	70	9.2	4.8		1024x768	14.0		X		1995	0.79	13864
GoldStar 1470	70	9.2	4.8		1024x768	14.0				1997	0.79	13844
GoldStar 1485	70	9.2	4.8		1024x768	14.0				1995	0.79	13865
GoldStar 1505	70	10.3	5.2		1024x768	15.0				1995	0.79	13866
GoldStar 1505S	70	10.3	5.2		1024x768	15.0				1995	0.79	13867
GoldStar 1527	71	7.8	4.9		1024x768	15.0		X		1995	0.79	13868
GoldStar 1725S	83	8.7	3.9		1280x1024	17.0		X		1996	1.31	13877
GoldStar 1727	83	3.9	3.9		1280x1024	17.0		X		1995	1.31	13869
GoldStar 2010	112	10.1	4.6		1280x1024	20.0		X		1995	1.31	13870
GoldStar CH481	70	9.2	4.8		1024x768	14.0		X		1997	0.79	13819
GoldStar CH555DM	70	10.3	5.2		1024x768	15.0		X		1996	0.79	13878
GoldStar CS585DM	78	11.3	6.2		1280x1024	15.0		X		1996	1.31	13879
GoldStar CS771DM	87	8.3	2.7		1280x1024	17.0		X		1997	1.31	13880
GoldStar StudioWorks 20i	112	10.1	4.6		1600x1280	20.0		X		1996	1.92	13871
GoldStar StudioWorks 28i	108	7.6	5.8		1280x1024	21.0		X	X	1997	1.31	13856
GoldStar StudioWorks 28T5	108	7.6	5.8		1280x1024	21.0	X		X	1997	1.31	13836
GoldStar StudioWorks 44i	66	8.0	3.2		1024x768	14.0		X		1997	0.79	13857
GoldStar StudioWorks 44m	70	9.2	4.8		1024x768	14.0		X		1996	0.79	13872
GoldStar StudioWorks 45i	72	7.9	3.4		1024x768	14.0		X		1997	0.79	13858
GoldStar StudioWorks 55i	76	8.4	3.6		1024x768	15.0		X		1997	0.79	13859
GoldStar StudioWorks 56i	78	11.3	6.2		1280x1024	15.0		X		1996	1.31	13873
GoldStar StudioWorks 56m	79	11.3	6.2		1024x768	15.0	X	X		1996	0.79	13874
GoldStar StudioWorks 56T	78	11.3	6.2		1280x1024	15.0	X			1997	1.31	13881
GoldStar StudioWorks 57i	71	6.1	2.3		1024x768	15.0		X		1997	0.79	13860
GoldStar StudioWorks 57T5	71	6.1	2.3		1024x768	15.0	X			1997	0.79	13837
GoldStar StudioWorks 5D	86	8.2	3.6		1280x1024	15.0				1997	1.31	13854
GoldStar StudioWorks 74i	77	13.3	6.6		1024x768	17.0		X		1997	0.79	13838
GoldStar StudioWorks 74m	84	13.2	6.5		1024x768	17.0				1997	0.79	13839
GoldStar StudioWorks 76i	87	8.3	2.7		1280x1024	17.0		X		1996	1.31	13875
GoldStar StudioWorks 76m	87	8.3	2.7		1280x1024	17.0		X		1996	1.31	13883
GoldStar StudioWorks 76T	87	8.3	3.5		1280x1024	17.0	X			1997	1.31	13882
GoldStar StudioWorks 77i	92	9.7	2.6		1280x1024	17.0			X	1997	1.31	13841
GoldStar StudioWorks 77T5	92	9.4	2.3		1280x1024	17.0		X	X	1997	1.31	13840
GoldStar StudioWorks 78D	98	5.1	2.6		1280x1024	17.0		X		1997	1.31	13855
GoldStar StudioWorks 78DT5	98	5.1	2.6		1280x1024	17.0			X	1997	1.31	13842
GoldStar StudioWorks 78i	109	5.2	3.0		1600x1280	17.0		X		1996	1.92	13876
GoldStar StudioWorks 78m	109	5.2	3.0		1600x1280	17.0		X		1996	1.92	13885
GoldStar StudioWorks 78T	109	5.2	3.0		1600x1280	17.0	X			1996	1.92	13884
GoldStar StudioWorks 78T5	109	5.2	3.0		1280x1024	17.0			X	1997	1.31	13843
GoldStar StudioWorks 7D	90	9.3	3.4		1280x1024	17.0		X		1997	1.31	13845
Great-Wall 1558SM	66	7.9	5.0	CRT	1024x768	15.0				2000	0.79	9682
Hansol 720NF	99	4.7	1.7	CRT	1280x1024	17.0	X	X	X	2001	1.31	10438
Hansol B 17BL	110	15.0	5.0		1280x1024	17.0	X	X		1998	1.31	10428
Hansol B 19AL	120	15.0	8.0		1600x1200	19.0	X	X		1998	1.92	10426
Hansol B14AF	40	3.0	3.0		1024x768	13.0	X	X	X	1998	0.79	10418
Hansol B14BL	70	8.0	4.0		1024x768	14.0			X	1998	0.79	10419
Hansol B15BF	30	5.0	5.0	LCD	1024x768	15.0	X	X	X	2001	0.79	10443
Hansol B15BL	75	15.0	5.0		1024x768	15.0	X	X	X	1998	0.79	10422
Hansol B15CF	35	5.0	5.0	LCD	1024x768	15.0	X	X	X	2001	0.79	10442
Hansol B15DF	30	5.0	5.0	LCD	1024x768	15.0	X	X	X	2001	0.79	10441
Hansol B17AF	42	8.7	3.8		1280x1024	17.0	X			2001	1.31	10437
Hansol B17BF	55	5.0	5.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	10440
Hansol B17DL	85	15.0	5.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	10439
Hansol B19CL	96	12.0	3.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	10445
Hansol D17CL	67	7.1	4.9		1280x1024	17.0	X			2001	1.31	10436



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Hansol D19AL	110	15.0	5.0		1600x1200	19.0				2000	1.92	10434
Hansol E 15BL	70	10.0	3.0		1024x768	15.0	X	X		1998	0.79	10427
Hansol E17DL	74	15.0	5.0		1280x1024	17.0	X			2001	1.31	10435
Hansol E19BL	85	12.0	4.0	CRT	1280x1024	19.0	X	X	X	2001	1.31	10444
Hansol Mazellan 400A	70	15.0	5.0		1024x768	14.0		X	X	1997	0.79	10424
Hansol Mazellan 401A	70	15.0	5.0		1024x768	14.0		X	X	1998	0.79	10420
Hansol Mazellan 500M	70	15.0	5.0		1024x768	15.0		X		1997	0.79	10425
Hansol Mazellan 500P	70	15.0	5.0		1024x768	15.0		X	X	1997	0.79	10423
Hansol Mazellan 701A	10	15.0	5.0	LCD?	1280x1024	17.0		X	X	1998	1.31	10421
Harsper HL-1510S	30	3.0	3.0	LCD		15.0				1998	0.00	15384
Hercules Prophetview 920	38	2.1	1.6	LCD	1280x1024	17.0	X			2002	1.31	9783
Hercules Prophetview 920DVI	39	2.6	1.9	LCD	1280x1024	17.0	X			2002	1.31	9784
Hewlett Packard P3901X	19	2.1	2.1	LCD	1024x768	15.0				2001	0.79	10001
Hewlett Packard P4796	70	12.0	5.0	CRT	800x600	15.0		X		2001	0.48	10980
Highscreen MS 1595 P	72	9.0	4.5		1280x1024	15.0	X	X		1998	1.31	13511
Highscreen MS 1795 P	110	9.5	4.5		1280x1024	17.0	X	X		1998	1.31	13510
Highscreen MS 19P	180	7.5	4.5		1600x1200	19.0	X	X		1999	1.92	13512
Highscreen MS 19PII	125	2.5	8.5		1600x1200	19.0	X	X		1999	1.92	13514
Hisense HS-1528XZ	80	10.0	5.2		1024x768	15.0				2000	0.79	9695
Hisense HS-1728XZ	85	5.8	3.6		1280x1024	17.0				2000	1.31	9706
Hitachi CM610	86	7.4	4.2	CRT	1280x1024	17.0	X	X		1999	1.31	11982
Hitachi CM615	60	3.0	3.0	CRT	1280x1024	17.0	X	X		2000	1.31	11976
Hitachi CM640	135	15.0	5.0	CRT	1024x768	17.0				1998	0.79	11969
Hitachi CM641	135	15.0	8.0	CRT	1600x1200	17.0				1998	1.92	11970
Hitachi CM643	105	6.2	3.6	CRT	1280x1024	17.0	X	X		1999	1.31	11983
Hitachi CM650	105	6.3	1.5	CRT	1280x1024	17.0	X	X		1999	1.31	11984
Hitachi CM715	100	5.0	5.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	11977
Hitachi CM721F / CM721FB	105	5.0	5.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	12004
Hitachi CM761	125	7.0	2.9	CRT	1600x1200	19.0	X	X		1999	1.92	11968
Hitachi CM766	120	7.0	2.9	CRT	1600x1200	19.0	X	X		1999	1.92	11967
Hitachi CM769	120	7.0	2.9	CRT	1600x1280	19.0	X	X		1999	1.92	11966
Hitachi CM771	97	5.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	11978
Hitachi CM772	97	5.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	11979
Hitachi CM773	97	5.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	11981
Hitachi CM776	97	5.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	11980
Hitachi CM811	135	10.0	5.0	CRT	1600x1200	21.0				1998	1.92	11971
Hitachi CM812	135	10.0	5.0	CRT	1600x1200	21.0				1998	1.92	11972
Hitachi CM813	135	10.0	5.0	CRT	1600x1200	21.0				1998	1.92	11973
Hitachi CM814	135	10.0	5.0	CRT	1600x1200	21.0				1998	1.92	11974
Hitachi CM827	115	5.0	5.0	CRT		21.0	X	X	X	2001	0.00	12001
Hitachi CM828	115	5.0	5.0	CRT	2048x1536	21.0	X	X	X	2001	3.15	11996
Hitachi CML150	45	5.0	5.0	LCD	1024x768	15.0				1998	0.79	11975
Hitachi CML152XW/CML152XJ	25	4.5	4.5	LCD	1024x768	15.0	X	X		2001	0.79	11987
Hitachi CML155***	35	4.5	4.5	LCD	1024x768	15.0	X	X		2001	0.79	13355
Hitachi CML155****	35	4.5	4.5	LCD	1024x768	15.0	X	X		2001	0.79	13354
Hitachi CML170+ / CML170B+	54	5.0	5.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	11997
Hitachi CML170SX	54	5.0	5.0	LCD	1280x1024	17.0	X	X		2000	1.31	11985
Hitachi CML171****	34	1.8	1.8	LCD	1280x1024	17.0	X	X		2001	1.31	13357
Hitachi CML181	60	5.0	5.0	LCD	1280x1024	18.0	X			2001	1.31	11998
Hitachi CML200UXW	70	5.7	5.7	LCD	1600x1200	20.0	X	X		2001	1.92	13365
Hitachi CMP307X	390	7.0	7.0		1024x768	35.0				2001	0.79	11990
Hitachi CMP401X	402	4.9	4.9		1024x768		X	X		1999	0.79	11964
Hitachi CMP402HD	490	4.9	4.9		1024x768		X	X		1999	0.79	11965
Hitachi CMP412HID	380	5.0	5.0	LCD	1024x1024	42.0				2001	0.79	11989
Hitachi F115/DJ82X/CM823FXX	110	1.6	1.6	CRT	1600x1200	21.0	X	X		2000	1.92	11986
Hitachi F115/DJ82X/CM823FXX	110	6.3	6.3		1600x1200	21.0	X			2000	1.92	9484
Hitachi PC-DT3155	37	3.2	3.2	LCD	1024x768	15.0				2001	0.79	13363
Hitachi PC-DT5155	22	2.8	2.8	LCD	1024x768	15.0				2001	0.79	13364
Hitachi PC-DT5170	73	4.5	4.5	LCD	1280x1024	17.0		X		2001	1.31	13352
Hitachi PCT-DT5154R	36	3.5	3.5	LCD	1024x768	15.0				2001	0.79	13353



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Hitachi PD1	385	2.3	2.3	LCD	1024x768	42.0				2001	0.79	11988
HP A4332A	144	6.5	3.9		1600x1280	21.0		X		1996	1.92	10938
HP A4490x	84	4.7	1.9		640x400	17.0	X			1997	0.31	10937
HP A4575	125	25.0	3.0		1600x1200	19.0	X	X		1997	1.92	10936
HP D2832*	56	1.6	1.6	CRT	1024x768	15.0	X	X		1998	0.79	9896
HP D2832x	56	1.6	1.6	CRT	1024x768	15.0	X	X		1998	0.79	9929
HP D2842A	105	8.1	2.8		1600x1200	19.0	X			1999	1.92	10945
HP D2847*	160	6.5	2.5		1800x1440	21.0	X	X		1999	2.59	10947
HP D3857A	60	10.0	8.0		1024x768	15.0		X		1995	0.79	10939
HP D3858A	64	12.5	9.0		1024x768	14.0				1995	0.79	10122
HP D3861A	80	20.0	5.0		1024x768	14.0				1995	0.79	10940
HP D5061A	23	1.7	1.7	LCD	1024x768	15.0	X	X		1999	0.79	9964
HP D5062	19	2.1	2.1	LCD	1024x768	15.0	X			2000	0.79	9986
HP D5063**	22	3.2	3.2	LCD	1024x768	15.0	X	X		2001	0.79	10011
HP D5064**	34	2.3	2.3	LCD	1280x1024	17.0	X	X		2001	1.31	10006
HP D5065*	70	5.0	5.0		1280x1024	18.0	X	X		1999	1.31	10953
HP D5069**	66	3.5	3.5		1280x1024	18.0	X			2000	1.31	10968
HP D5259A	100	15.0	5.0		1280x1024	17.0		X		1999	1.31	10957
HP D6433A	101	13.0	7.0		1600x1200	19.0		X		1999	1.92	10963
HP D7382A	42	8.0	8.0		1024x768	15.0		X		1999	0.79	10944
HP D8891A	80	15.0	8.0		1024x768	14.0		X		2000	0.79	10946
HP D8894A	80	10.0	7.0		1024x768	15.0		X		1999	0.79	10948
HP D8895A	85	15.0	8.0		1024x768	15.0				1999	0.79	10949
HP D8896	63	6.0	3.0		800x600	15.0		X		2000	0.48	10955
HP D8897*	70	12.0	5.0		800x600	15.0		X		2000	0.48	10961
HP D8898A	75	12.0	4.5		1024x768	15.0	X	X		2000	0.79	10964
HP D8899**	82	7.5	4.1	CRT	800x600	15.0				2001	0.48	10975
HP D8901A	79	2.1	2.1	CRT	1024x768	17.0	X	X		1999	0.79	9949
HP D8901A	100	5.0	5.0	CRT	1280x1024	17.0		X		1999	1.31	10950
HP D8902A	79	2.1	2.1	CRT	1024x768	17.0	X	X		1999	0.79	9950
HP D8902A	100	5.0	5.0	CRT	1280x1024	17.0	X	X		1999	1.31	10951
HP D8903**	78	6.2	0.1	LCD	1024x768	17.0		X		2000	0.79	10954
HP D8904**	71	8.0	5.0	CRT	1024x768	17.0	X			2001	0.79	10969
HP D8907**	81	2.7	2.7	CRT	1280x1024	17.0				2001	1.31	10977
HP D8910*	130	2.0	5.0		1600x1200	19.0	X	X		1999	1.92	10952
HP D8911*	150	15.0	5.0		1600x1200	19.0	X	X		2000	1.92	10962
HP D8912**	125	13.5	1.6		1600x1200	19.0	X	X		2000	1.92	10967
HP D8915**	158	6.9	0.4	CRT	1800x1440	21.0	X	X		2000	2.59	10974
HP P1283A	73	8.0	3.0	CRT	1280x1024	15.0				2001	1.31	11747
HP P1283A	80	10.0	6.0		1024x768	17.0		X		2000	0.79	10283
HP P1283S	80	10.0	6.0	CRT	1024x768	17.0		X		2001	0.79	10978
HP P1283XX	80	7.0	3.0	CRT	1024x768	17.0		X		2001	0.79	10981
HP P1284A	120	10.0	6.0		1280x1024	19.0		X		2000	1.31	10965
HP P1287A	75	15.0	5.0		1024x768	15.0				2000	0.79	10960
HP P1288A	100	15.0	5.0		1280x1024	17.0				2000	1.31	10959
HP P1350A	110	6.5	2.3		1600x1200	19.0		X		2000	1.92	10958
HP P1499A	80	10.0	7.0		1024x768	17.0		X		2000	0.79	10966
HP P1499XX	80	7.0	3.0	CRT	1024x768	17.0		X		2001	0.79	10982
HP P2933A	35	5.0	5.0	LCD?	1024x768	15.0				2000	0.79	10970
HP P3901x	19	2.1	2.1	LCD	1024x768	15.0	X	X		2001	0.79	10005
HP P3902X	85	6.3	2.3		1024x768	17.0				2001	0.79	10973
HP p4795 series	70	12.0	5.0	CRT	800x600	15.0				2001	0.48	10976
HP P4819	135	3.0	3.0	CRT		21.0	X	X	X	2001	0.00	10979
HP P4829**	49	2.5	2.5	LCD	1280x1024	18.0	X	X		2001	1.31	10017
IBM 0180 (C51) Color Monitor	70	4.8	2.8	CRT	800x600	15.0				1999	0.48	17137
IBM 0180-05N, -05E Color Monitors	80	10.0	7.0	CRT	1024x768	15.0				1999	0.79	17134
IBM 0181-x2x (C52) Color Monitor	90	6.3	3.7	CRT	1024x768	15.0				1999	0.79	17136
IBM 0182-05N (C72) Color Monitor	87	5.3	3.3	CRT	800x600	17.0				1999	0.48	17138
IBM 0183-x2x (C92) Color Monitor	100	5.8	3.1	CRT	1024x768	19.0				1999	0.79	17140
IBM 2122-xxL	60	5.0	5.0	CRT	1024x768	14.0		X		1998	0.79	9941



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
IBM 2124-xxL	60	5.0	5.0	CRT	1024x768	15.0		X		1998	0.79	9944
IBM 2236-xxx	70	7.0	1.5	CRT	1024x768	15.0	X	X		1998	0.79	9953
IBM 2237-xxx	93	7.0	4.5	CRT	1024x768	17.0	X	X		1998	0.79	9945
IBM 2268 Color Monitor	70	4.0	2.0	CRT	800x600	14.0				1999	0.48	17133
IBM 6331 (E54)	62	7.0	1.5	CRT	1024x768	15.0	X			2001	0.79	9990
IBM 6331-34N	62	7.0	1.5	CRT	1024x768	15.0	X			2001	0.79	9994
IBM 6331-74N	62	7.0	1.5	CRT	1024x768	15.0				2001	0.79	9993
IBM 6332-x1x, 6332-x3x, 6332-x2x	75	8.0	3.0	CRT	1024x768	17.0				2000	0.79	17153
IBM 6517-x7N (E74M)	90	4.0	4.0	CRT	1280x1024	17.0				2000	1.31	17154
IBM 6545-603	130	15.0	5.0	CRT	1600x1280	20.0		X		1996	1.92	17090
IBM 6546-x2x (G54) Color Monitor	87	6.6	3.8	CRT	800x600	15.0				1999	0.48	17141
IBM 6548 Color Monitor	90	9.4	2.2	CRT	1024x768	17.0				1999	0.79	17142
IBM 6549-40N, -40E, -40S	98	3.0	3.0	CRT	1600x1200	19.0			X	1998	1.92	17072
IBM 6550-x3x Color Monitor	92	12.3	1.4	CRT	1024x768	17.0				1999	0.79	17143
IBM 6551-x3x, P96 Color Monitor	116	8.4	1.9	CRT	1600x1200	19.0				2000	1.92	17145
IBM 6552-x3x (P260) Color Monitor	119	7.2	0.5	CRT	1600x1200	21.0				1998	1.92	17144
IBM 6553-503/504/523	85	8.5	5.0	CRT	1024x768	15.0		X		1996	0.79	17091
IBM 6555-703/704	120	7.5	4.0	CRT	1600x1280	20.0	X	X		1996	1.92	17093
IBM 6555-803	150	15.0	8.0	CRT	1600x1280	20.0	X	X		1996	1.92	17094
IBM 9483-AG1 Color Monitor	28	4.4	4.4	CRT	1024x768	15.0				1999	0.79	17146
IBM 9497-AG1	59	2.0	2.0	LCD	1280x1024		X	X		1999	1.31	9969
IBM 9497-AW1	59	2.0	2.0	LCD	1280x1024		X	X		1999	1.31	9968
IBM 9497-DG0	57	1.9	1.9	LCD	1280x1024	18.0	X	X		2000	1.31	9973
IBM 9497-DW0	57	1.9	1.9	LCD	1280x1024	18.0	X	X		2000	1.31	9972
IBM 9497-DW1	89	3.4	3.4	LCD	1280x1024	18.0	X	X		2000	1.31	9971
IBM 9513D**	38	4.7	4.7	LCD	1024x768	15.0	X	X		1998	0.79	17107
IBM 9513-Dxx	38	4.0	4.0	LCD	1024x768	15.0				1998	0.79	17115
IBM 9514-Bx3	22	5.1	4.8	LCD	1024x768	14.0				1998	0.79	17117
IBM 9516-Bx3	45	7.3	7.2	LCD	1280x1024	24.0				1998	1.31	17118
IBM 9519-Ax1	48	4.0	4.0	LCD	1280x1024	10.0				1999	1.31	17120
IBM 9519-Dx0	43	4.0	4.0	LCD	1280x1024					1999	1.31	17121
IBM A50/2278 Color Monitor	77	6.0	4.0	CRT	1024x768	15.0				1999	0.79	17135
IBM C50/2235-00N, -00E, -00S	70	7.6	7.0	CRT	1024x768	15.0				1998	0.79	17111
IBM C50/2237-00N	72	11.0	2.5	CRT	1024x768	17.0				1998	0.79	17108
IBM C50/2268-00N, -00E, -00S	70	7.6	7.0	CRT	1024x768	15.0				1998	0.79	17109
IBM C70/2118-3A3	115	15.0	0.0	CRT	1024x768	17.0		X		1996	0.79	17097
IBM C71/2278-00N, -00E, -00S	72	11.0	2.5	CRT	1024x768	17.0				1998	0.79	17110
IBM Color Monitor	71	3.5	2.6	CRT	1024x768	15.0				2000	0.79	17158
IBM Color Monitor (TFT) 9493-Axx	30	3.0	3.0	LCD	1024x768	15.0				2000	0.79	17147
IBM Color Monitor 0AS, 4AS	97	1.5	0.1	CRT	1600x1200	19.0				2001	1.92	17171
IBM Color Monitor 2248-05E, -45E	70	15.0	8.0	CRT	800x600	14.0				2000	0.48	17152
IBM Color Monitor 2248-05N, -45N	70	15.0	8.0	CRT	800x600	14.0				2000	0.48	17151
IBM Color Monitor 4AN, 0AE, 4AE	97	1.5	0.1	CRT	1600x1200	19.0				2001	1.92	17170
IBM Color Monitor 6331-x2x (E54)	75	15.0	5.0	CRT	1024x768	15.0				2000	0.79	17148
IBM Color Monitor 6332-x1x	73	8.0	2.6	CRT	1024x768	17.0				2000	0.79	17149
IBM Color Monitor 6332-x3x (E74)	73	8.0	2.6	CRT	1024x768	17.0				2000	0.79	17150
IBM Color Monitor E51, 6333-07N	63	5.1	2.5	CRT	800x600	15.0				2000	0.48	17156
IBM Color Monitor E54, 6331-x7x	59	3.2	1.9	CRT	1024x768	15.0				2001	0.79	17165
IBM Color Monitor E94 6634-XXX	80	2.0	2.0	CRT	1280x1024	19.0				2000	1.31	17159
IBM Color Monitor G78, 6627	85	8.7	2.6	CRT	1280x1024	17.0				2000	1.31	17157
IBM Color Monitor G97, 6634-0AN	97	1.5	0.1	CRT	1600x1200	19.0				2001	1.92	17169
IBM Color Monitor P275, 6652-x3x	118	1.6	0.1	CRT	1600x1200	21.0				2001	1.92	17163
IBM Color Monitor P77, 6639	103	1.5	0.2	CRT	1600x1200	17.0				2001	1.92	17162
IBM Color Monitor P97, 6651-xxx	117	1.5	0.1	CRT	1600x1200	19.0				2001	1.92	17183
IBM Color Monitor T545, 6653-Hx2	21	2.2	2.2	LCD	1024x768	15.0				2001	0.79	17168
IBM Color Monitor T560, 6656-Hx2	22	1.8	1.8	LCD	1024x768	15.0				2001	0.79	17167
IBM Color Monitor, 6632 (A70)	72	3.7	2.7	CRT	1280x1024	17.0				2000	1.31	17155
IBM Color Monitors (see note)	97	1.5	0.1	CRT	1600x1200	19.0				2001	1.92	17177
IBM Color TFT Monitor T50, 9511-AxC	24	1.4	0.9	LCD	1024x768	15.0				2001	0.79	17166
IBM E74, 6332-x7x	65	2.1	1.9	CRT	1280x1024	17.0				2001	1.31	17164



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
IBM G40 6542-103,105	80	13.0	0.0		1024x768	14.0		X		1996	0.79	17084
IBM G40V/6542 - V05	80	13.0	0.0	CRT	1024x768	14.0		X		1996	0.79	17095
IBM G41T 6542/313/314/315	80	22.0	0.0		1024x768	14.0		X		1996	0.79	17085
IBM G42/6540-00N, 6540-00E	90	15.0	8.0	CRT	1024x768	14.0				1997	0.79	17074
IBM G42/6540-02N, 6540-02E,6540-0	75	15.0	0.0	CRT	1024x768	14.0		X		1997	0.79	17075
IBM G42/6540-40E	90	8.0	8.0	CRT	800x600	14.0				1998	0.48	17101
IBM G42/6540-42x	75	8.0	8.0	CRT	800x600	14.0				1998	0.48	17102
IBM G50 6543/301,2,3,4,5/333	80	22.0	9.0		1024x768	15.0		X		1996	0.79	17086
IBM G50T 6543-313/314/315	80	22.0	0.0		1024x768	15.0		X		1996	0.79	17087
IBM G51/6541-02N, 6541-02E,6541-0	80	15.0	15.0		1024x768	15.0		X		1997	0.79	17076
IBM G52/6546-00N, -40N, -00E	90	8.0	8.0	CRT	1024x768	15.0				1998	0.79	17064
IBM G52/6546-01E, -41E, -01S, -41S	90	8.0	8.0	CRT	1024x768	15.0				1998	0.79	17066
IBM G52/6546-01N, -21N, -31N, -41N	90	8.0	8.0	CRT	1024x768	15.0				1998	0.79	17065
IBM G54/6546-xAx	70	2.6	2.6	CRT	1024x768	15.0				1998	0.79	17103
IBM G54/6546-xBx	75	5.0	5.0	CRT	1024x768	15.0				1998	0.79	17104
IBM G55/6543 Series	90	15.0	5.0	CRT	1024x768	15.0	X	X		1996	0.79	17096
IBM G70 6544-403/404/405/433	110	21.0	1.0		1280x1024	17.0		X		1996	1.31	17088
IBM G70T/6544-413/315	110	21.0	0.0		1280x1024	17.0		X		1996	1.31	17089
IBM G72/6547-00N, -00E, -40N	90	8.0	8.0	CRT	1024x768	17.0				1998	0.79	17067
IBM G72/6547-01E, -01S	90	8.0	8.0	CRT	1024x768	17.0				1998	0.79	17069
IBM G72/6547-01N, 21N, -31N, -41N	90	8.0	8.0	CRT	1024x768	17.0				1998	0.79	17068
IBM G74/6547-xAx	72	2.5	2.5	CRT	1024x768	17.0				1998	0.79	17105
IBM G74/6547-xBx	90	5.0	5.0	CRT	1024x768	17.0				1998	0.79	17106
IBM G94, 6549-00N, -00E, -00S	98	3.0	3.0	CRT	1600x1200	19.0			X	1998	1.92	17071
IBM LAN Client 6549-xxx	120	30.0	30.0		1024x768	15.0		X		1996	0.79	17100
IBM M55/2116-B2N/B2E/B2S/D2N	90	15.0	8.0	CRT	1280x1024	15.0				1997	1.31	17082
IBM MM50/7095-593	95	30.0	5.0		1024x768	15.0		X		1996	0.79	17098
IBM MM70/7097-593	120	30.0	8.0		1024x768	17.0		X		1996	0.79	17099
IBM MM75/2128-B1N/B1E/B1S/D1N	100	15.0	8.0	CRT	1280x1024	17.0				1997	1.31	17083
IBM Multimedia Monitor/7095-5C3	95	15.0	5.0	CRT	1024x768	15.0		X		1997	0.79	17077
IBM Multimedia Monitor/7097-5C3	120	15.0	8.0	CRT	1024x768	17.0		X		1997	0.79	17078
IBM P200/6555-773,6555-774,6555-7	120	20.0	5.0		1600x1200	20.0	X	X	X	1997	1.92	17079
IBM P201/6555-803, 6555-8E3	150	15.0	8.0	CRT	1600x1200	20.0	X	X	X	1997	1.92	17080
IBM P202/6558-03N, -03S, -43N, -43S	150	7.0	1.0	CRT	1600x1200	21.0			X	1998	1.92	17070
IBM P70/6554-603/604	115	8.0	4.5	CRT	1600x1200	17.0	X	X		1996	1.92	17092
IBM P70/6554-673, -674, -6E3, -6E4	115	7.5	4.5	CRT	1600x1200	17.0	X	X	X	1997	1.92	17073
IBM P72/6556-03N, 03S, 43N, 43S	100	15.0	7.5	CRT	1280x1024	17.0		X		1997	1.31	17081
IBM P92/6557-03N, -03S, -43N, -43S	105	6.9	1.0	CRT	1600x1200	19.0		X		1998	1.92	17063
ICM CA-1561	74	23.8	13.0		1280x1024	15.0				1996	1.31	11663
ICM CT-1448A	55	11.7	11.5		1280x1024	14.0				1996	1.31	11664
iiyama A101GT	150	7.8	5.2		1024x768	14.0				1998	0.79	11675
iiyama A102GT	160	7.8	5.2		1024x768	21.0				1998	0.79	11676
iiyama A701GT	110	5.2	2.3		1024x768	17.0				1998	0.79	11670
iiyama AS4312U	35	2.4	2.4	LCD	1280x1024	17.0	X	X		2001	1.31	10007
iiyama AS4314UT BK	45	3.0	3.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	11704
iiyama AS4316UTC	36	2.5	2.5	LCD	1280x1024	17.0		X		2001	1.31	10030
iiyama AS4611UT	50	1.6	1.6	LCD	1280x1024	18.0	X	X	X	2001	1.31	11700
iiyama AS4611UT BK	50	1.6	1.6	LCD	1280x1024	18.0	X	X	X	2001	1.31	11709
iiyama AU4831D	55	3.9	3.9	LCD	1600x1200	19.0	X			2001	1.92	15574
iiyama AX3818UTC	22	3.1	3.1	LCD	1024x768	15.0	X	X		2001	0.79	10018
iiyama BX3811U	36	5.0	5.0	LCD	1024x768	15.0	X	X	X	2001	0.79	1E+06
iiyama HA202DT	156	4.2	2.6	CRT	1600x1200	22.0	X	X	X	2001	1.92	11701
iiyama HM903DT	116	2.0	2.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	11691
iiyama LS501U	62	5.9	5.1	CRT	1024x768	15.0		X		2001	0.79	11703
iiyama LS502U	65	5.4	3.2	CRT		15.0		X		2001	0.00	11720
iiyama LS704U	75	5.0	5.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	11714
iiyama LS704UT	75	5.0	5.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	11712
iiyama LS902UT	96	3.1	3.1	CRT	1280x1024	19.0	X	X	X	2001	1.31	11699
iiyama MF-8515G	85	9.6	5.5		1024x768	15.0	X			1998	0.79	11667
iiyama MF-8617ES	115	6.9	3.8		1024x768	17.0	X			1998	0.79	11671



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
iiyama S101GT	150	8.2	5.4		1024x768	21.0				1998	0.79	11673
iiyama S102GT	160	8.2	5.4		1024x768	21.0				1998	0.79	11674
iiyama S701GT	110	6.0	2.3		1024x768	17.0				1998	0.79	11668
iiyama S702G	110	5.9	2.3		1024x768	17.0	X			1998	0.79	11669
iiyama S901GT	140	7.1	3.7		1024x768	19.0				1998	0.79	11672
iiyama TXA3601GT	27	3.1	3.1	LCD?	1024x768	14.0				1998	0.79	11677
iiyama TXA3602GT	36	2.7	2.6	LCD?	1024x768	14.0				1998	0.79	11678
iiyama TXA3811HT	28	3.0	3.0	LCD?	1024x768	15.0				1998	0.79	11679
iiyama TXA3821HT	45	3.3	3.3		1024x768	15.0				1998	0.79	11680
IMAGO 14VX	80	5.0	5.0		1024x768	14.0				1997	0.79	14552
IMAGO 15HX	80	5.0	5.0		1024x768	15.0		X		1997	0.79	14553
Impression Impression 9Plus	85	9.8	2.2		1600x1200	19.0	X	X		1999	1.92	9392
INFINITI SM 482C	80	15.0	5.0		1024x768	14.0				1996	0.79	12078
IPC IPC-1770	87	5.8	8.0		1280x1024	17.0	X	X		1999	1.31	9368
ITAUTEC 1428NI	62	7.5	7.5	CRT	1024x768	14.0		X		1995	0.79	18011
ITAUTEC 1528MM	70	8.5	8.5	CRT	1024x768	15.0		X		1995	0.79	18012
ITAUTEC 1528NI	83	8.0	8.0	CRT	1024x768	15.0		X		1995	0.79	18013
JEAN J71C	81	4.0	2.0		1024x768	17.0		X		1998	0.79	13803
JEAN J91A	105	6.0	4.0		1600x1200	19.0		X		1998	1.92	13802
JEAN JD144K/E/J/M/L	65	7.0	5.0		1024x768	14.0		X		1998	0.79	13807
JEAN JD219A	126	5.0	3.0		1600x1200	21.0		X		1998	1.92	13806
JEAN JT146D/A	29	6.0	6.0	LCD?	1024x768	14.0		X		1998	0.79	13804
JEAN JT156D/A	30	4.0	4.0	LCD?	1024x768	15.0		X		1998	0.79	13805
JEAN L41A	29	6.0	6.0	LCD?	1024x768	14.0		X		1998	0.79	13808
JEAN L51A	30	7.0	4.0	LCD?	1024x768	15.0		X		1998	0.79	13809
KDE KDM-1770	65	10.1	7.5	CRT	1280x1024	17.0		X		2000	1.31	9692
KDS Advance 15Sv	80	12.0	5.0		1024x768	15.0				1997	0.79	11603
KDS KD-1400A	42	6.0	5.0		1024x768	14.0	X	X		1998	0.79	11610
KDS KD-1441	80	25.0	7.0		1024x768	14.0		X		1995	0.79	11604
KDS KD-1451	80	25.0	7.0		1024x768	14.0		X		1995	0.79	11605
KDS KD-1452	80	25.0	8.0		1024x768	14.0		X	X	1997	0.79	11602
KDS KD-1455	80	15.0	5.0		1024x768	14.0				1997	0.79	11594
KDS KD-1510	80	25.0	8.0		1280x1024	15.0		X		1995	1.31	11606
KDS KD-1510T	85	15.0	8.0		1280x1024	15.0	X	X	X	1998	1.31	11590
KDS KD-1511	80	15.0	8.0		1280x1024	15.0	X			1998	1.31	11609
KDS KD-1511T	90	15.0	8.0		1280x1024	15.0	X	X	X	1999	1.31	11613
KDS KD-1525	80	15.0	8.0		1024x768	15.0	X	X	X	1997	0.79	11591
KDS KD-1540	80	25.0	5.0		1024x768	15.0		X	X	1997	0.79	11601
KDS KD-1700V	110	20.0	5.0		1280x1024	17.0		X		1997	1.31	11600
KDS KD-1711	80	25.0	5.0		1024x768	17.0		X		1997	0.79	11599
KDS KD-1730	100	25.0	8.0		1280x1024	17.0	X	X		1997	1.31	11598
KDS KD-1730T	100	15.0	8.0		1280x1024	17.0	X	X	X	1998	1.31	11589
KDS KD-1731	100	15.0	8.0		1280x1024	17.0	X	X	X	1998	1.31	11607
KDS KD-1731	100	15.0	8.0		1280x1024	17.0	X	X		1998	1.31	11608
KDS KD-1731T	100	15.0	8.0		1280x1024	17.0	X	X	X	1999	1.31	11612
KDS KD-1732PF	90	10.0	5.0		1024x768	17.0	X	X		1999	0.79	11621
KDS KD-1750	110	20.0	8.0		1600x1200	17.0	X	X	X	1997	1.92	11586
KDS KD-1761PF	85	10.0	5.0		1024x768	17.0				2001	0.79	11644
KDS KD-1770	120	15.0	8.0		1600x1200	17.0	X	X	X	1998	1.92	11587
KDS KD-1770T	120	15.0	8.0		1600x1200	17.0	X	X	X	1999	1.92	11614
KDS KD-1771PF	120	10.0	5.0		1600x1200	17.0		X		2000	1.92	11627
KDS KD-1900	120	15.0	8.0		1600x1200	19.0	X	X	X	1998	1.92	11588
KDS KD-1910SN	125	15.0	8.0		1600x1200	19.0	X	X	X	1999	1.92	11615
KDS KD-1910T	120	15.0	8.0		1600x1200	19.0	X	X	X	1999	1.92	11616
KDS KD-1912	110	10.0	5.0		1600x1280	19.0	X	X		2000	1.92	11628
KDS KD-1920PF	130	10.0	5.0		1600x1200	19.0	X	X		1999	1.92	11622
KDS KD-2000	120	20.0	8.0		1600x1200	20.0	X	X		1997	1.92	11596
KDS KD-2100	160	10.0	5.0		1600x1200	21.0	X	X		1997	1.92	11595
KDS KD-2101	135	10.0	5.0		1600x1200	21.0	X	X		2000	1.92	11629
KDS KD-2120PF	160	10.0	5.0		1600x1200	21.0	X	X		1999	1.92	11623



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
KDS KLT-1500A	45	6.0	5.0		1024x768	15.0	X	X	X	1999	0.79	11611
KDS KLT-1512A	34	5.0	2.0	LCD?	1024x768	15.0	X	X		2000	0.79	11631
KDS KLT-1521A	34	5.0	5.0	LCD?	1024x768	15.0	X	X		2000	0.79	11626
KDS KLT-1522A	34	5.0	2.0	LCD?	1024x768	15.0	X	X		2000	0.79	11630
KDS KLT-1700	50	6.0	5.0		1280x1024	17.0	X	X		2000	1.31	11625
KDS KLT-1800	50	6.0	5.0		1280x1024		X	X		1999	1.31	11624
KDS KS-1750	110	20.0	8.0		1600x1200	17.0	X	X		1997	1.92	11597
KDS RAD-5	32	3.0	3.0	LCD	1024x768	15.0	X	X		2001	0.79	11638
KDS RAD-7	40	3.0	3.0	LCD	1280x1024	15.0				2001	1.31	11639
KSI KSA50XX	15	1.6	1.6	LCD		15.0	X			2000	0.00	9709
LaCie photon18blue	54	5.0	5.0		1280x1024	18.0	X			2001	1.31	11585
Lan Plus 5B5	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9413
Languang LGM-550	61	7.0	3.1	CRT	1024x768	15.0				2001	0.79	9786
Languang LGM-57F	70	7.0	3.1	CRT	1280x1024	15.0				2001	1.31	9787
Languang LGM-570	70	7.0	3.1	CRT	1280x1024	15.0				2001	1.31	9788
Lanix 1428S	75	5.0	5.0		1024x768	14.0				1998	0.79	11454
Lanix 431X	75	15.0	5.0		1024x768	14.0				1997	0.79	11457
Lanix 511B	80	5.0	5.0		1280x1024	15.0				1998	1.31	11455
Lanix 518x	75	5.0	5.0		1024x768	15.0				1998	0.79	11453
Lanix 521X	75	15.0	5.0		1024x768	15.0				1999	0.79	11458
Lanix DB-770BA	110	7.2	3.0		1280x1024	17.0				1998	1.31	11456
Lanix DE-995FA	100	10.0	2.0		1600x1200	19.0	X	X		2000	1.92	11459
Lanix LN560N	124	8.2	4.1	CRT	1024x768	15.0	X	X		2001	0.79	11460
Lanix LN563A	85	3.0	3.0	LCD	1024x768	15.0	X	X		2001	0.79	11462
Lanix LN775C	158	10.0	3.3	CRT	1280x1024	17.0	X	X		2001	1.31	11461
Legend LX-GJ1456A	60	5.6	3.6	CRT	1024x768	14.0		X		2000	0.79	9815
Legend LX-GJ15690	80	8.6	3.8	CRT	1280x1024	15.0		X		1999	1.31	9813
Legend LX-GJ1769	85	4.7	4.1	CRT	1280x1024	17.0		X		1999	1.31	9814
Legend LXH-P569II	70	6.4	4.8		1280x1024	15.0				2001	1.31	9809
Legend LXH-P769II	73	7.8	2.2		1280x1024	17.0				2001	1.31	9810
Legend LXH-XH769U	80	4.8	3.0		1024x768	17.0				2000	0.79	9697
Legend LX-WG556D	75	10.0	6.4	CRT	1024x768	15.0		X		2001	0.79	9811
lenovo LXB-L15	17	1.2	1.6	LCD	1024x768	15.0	X			2001	0.79	9819
lenovo LX-GJ556D	59	5.6	5.6	CRT	1024x768	15.0				2000	0.79	9812
Leo 14A	65	11.0	9.0		1024x768	14.0		X		1996	0.79	11881
Leo 15 CX	77	8.0	0.9		1280x1024	15.0		X		1997	1.31	11878
Leo 15A	72	12.0	3.0		1024x768	15.0		X		1997	0.79	11880
Leo 15ci	77	8.0	0.9		1280x1024	15.0		X		1998	1.31	11890
Leo 15cp	76	7.9	0.8		1280x1024	15.0		X		1998	1.31	11891
Leo 15M/15Me	76	13.0	10.0		1280x1024	15.0				1996	1.31	11882
Leo 17 CV	112	10.0	0.2		1600x1200	17.0		X		1997	1.92	11877
Leo 17 CX	85	12.0	0.3		1280x1024	17.0		X		1997	1.31	11879
Leo 17A	105	18.0	3.0		1600x1200	14.0		X		1996	1.92	11883
Leo 17A	105	18.0	3.0		1280x1024	17.0		X		1996	1.31	11884
Leo 17ci	112	0.3	0.3		1600x1200	17.0		X		1998	1.92	11887
Leo 17cl	113	0.2	0.2		1600x1200	17.0		X		1998	1.92	11888
Leo 17cp	85	0.4	0.4		1280x1024	17.0		X		1998	1.31	11889
Leo 17M	95	15.0	8.0		1024x768	17.0		X		1996	0.79	11885
Leo 17Mx	98	15.0	8.0		1280x1024	17.0		X		1996	1.31	11886
LEOPTICS 14cp	71	5.7	5.7		800x600	14.0		X		1998	0.48	14857
LEOPTICS 15c	73	5.6	5.6		800x600	15.0		X		1998	0.48	14858
LEOPTICS 15ca	72	5.2	5.2		800x600	15.0		X		1998	0.48	14859
LG 216SC	122	7.0	4.0		1600x1200	21.0	X		X	1998	1.92	13888
LG 440Si	78	6.0	4.0		1024x768	14.0		X		1998	0.79	13892
LG 45V	70	9.5	6.9		800x600	14.0		X		2000	0.48	13953
LG 500LC	33	4.2	4.2	LCD?	1024x768	15.0	X			1998	0.79	13812
LG 520Si	76	6.0	4.0		1024x768	15.0		X		1998	0.79	13893
LG 550D	68	13.0	6.0		800x600	15.0		X		2000	0.48	13962
LG 55V	71	9.5	6.8		800x600	15.0		X		2000	0.48	13959
LG 560SC	70	7.0	3.0		1280x1024	15.0	X			1998	1.31	13891



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
LG 560Si	70	7.0	3.0		1280x1024	15.0		X		1998	1.31	13890
LG 577BC	39	3.0	3.0	LCD?	1024x768	15.0				2000	0.79	13971
LG 57M	75	2.3	2.3		1280x1024	15.0		X		1998	1.31	13813
LG 5DW	86	3.6	3.6		1280x1024	15.0		X		1998	1.31	13814
LG 760SC	92	4.0	4.0		1280x1024	17.0	X	X	X	1998	1.31	13894
LG 760Si	92	4.0	4.0		1280x1024	17.0		X	X	1998	1.31	13895
LG 77G	81	5.4	3.8		1280x1024	17.0		X		2000	1.31	13934
LG 77M	94	2.2	2.2		1280x1024	17.0		X		1998	1.31	13815
LG 77S	94	2.2	2.2		1280x1024	17.0	X			1998	1.31	13816
LG 78FT	109	3.0	3.0		1280x1024	17.0	X		X	1998	1.31	13817
LG 790SC	103	1.9	1.9		1600x1200	17.0	X		X	1998	1.92	13811
LG 790UR	120	5.0	2.0		1600x1200	17.0	X		X	1999	1.92	13903
LG 795SC	103	5.0	2.0		1600x1200	17.0	X		X	1998	1.92	13810
LG 795UR	120	5.0	2.0		1600x1200	17.0	X		X	1999	1.92	13902
LG 79FT	120	6.0	3.0		1600x1200	17.0	X		X	1999	1.92	13901
LG 7DW	90	3.4	3.4		1280x1024	17.0		X		1998	1.31	13818
LG 910SC	114	5.0	2.0		1600x1200	19.0	X		X	1998	1.92	13898
LG 910UC1	122	5.2	2.6		1600x1200	19.0	X	X		2000	1.92	13954
LG 99G	105	7.9	2.8		1600x1200	19.0	X	X		2000	1.92	13956
LG 99T	105	7.0	4.0		1600x1200	19.0	X			1998	1.92	13887
LG CB291B-UA	128	4.9	2.1		1600x1200	21.0				2000	1.92	13998
LG CB440DM	78	6.0	4.0		1024x768	14.0		X		1998	0.79	13896
LG CB450BN	71	8.6	4.8		1024x768	14.0		X		1999	0.79	13961
LG CB550BN	73	8.6	4.8		1024x768	15.0		X		1999	0.79	13948
LG CB560BJ	74	8.5	4.6	CRT	1024x768	15.0		X	X	2001	0.79	14030
LG CB560BN	77	8.2	4.1		1024x768	15.0		X		2000	0.79	13943
LG CB563C-**	68	6.5	2.5	CRT	1024x768	15.0		X	X	2001	0.79	14040
LG CB573D-EA	75	6.8	2.6		1280x1024	15.0				2000	1.31	14000
LG CB573D-NA	75	6.8	2.6		1280x1024	15.0				2000	1.31	14001
LG CB573F-**	72	6.0	2.5	CRT	1024x768	15.0		X	X	2001	0.79	14059
LG CB575C-EA	73	6.8	2.5		1280x1024	15.0				2000	1.31	13997
LG CB575C-NA	73	6.8	2.5		1280x1024	15.0				2000	1.31	13996
LG CB575E-**	73	6.8	2.9	CRT	1280x1024	15.0	X	X	X	2001	1.31	14016
LG CB770DE	80	8.1	4.0		1280x1024	17.0		X		2000	1.31	13938
LG CB770DM	80	8.1	4.0		1280x1024	17.0		X		2000	1.31	13947
LG CB773D-EA	78	8.4	2.7		1280x1024	17.0				2000	1.31	14002
LG CB773D-NA	78	8.4	2.7		1280x1024	17.0				2000	1.31	14003
LG CB773F-**	85	4.5	3.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	14010
LG CB773G-**	74	6.5	4.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14055
LG CB775C-EA	74	7.0	3.0		1280x1024	17.0				2000	1.31	13994
LG CB775C-NA	74	7.0	3.0		1280x1024	17.0				2000	1.31	13993
LG CB777F-**	85	4.5	3.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	14015
LG CB777G-**	74	6.5	4.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14050
LG CB795D-**	95	8.0	4.0	CRT	1600x1200	17.0	X	X	X	2001	1.92	14066
LG CB910C	105	8.5	2.8	CRT	1600x1200	19.0	X	X	X	2001	1.92	14056
LG CB995CE	105	7.9	2.8		1600x1200	19.0				2000	1.92	14008
LG CB995CU	125	7.0	2.5		1600x1200	19.0				2000	1.92	13992
LG CB995D-EA	100	7.2	2.5		1600x1200	19.0				2000	1.92	14004
LG CB995D-UA	115	7.4	2.9		1600x1200	19.0				2000	1.92	14005
LG CB997E-**	105	4.0	1.5	CRT	1600x1200	19.0	X	X	X	2001	1.92	14028
LG CD775C-EA	74	7.0	3.0		1280x1024	17.0				2000	1.31	13995
LG CF786C	109	6.0	3.0		1280x1024	17.0	X		X	1998	1.31	13889
LG CF900C	105	7.0	4.0		1600x1200	19.0		X		1998	1.92	13897
LG CG772C-**	74	4.5	3.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14048
LG CS777C-**	74	4.5	3.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14047
LG CS778B	81	5.4	3.8		1280x1024	17.0		X		2000	1.31	13945
LG CS778DC	81	5.4	3.8		1280x1024	17.0		X		2000	1.31	13944
LG CS778F-**	74	4.5	3.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14043
LG CS778G-**	74	6.5	4.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14029
LG CS911	110	4.4	1.6		1600x1200	19.0		X		2000	1.92	13940



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
LG CS990D*	105	8.0	2.8	CRT	1600x1200	19.0	X	X		2001	1.92	14045
LG CS990DC	10	7.9	2.8	LCD?	1600x1200	19.0	X	X		2000	1.92	13942
LG CS990DE	105	7.9	2.8		1600x1200	19.0	X	X		2000	1.92	13950
LG CS990E-**	105	4.0	1.5	CRT	1600x1200	19.0	X	X	X	2001	1.92	14049
LG CS991C	105	7.9	2.8		1600x1200	19.0		X		2000	1.92	13941
LG CS991D-**	105	8.0	2.8	CRT	1600x1200	19.0	X	X	X	2001	1.92	14038
LG CS991DC	105	7.9	2.8		1600x1200	19.0	X	X		2000	1.92	13939
LG CS991E-**	105	4.0	1.5	CRT	1600x1200	19.0	X	X	X	2001	1.92	14031
LG EB770F-**	74	4.5	3.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14046
LG EB770G-**	74	6.5	4.0	CRT	1024x768	17.0	X	X	X	2001	0.79	14061
LG EB990E-**	110	3.5	1.5	CRT	1600x1200	19.0	X	X	X	2001	1.92	14064
LG FB575BC	26	2.2	2.2	LCD?	1024x768	15.0				2000	0.79	13966
LG FB773B-EA	86	7.0	3.0		1280x1024	29.0				2000	1.31	14006
LG FB773C-**	110	8.0	2.5	CRT	1024x768	17.0	X	X	X	2001	0.79	14039
LG FB773F-**	90	4.5	3.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	14024
LG FB774BC	94	8.9	2.6		1280x1024	17.0	X	X		2000	1.31	13936
LG FB774BC-Ultra	93	8.4	3.0		1280x1024	17.0				2000	1.31	13988
LG FB774C-**	86	8.6	3.7	CRT	1280x1024	17.0	X	X	X	2001	1.31	14017
LG FB774F-**	90	4.5	3.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	14014
LG FB775BC	93	9.7	3.1		1280x1024	17.0	X	X		1999	1.31	13951
LG FB775BC-Ultra	93	8.4	3.0		1280x1024	17.0				2000	1.31	13987
LG FB775BE-Ultra	93	8.4	3.0		1280x1024	17.0				2000	1.31	13999
LG FB775C-**	86	8.6	3.7	CRT	1280x1024	17.0	X	X	X	2001	1.31	14019
LG FB775F-**	90	4.5	3.0	CRT	1280x1024	17.0	X	X	X	2001	1.31	14011
LG FB793C-EA	106	4.5	1.6		1600x1200	17.0				2000	1.92	13963
LG FB793C-UA	119	4.7	1.6		1600x1200	17.0				2000	1.92	13964
LG FB795B	120	6.0	3.0		1600x1200	17.0	X		X	1999	1.92	13900
LG FB795CE	100	4.5	1.5		1600x1200	17.0	X	X		2000	1.92	13935
LG FB795CU	113	4.5	1.5		1600x1200	17.0	X	X		2000	1.92	13960
LG FB795E-**	100	4.0	1.5	CRT	1600x1200	17.0	X	X	X	2001	1.92	14052
LG FB915BE	139	5.5	2.4		1600x1200	19.0	X	X		2000	1.92	13952
LG FB915BU	151	5.5	2.4		1600x1200	19.0	X	X		2000	1.92	13957
LG FB995C-UA	124	4.7	0.9		1600x1200	19.0				2000	1.92	13965
LG FB995E-**	110	4.5	1.5	CRT	1600x1200	19.0	X	X	X	2001	1.92	14032
LG FM776B-CA	95	9.9	4.7		1280x1024	17.0				2000	1.31	13989
LG FM776C-**	99	9.1	4.7	CRT	1280x1024	17.0	X	X	X	2001	1.31	14013
LG FM776F-**	115	5.0	3.5	CRT	1024x768	17.0	X	X	X	2001	0.79	14033
LG FM77NC-BA	112	10.0	3.3		1280x1024	17.0				2000	0.00	13980
LG FM77NC-BB	112	10.0	3.3		1280x1024	17.0				2000	1.31	13981
LG HiSync 14S	70	9.2	4.8		1024x768	14.0		X		1997	0.79	13831
LG HiSync 14Vf	70	9.2	4.8		1024x768	14.0		X		1997	0.79	13832
LG HiSync 15S	79	11.3	6.2		1024x768	15.0		X		1997	0.79	13833
LG HiSync 15SF	74	10.8	5.6		1024x768	15.0		X		1997	0.79	13826
LG HiSync 15Vf	70	10.3	5.2		1024x768	15.0		X		1997	0.79	13827
LG HiSync 15Vh	82	14.8	5.4		1024x768	15.0		X		1997	0.79	13828
LG HiSync 15Vn	70	10.3	5.2		1024x768	15.0		X		1997	0.79	13829
LG HiSync 15XA	86	8.2	3.6		1280x1024	15.0				1997	1.31	13830
LG HiSync 15XG	76	8.4	3.6		1024x768	15.0		X		1997	0.79	13822
LG HiSync 15XH	78	11.3	6.2		1280x1024	15.0		X		1997	1.31	13823
LG HiSync 15XL	71	6.1	2.3		1280x1024	15.0		X		1997	1.31	13824
LG HiSync 17SF	84	13.2	6.5		1024x768	17.0		X		1997	0.79	13846
LG HiSync 17TF	77	13.3	6.6		1024x768	17.0		X		1997	0.79	13825
LG HiSync 17Vh	83	8.7	3.9		1280x1024	17.0		X		1997	1.31	13851
LG HiSync 17XA	90	9.3	3.4		1280x1024	17.0		X		1997	1.31	13852
LG HiSync 17XH	87	8.3	2.7		1280x1024	17.0		X		1997	1.31	13853
LG HiSync 17XL	92	9.7	2.6		1280x1024	17.0		X		1997	1.31	13820
LG HiSync 17XR	109	5.2	3.0		1600x1200	17.0		X	X	1997	1.92	13821
LG HiSync 20VR	112	10.1	4.6		1600x1200	20.0		X	X	1997	1.92	13847
LG HiSync 21XR	108	7.6	5.8		1600x1200	21.0		X	X	1997	1.92	13848
LG HiSync D17XR	98	5.1	2.6		1600x1200	17.0		X		1997	1.92	13849



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
LG HiSync DT17XR	98	5.1	2.6		1600x1200	17.0		X	X	1997	1.92	13850
LG HiSync T17XL	92	9.4	2.3		1280x1024	17.0		X		1997	1.31	13835
LG HiSync T17XR	109	5.2	3.0		1600x1200	17.0		X	X	1997	1.92	13834
LG LB560BE	25	3.3	3.3	LCD?	1024x768	15.0				2000	0.79	14007
LG LB563B-**	22	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14020
LG LB563C-**	30	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14018
LG LB563T-**	33	1.5	1.5	LCD	1024x768	15.0	X	X	X	2001	0.79	14065
LG LB563V-**	33	1.5	1.5	LCD	1024x768	15.0	X	X	X	2001	0.79	14044
LG LB565B-**	30	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14026
LG LB565C-**	21	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14025
LG LB565D-**	30	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14057
LG LB565T-**	33	1.5	1.5	LCD	1024x768	15.0	X	X	X	2001	0.79	14062
LG LB567D-**	30	2.0	2.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14054
LG LB570BE	25	3.0	3.0	LCD?	1024x768	15.0	X	X		1999	0.79	13958
LG LB570CE	25	3.0	3.0	LCD?	1024x768	15.0	X	X		1999	0.79	13937
LG LB570D	24	2.8	2.8	LCD?	1280x1024	15.0				2000	1.31	13991
LG LB570E-EA	24	2.8	2.8	LCD?	1280x1024	15.0				2000	1.31	13990
LG LB570F-**	35	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14051
LG LB575BE	25	2.5	2.5	LCD?	1280x1024	15.0				2000	1.31	13986
LG LB575C*	35	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14036
LG LB575EC	27	2.4	2.4	LCD?	1024x768	15.0				2000	0.79	13967
LG LB575EE	27	2.4	2.4	LCD?	1024x768	15.0				2000	0.79	13968
LG LB576BC	39	3.0	3.0	LCD?	1024x768	15.0				2000	0.79	13969
LG LB576BE	39	3.0	3.0	LCD?	1024x768	15.0				2000	0.79	13970
LG LB577BE	39	3.0	3.0	LCD?	1024x768	15.0				2000	0.79	13972
LG LB680A-EA	30	2.3	2.3	LCD?	1280x1024	16.0				2000	1.31	13983
LG LB782F-**	45	3.0	3.0	LCD	1280x1024	17.0	X	X	X	2001	1.31	14053
LG LB880D-**	60	3.5	3.5	LCD	1280x1024	18.0	X	X	X	2001	1.31	14023
LG LB885CU	55	3.6	3.6		1280x1024	18.0				2000	1.31	13973
LG LB885D-**	60	3.5	3.5	LCD	1280x1024	18.0	X	X	X	2001	1.31	14009
LG LB886F-**	55	2.5	2.5	LCD	1280x1024	18.0	X	X	X	2001	1.31	14058
LG LM295B-**	74	6.5	6.5	LCD	1600x1200	22.0	X	X	X	2001	1.92	14037
LG LM565D-**	36	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14034
LG LM567D-**	36	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14067
LG LM568E-**	36	2.5	2.5	LCD	1024x768	15.0	X	X	X	2001	0.79	14027
LG LM575B*	45	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14041
LG LM575BA	29	2.2	2.2	LCD?	1024x768	15.0				2000	0.79	13974
LG LM575BC	29	2.2	2.2	LCD?	1024x768	15.0				2000	0.79	13975
LG LM575C*	45	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14060
LG LM575EA	30	2.4	2.4	LCD?	1024x768	15.0				2000	0.79	13976
LG LM575EC	30	2.4	2.4	LCD?	1024x768	15.0				2000	0.79	13977
LG LM576B*	45	3.0	3.0	LCD	1024x768	15.0	X	X	X	2001	0.79	14035
LG LM577BA	43	3.0	3.0		1024x768	15.0				2000	0.79	13978
LG LM577BC	48	3.0	3.0		1024x768	15.0				2000	0.79	13979
LG LM680A-**	50	4.0	4.0	LCD	1280x1024	16.0	X	X	X	2001	1.31	14021
LG LM77NC-BC	112	10.0	3.3		1280x1024	17.0				2000	1.31	13982
LG LS882C-**	55	5.0	5.0	LCD	1280x1024	18.0	X	X	X	2001	1.31	14022
LG MB500F*	74	6.0	4.0	CRT	1024x768	15.0		X	X	2001	0.79	14042
LG MB576BM	98	9.7	4.6		1280x1024	15.0		X		1999	1.31	13955
LG MB576C-**	92	8.0	4.5	CRT	1024x768	15.0		X	X	2001	0.79	14063
LG MB776BA	99	8.5	4.4		1280x1024	17.0	X	X		2000	1.31	13949
LG MB776BM	99	8.5	4.4		1280x1024	17.0	X	X		1999	1.31	13946
LG MB776C-**	92	8.0	4.3	CRT	1280x1024	17.0	X	X	X	2001	1.31	14012
LG SB995CE	118	4.6	1.2		1600x1200	19.0				2000	1.92	13985
LG SB995CU	131	4.6	1.2		1600x1200	19.0				2000	1.92	13984
Lite-On A1554NSL	75	5.9	3.0		1024x768	15.0				1999	0.79	11742
Lite-On A1770NSL	90	13.0	3.0		1280x1024	17.0				1999	1.31	11743
Lite-On CM-1450MCLR	72	17.4	2.7		1024x768	14.0				1995	0.79	11740
Lite-On CM-1566MCLR	85	13.3	2.9		1280x1024	15.0				1995	1.31	11741
Lite-On CM-1766MCLR	110	13.0	6.0		1280x1024	17.0				1997	1.31	11734



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Lite-On VCDTS21352-15	110	13.0	6.0		1280x1024	17.0				1997	1.31	11738
Lite-On VCDTS21356-2X	75	13.0	3.0		1024x768	14.0				1997	0.79	11732
Lite-On VCDTS21375-1X	110	13.0	3.0		1024x768	15.0				1997	0.79	11731
Lite-On VCDTS21386-1X	110	13.0	3.0		1024x768	17.0				1997	0.79	11733
LOGISYS LGX710	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9428
LOGISYS LGX750	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9426
Logitech LCM-T041AS	18	4.1	4.1	LCD	640x480					2001	0.31	9338
Logitech LCM-T172AS	35	2.4	2.4	LCD	1280x1024	17.0				2001	1.31	10019
LOGIX LG-1531	65	7.4	5.6		1280x1024	15.0		X		1996	1.31	13886
LOGIX LG-17DB06	87	9.4	7.7		1280x1024	17.0				1998	1.31	13899
LOGIX LGX1721	65	12.0	3.2	CRT	1280x1024	17.0	X	X	X	2001	1.31	9400
LongWell LW-851	18	4.0	4.0	LCD	1024x768	15.0	X			2000	0.79	18015
LongWell LW-853	18	4.0	4.0	LCD	1280x1024	15.0	X			2000	1.31	18016
MAG LT351M	19	2.2	2.2	LCD	1024x768	13.0				2001	0.79	9771
MAG S5T012	90	6.3	3.0		1280x1024	15.0	X			1999	1.31	15038
MAG S5Y012(570FD)	90	6.3	3.0		1280x1024	15.0	X			1999	1.31	15037
MAG S7007-01 (770T)	78	3.1	3.1		1280x1024	17.0				1999	1.31	15034
MAG S7T008	106	6.5	3.2		1600x1200	17.0				1999	1.92	15045
MAG S7T008(786FD)	106	6.5	3.3		1600x1200	17.0				1999	1.92	15044
MAG U5013	69	6.4	3.2		1280x1024	15.0	X	X		1999	1.31	15040
MAG U5013(XJ530)	69	6.4	3.2		1280x1024	15.0	X			1999	1.31	15039
MAG U7003-01 (XJ770)	79	2.9	4.9		1600x1200	17.0				1999	1.92	15032
MAG U7003-02 (XJ796)	80	2.8	5.1		1600x1200	17.0				1999	1.92	15033
MAG U7T009	110	6.4	3.1		1600x1200	17.0				1999	1.92	15046
MAG U7T009(796FD)	106	6.4	3.1		1600x1200	17.0				1999	1.92	15043
MAG U8010-01	90	3.1	3.0		1600x1200	19.0				1999	1.92	15036
MAG U8010-01 (XJ810)	90	3.1	3.0		1600x1200	19.0				1999	1.92	15035
MAG U8T011	143	8.1	3.1		1600x1200	19.0				1999	1.92	15041
MAG U8T011(810FD)	143	8.1	3.1		1600x1200	19.0				1999	1.92	15042
MAG WB770	82	5.2	2.9		1280x1024	17.0		X		1999	1.31	15047
McPerson s.r.l. SIERRA 300	18	6.0	6.0	LCD	800x600	12.0	X	X		1999	0.48	9534
McPerson s.r.l. TANGO 500	18	3.0	3.0	LCD	1024x768	15.0	X	X	X	1999	0.79	9533
McPerson SIERRA 300	18	6.0	6.0	LCD	800x600	12.0	X	X		1999	0.48	9536
McPerson TANGO 500	18	3.0	3.0	LCD	1024x768	15.0	X	X		1999	0.79	9535
Medison KD-1512PF	90	12.0	7.0	CRT	1024x768	15.0				2001	0.79	11642
Memorex Telex 148 A	30	10.0	4.7	LCD?		14.0				1997	0.00	11906
Memorex Telex 148 G	30	10.0	4.7	LCD?		14.0				1997	0.00	11907
Memorex Telex 1481W	30	10.0	4.7	LCD?		14.0				1997	0.00	11908
Memorex Telex 1482A	30	10.0	4.7	LCD?		14.0	X			1997	0.00	11909
Memorex Telex 1482D	30	10.0	4.7	LCD?		15.0	X			1997	0.00	11912
Memorex Telex 1482E	30	10.0	4.7	LCD?		15.0	X			1997	0.00	11913
Memorex Telex 1482G	30	10.0	4.7	LCD?		14.0	X			1997	0.00	11910
Memorex Telex 1482P	30	10.0	4.7	LCD?		14.0	X			1997	0.00	11911
Memorex Telex 1482W	30	10.0	4.7	LCD?		15.0	X			1997	0.00	11914
Memorex Telex 1483	6	10.0	3.6	LCD?		17.0	X	X		1997	0.00	11915
Micron 2100 DX	93	1.6	1.3		1600x1200	21.0	X	X		1999	1.92	15232
Micron 2100Ex	94	1.6	1.6		1600x1200	21.0	X			2000	1.92	15239
Micron 500DX	54	13.1	2.9		1024x768	15.0				1999	0.79	15234
Micron 500Ez	74	2.6	2.6		1024x768	15.0				2000	0.79	15240
Micron 700Dx	58	7.7	3.2		1024x768	17.0	X	X		1999	0.79	15233
Micron 700Ex	61	2.0	2.0		1280x1024	17.0	X	X		2000	1.31	15238
Micron 910Ex	101	3.0	3.0		1600x1200	19.0	X	X		2000	1.92	15237
Micron CPD-2401	65	12.6	1.8		1280x1024	17.0	X	X		1999	1.31	15231
Micron CPD-4401	83	8.4	2.3		1600x1200	19.0	X	X		1999	1.92	15236
Microtek 1456	80	10.5	5.0	CRT	1024x768	14.0		X		2000	0.79	9686
Microtek 1556	67	12.0	10.0	CRT	1024x768	15.0		X		2000	0.79	9687
Microtek 1569	79	10.0	7.0	CRT	1280x1024	15.0		X		2000	1.31	9688
Microtek C586	17		2.0	LCD	1024x768	15.0				2001	0.79	9509
Microtek CS88	10	3.5	3.5	LCD	1024x768	15.0	X	X	X	2001	0.79	9510
Microtek M1556	67	11.0	7.0	CRT	1024x768	15.0		X		2000	0.79	9511



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Microtek M1556D	67	11.0	7.0	CRT	1024x768	15.0				2000	0.79	9512
Microtek TL500A	29	4.7	4.7	LCD	1024x768	15.0				2001	0.79	9508
MicroVision 5A	80	10.0	2.2	CRT	1280x1024	15.0		X		1995	1.31	10140
MicroVision AS 1570	75	10.0	5.3	CRT	1280x1024	15.0	X	X		1999	1.31	10142
Mitac 15AX	34	6.0	3.9	LCD	1024x768	15.0	X			2000	0.79	9539
Mitac LC551	34	6.0	3.9	LCD	1024x768	15.0				2000	0.79	9540
Mitac LC552	35	3.9	3.9	LCD	1024x768	15.0	X			2001	0.79	9542
Mitac LC-AE	39	3.5	3.5	LCD	1024x768	17.0	X			2001	0.79	9541
Mitsubishi Diamond Pro 2060u	136	1.8	1.8			22.0	X	X		2000	0.00	12125
Mitsubishi Diamond Pro 730	96	5.0	5.0		1600x1200	17.0	X	X		2000	1.92	12120
Mitsubishi Diamond Pro 920	120	3.5	3.5		1600x1200	19.0	X	X		2000	1.92	12126
Mitsubishi LA-15R04-M(RDT152M)	28	1.3	1.3	LCD	800x600	15.0				2001	0.48	11761
Mitsubishi RD 15MII	85	12.0	6.0		1024x768	15.0				1999	0.79	10256
Mitsubishi RDT151E (LA-15R01-MBK)	21	1.4	1.4	CRT	1024x768	15.0	X	X		2001	0.79	9487
Mitsubishi RDT155X	20	2.3	2.3	LCD	1024x768	15.0	X	X		2001	0.79	9491
Mitsubishi RDT171M	43	1.5	1.5	LCD	1280x1024	17.0	X			2001	1.31	9996
Mitsubishi RDT172M	39	2.4	2.4	LCD	1280x1024	17.0	X	X		2001	1.31	10013
Mitsubishi RDT173M	37	2.2	2.2	LCD	1280x1024	17.0				2001	1.31	10027
Mitsubishi SD5904xx	85	12.0	6.0		1024x768	15.0		X		1999	0.79	10265
Mitsubishi SD5914xx	80	8.3	4.7		1024x768	15.0	X	X		1999	0.79	10274
Mitsubishi SD7704xx	100	7.0	7.0		1024x768	17.0	X	X		1998	0.79	10246
Mitsubishi SD7714xx	80	7.5	3.4		1280x1024	17.0	X	X		1999	1.31	10275
Modis MS-171A	105	8.1	4.8		1600x1200	17.0	X		X	2000	1.92	11633
Modis MS-17HS	90	8.0	5.0		1600x1200	17.0	X		X	2000	1.92	11632
Modis MS-191A	120	8.0	5.0		1600x1200	19.0	X		X	2000	1.92	11636
Modis MS-19H	100	8.0	5.0		1600x1200	19.0	X		X	2000	1.92	11635
Modis MS-71FS	100	8.0	5.0		1600x1200	17.0	X		X	2000	1.92	11634
Monitor Color Monitor E54, 6331-xxx	75	15.0	5.0		1024x768	15.0				2000	0.79	17160
MONXX MONXX770	90	9.0	4.8		1280x1024	17.0	X		X	2000	1.31	13314
MONXX MONXX995	115	10.7	0.5		1600x1200	19.0	X			2000	1.92	13315
MultiQ MQ122E	15	8.0	8.0	LCD!	800x600	12.0				1998	0.48	11896
MultiQ MQ152E	28	1.5	1.5	LCD?	1024x768	15.0	X	X		1998	0.79	11895
MultiQ MQ154E	42	1.5	1.5		1024x768	14.0				1998	0.79	11894
MultiQ MQ162E	40	1.5	1.5		1024x768	15.0				1998	0.79	11893
NCR 3498-2402-8090	65	4.4	4.4	CRT	800x600	15.0	X	X	X	2001	0.48	9716
NCR 3498-2502-8090	65	2.8	2.8	CRT	800x600	15.0	X	X	X	2001	0.48	9717
NEC FE700+	85	5.0	5.0		1280x1024	17.0	X			2000	1.31	12124
NEC FE750+	96	5.0	5.0		1600x1200	17.0	X			2000	1.92	12119
NEC FP1375X (NSZ3101STTUW)	137	3.2	3.2			22.0	X			2001	0.00	12132
NEC FP955	137	3.2	3.2			19.0	X			2001	0.00	12133
NEC JC-1579VMA-(TW)	78	11.0	2.8		1024x768	15.0		X	X	1998	0.79	12103
NEC JC-1738VMA-(TW)	86	11.0	1.0		1024x768	17.0		X	X	1998	0.79	12105
NEC LA-15R01-BK(MultiSync LCD1530	21	3.0	3.0	LCD	1024x768	15.0	X			2000	0.79	9483
NEC LA-15R04*** (MultiSyncLCD1550V	28	1.3	1.3	LCD	800x600	15.0				2001	0.48	11760
NEC LA-15R04-M (RDT152M)	22	2.5	2.5	LCD	1024x768	15.0	X	X		2001	0.79	11763
NEC LA-18S02	49	3.0	3.0		1280x1024	18.0	X			2000	1.31	12127
NEC lcd 15t	34	5.0	5.0	LCD?	1024x768	15.0	X			1999	0.79	12110
NEC LCD 1700M	43	1.5	1.5	LCD	1280x1024	17.0	X			2000	1.31	9989
NEC LCD 1700M+	43	1.5	1.5	LCD	1280x1024	17.0	X			2001	1.31	12131
NEC LCD1550X	29	1.7	1.7	LCD	1024x768	15.0	X	X	X	2001	0.79	12148
NEC LCD1550X-BK	29	1.7	1.7	LCD	1024x768	15.0	X	X	X	2001	0.79	12149
NEC LCD1700M	54	3.0	3.0	LCD	1280x1024	17.0	X			2001	1.31	12130
NEC LCD1850DX	65	3.0	3.0	LCD	1280x1024	18.0	X	X		2001	1.31	12136
NEC LCD1850X	65	3.0	3.0	LCD	1280x1024	18.0	X	X		2001	1.31	12135
NEC LCD2010X	63	3.3	3.3		1280x1024	20.0	X	X		2000	1.31	12117
NEC LCD2010X (LH-20S01-T)	66	6.0	6.0		1280x1024	20.0				2000	1.31	12129
NEC Multisync	34	5.0	5.0	LCD?	1024x768	15.0	X	X		1999	0.79	12112
NEC MultiSync 2V		30.0	0.0		1024x768	14.0				1997	0.79	12073
NEC MultiSync 3V		30.0	0.0		1024x768	15.0				1997	0.79	12074
NEC MultiSync 4FGe		30.0	0.0		1024x768	15.0				1997	0.79	12075



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
NEC MultiSync 50	82	0.7	0.7		1280x1024	15.0	X	X	X	1998	1.31	12045
NEC MultiSync 5FGe		30.0	0.0		1024x768	17.0				1997	0.79	12055
NEC MultiSync 70	102	0.8	0.8		1280x1024	17.0	X	X	X	1998	1.31	12044
NEC MultiSync 90	100	2.4	2.4		1280x1024	19.0	X	X	X	1998	1.31	12092
NEC MultiSync A500		8.0	8.0		1024x768	15.0				1997	0.79	12061
NEC MultiSync A500+	78	11.0	5.0		1024x768	15.0		X	X	1998	0.79	12097
NEC MultiSync A700		8.0	0.0		1280x1024	17.0				1997	1.31	12063
NEC MultiSync A700+	76	12.0	5.0		1024x768	17.0	X	X	X	1998	0.79	12096
NEC Multisync A900	100	2.4	2.4		1280x1024	19.0	X	X	X	1998	1.31	12091
NEC MultiSync C400		8.0	8.0		1024x768	14.0				1996	0.79	12079
NEC MultiSync C500		8.0	8.0		1024x768	15.0				1996	0.79	12080
NEC MultiSync E1100		8.0	0.0		1280x1024	21.0				1997	1.31	12070
NEC MultiSync E1100+	116	7.8	2.3		1600x1200	21.0	X	X	X	1998	1.92	12043
NEC MultiSync E500		8.0	0.0		1024x768	15.0				1997	0.79	12062
NEC MultiSync E700		8.0	8.0		1280x1024	17.0				1997	1.31	12064
NEC MultiSync E750	117	15.0	5.0		1280x1024	17.0	X	X	X	1998	1.31	12098
NEC MultiSync E900	100	8.5	2.4		1280x1024	19.0		X	X	1998	1.31	12076
NEC MultiSync E900+	100	7.9	7.9		1280x1024	19.0	X	X		1998	1.31	12090
NEC Multisync FE1250+	124	2.5	2.5		1920x1200	22.0				2000	2.30	12122
NEC Multisync FE700	92	6.5	4.5		1024x768	17.0	X	X		1999	0.79	12108
NEC Multisync FE950+	105	3.2	3.2		1600x1200	19.0				2000	1.92	12123
NEC Multisync FP 1350X	155	12.0	5.0		1600x1200	21.0	X	X		2000	1.92	12115
NEC Multisync FP 1355	136	1.8	1.8			22.0	X			2000	0.00	12121
NEC Multisync FP1370	155	12.9	3.1		1600x1200	21.0	X	X		1999	1.92	12109
NEC Multisync FP995	120	4.0	4.0		1600x1200	19.0	X			2001	1.92	12134
NEC MultiSync LCD 1280		8.0	0.0	LCD?	1280x1024	13.0				1997	1.31	12065
NEC MultiSync LCD 1500M	32	3.5	3.5	LCD?	1024x768	15.0	X	X	X	1998	0.79	12095
NEC MultiSync LCD 1510	37	2.9	0.0	LCD?	1024x768	15.0	X	X	X	1998	0.79	12046
NEC MultiSync LCD 1700M+	43	1.5	1.5	LCD	1280x1024	17.0	X			2001	1.31	9995
NEC MultiSync LCD 1810	67	7.9	7.9		1280x1024	19.0	X	X	X	1998	1.31	12088
NEC MultiSync LCD 200		8.0	0.0	LCD?	1024x768	12.0				1997	0.79	12067
NEC MultiSync LCD 2000		15.0	0.0	LCD?	1280x1024	20.0				1997	1.31	12069
NEC MultiSync LCD 2010	67	5.8	0.0		1280x1024	20.0	X	X	X	1998	1.31	12047
NEC MultiSync LCD 300		8.0	0.0	LCD?	1280x1024	13.0				1997	1.31	12066
NEC MultiSync LCD 400		8.0	0.0	LCD?	1024x768	14.0				1997	0.79	12068
NEC MultiSync LCD 400V	40	8.0	8.0		1024x768	14.0	X	X	X	1998	0.79	12050
NEC MultiSync LCD 5010V	26	2.9	0.0	LCD?	1024x768	15.0	X	X	X	1998	0.79	12048
NEC Multisync LCD1510V+	34	5.0	5.0	LCD?	1024x768	15.0	X	X		1999	0.79	12111
NEC MultiSync LCD1530V	21	3.0	3.0	LCD	1024x768	15.0	X	X		2000	0.79	9482
NEC MultiSync LCD1550V	20	2.3	2.3	LCD	1024x768	15.0	X	X		2001	0.79	9490
NEC MultiSync LCD1720M	39	2.4	2.4	LCD	1280x1024	17.0	X	X		2001	1.31	10015
NEC MultiSync LCD1720VM	37	2.2	2.2	LCD	1280x1024	17.0				2001	1.31	10028
NEC Multisync LCD1800	49	2.0	2.0		1280x1024	18.0	X	X		2000	1.31	12114
NEC Multisync LCD1810X	54	4.0	4.0		1280x1024	18.0	X	X		2000	1.31	12113
NEC Multisync LCD1830	49	3.0	3.0		1280x1024	18.0	X			2000	1.31	12128
NEC MultiSync LCD1880SX	50	3.0	3.0	LCD	1280x1024	18.0	X	X	X	2001	1.31	12156
NEC Multisync LCD2010X	63	3.3	3.3		1280x1024	20.0	X	X		2000	1.31	12116
NEC Multisync LCD2110	90	5.0	5.0		1600x1200	21.0	X	X		2000	1.92	12118
NEC MultiSync M500		8.0	8.0		1024x768	15.0				1996	0.79	12081
NEC MultiSync M500/JC-1572 VMA-2	100	7.0	5.0		1024x768	15.0		X	X	1998	0.79	12077
NEC MultiSync M700		8.0	8.0		1024x768	17.0				1996	0.79	12082
NEC MultiSync M700/JC-1735 VMA-2	110	11.0	6.0		1024x768	17.0		X	X	1998	0.79	12049
NEC MultiSync P1150		8.0	0.0		1600x1200	21.0				1997	1.92	12072
NEC MultiSync P1250	140	3.0	3.0		1600x1200	21.0	X	X	X	1998	1.92	12089
NEC Multisync P1250+	116	7.8	2.3		1600x1200	21.0	X	X	X	1998	1.92	12087
NEC MultiSync P750		8.0	0.0		1280x1024	17.0				1997	1.31	12071
NEC MultiSync V500	81	7.5	0.5		1024x768	15.0		X		1998	0.79	12094
NEC MultiSync V700	86	8.5	0.5		1024x768	17.0		X		1998	0.79	12093
NEC MultiSync XE15		8.0	0.0		1024x768	15.0				1997	0.79	12053
NEC MultiSync XE17		8.0	0.0		1024x768	17.0				1997	0.79	12056



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
NEC MultiSync XE21		8.0	0.0		1280x1024	21.0				1997	1.31	12058
NEC MultiSync XP15		8.0	0.0		1024x768	15.0				1997	0.79	12054
NEC MultiSync XP17		8.0	0.0		1024x768	17.0				1997	0.79	12057
NEC MultiSync XP21		8.0	0.0		1600x1200	21.0				1997	1.92	12059
NEC MultiSync XV14		8.0	8.0		1024x768	14.0				1996	0.79	12083
NEC MultiSync XV15		8.0	8.0		1024x768	17.0				1996	0.79	12060
NEC MultiSync XV15+		8.0	8.0		1024x768	15.0				1996	0.79	12084
NEC MultiSync XV17		8.0	8.0		1024x768	17.0				1996	0.79	12085
NEC MultiSync XV17+		8.0	8.0		1024x768	17.0				1996	0.79	12086
NEC MultiSyncLCD1700V	37	3.9	3.9	LCD	1280x1024	17.0	X			2001	1.31	11758
NEC NCL-1505-N0-00	21	1.4	1.4	CRT	1024x768	15.0	X	X		2001	0.79	9488
NEC NT350	25	5.0	4.0	LCD?	1024x768	15.0		X		1999	0.79	9462
NEC XV29Plus	210	4.8	4.8		800x600	19.0				1997	0.48	12051
NESO FD570A	90	15.0	5.0	CRT	1280x1024	15.0	X			2001	1.31	15393
NESO FD770A	100	15.0	5.0	CRT	1280x1024	17.0	X			2001	1.31	15391
NESO FD786G	110	15.0	5.0	CRT	1600x1200	17.0	X			2001	1.92	15392
NESO FD797P	120	15.0	5.0	CRT	1600x1200	17.0	X			2001	1.92	15390
NESO FD910G	130	15.0	5.0	CRT	1600x1200	19.0	X			2001	1.92	15394
NFREN NF-1500MA	26	6.4	6.0	LCD	1280x1024	15.0				2001	1.31	15382
NFREN NF-1500MAT	25	5.7	5.3	LCD	1280x1024	15.0				2001	1.31	15383
No Brand TX-T5L21*	28	1.8	1.8	LCD?	1024x768	15.0				2000	0.79	15858
Nokia 445PRO	120	7.0	3.0		1280x1024	21.0	X	X		1999	1.31	11958
Nokia 446PRO	120	5.0	2.0		1280x1024	19.0	X	X	X	1999	1.31	11959
Nokia 447PRO	120	0.0	3.0		1024x768	17.0	X	X		1999	0.79	11960
Nokia D2847*	140	6.5	2.5		1280x1024	21.0	X	X		1999	1.31	11961
Nokia D8910*	120	5.0	2.0		1280x1024	19.0	X	X		1999	1.31	11962
NONE 7S730, 7S736	96	5.5	2.7		1280x1024	17.0	X	X		1999	1.31	9391
NONE 9S906	85	9.8	2.2		1600x1200	19.0	X	X		1999	1.92	9390
NONE AM-5010b	75	8.2	6.0		1280x1024	15.0		X		1998	1.31	9377
NONE AM-7010	87	8.0	5.8		1280x1024	17.0		X		1998	1.31	9378
NONE G2E15H	75	8.2	6.0		1280x1024	15.0		X		1998	1.31	9380
NONE G2E17	87	8.0	5.8		1280x1024	17.0		X		1998	1.31	9379
Operlence EX5G	73	13.0	5.0		1280x1024	15.0				1999	1.31	9140
Operlence EX5P	73	13.0	5.0		1280x1024	15.0				1999	1.31	9136
Operlence EX7G	68	8.0	5.0		1600x1200	17.0				1999	1.92	9139
Operlence EX7P	68	8.0	5.0		1600x1200	17.0				1999	1.92	9138
Operlence EX7SE	68	8.0	5.0		1600x1200	17.0				1999	1.92	9137
Optiquet 1782DC	120	14.0	6.0		1280x1024	17.0		X		1995	1.31	11655
Optiquet Q100	150	8.0	8.0	CRT	1600x1200	20.0	X	X	X	1997	1.92	13539
Optiquet Q115-2	126	7.5	3.5	CRT	1600x1200	21.0				2000	1.92	13633
Optiquet Q41	80	8.0	8.0	CRT	1024x768	14.0		X	X	1997	0.79	13529
Optiquet Q41-2	65	7.0	4.2		1024x768	14.0				2000	0.79	12293
Optiquet Q51-6	62	3.3	3.3	CRT	1024x768	15.0				2001	0.79	13687
Optiquet Q53	95	8.0	8.0	CRT	1280x1024	15.0		X	X	1997	1.31	13541
Optiquet Q71	150	8.0	8.0	CRT	1280x1024	17.0		X	X	1997	1.31	13542
Optiquet Q71-5	79	3.8	2.0		1280x1024	17.0				2000	1.31	12296
Optiquet Q71-5	79	3.8	2.0		1280x1024	17.0				2000	1.31	13644
Optiquet Q71-6	86	3.2	3.0	CRT	1280x1024	17.0				2001	1.31	13688
Optiquet Q95-2	97	7.5	6.0		1600x1200	19.0				1999	1.92	12292
Optiquet Q95-3	91	2.9	2.9	CRT	1600x1200	19.0				2001	1.92	13689
Optiquet V115T	150	20.0	5.0		1600x1200	21.0	X	X	X	1997	1.92	12291
Optiquet V55	90	5.0	5.0	CRT	1280x1024	15.0	X	X	X	1998	1.31	13550
Optiquet V641	85	15.0	8.0	CRT	1024x768	14.0		X		1996	0.79	13535
Optiquet V655	100	8.0	8.0	CRT	1280x1024	15.0		X	X	1997	1.31	13530
Optiquet V775-2	150	8.0	8.0	CRT	1600x1200	17.0		X	X	1997	1.92	13540
Optiquet V95-2	115	10.4	1.6	CRT	1600x1200	19.0	X	X		1999	1.92	10250
Optiquet VCDTS2 1565-XX	80	8.3	4.7		1024x768	15.0	X	X		1999	0.79	10277
Optiquet VCDTS21915-XXX	80	10.0	8.0		800x600	15.0		X		2000	0.48	12297
Optiquet VCDTS22337-XX	88	4.6	2.2	CRT	1600x1200	19.0	X			2000	1.92	10291
Optiquet VCDTS23284-XX	73	5.0	5.0	CRT	800x600	15.0		X	X	2001	0.48	10298



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Optiquest VCDTS23284-XX	73	5.0	5.0	CRT	800x600	15.0		X	X	2001	0.48	12298
Optiquest VCDTsz 1603-xx	125	15.0	1.5		1280x1024	19.0	X	X		2000	1.31	10280
Optiquest VE150m	18	2.0	2.0	LCD	1024x768	15.0				2001	0.79	13691
Optiquest Z50	95	15.0	5.0		1280x1024	15.0				1999	1.31	12294
Optiquest Z90	106	8.2	5.0		1600x1200	19.0				2000	1.92	12295
Orion 17DB07	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9371
Orion 5B530	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9409
Orion 9A906	85	9.8	2.2		1600x1200	19.0	X	X		1999	1.92	9365
Orion L770	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9420
Orion LCDA15	28	2.6	2.6	LCD	1024x768	15.0	X	X	X	2001	0.79	9434
Orion LDF770	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9421
Orion N7E7	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9405
Orion N7S790	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9442
Orion N7S790T9	76	3.8	3.8	CRT	1280x1024	17.0	X	X	X	2001	1.31	9443
Orion N7U7	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9427
Orion N9E9	87	5.1	2.3	CRT	1600x1200	19.0	X	X	X	2001	1.92	9425
Orion OC-15DB08	68	7.4	4.8		1280x1024	15.0		X		1998	1.31	9367
Orion OC-17DB06	87	9.4	7.7		1280x1024	17.0		X		1998	1.31	9363
Orion OC-17DB0626	87	9.4	7.7		1280x1024	17.0		X		1998	1.31	9366
Orion OC-17DB07	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9369
Orion OC-17DB0725	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9370
Orion S1770T9	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9433
Pacific Wave P1528SL3	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9412
Panasonic C-1491	63	9.9	4.5		1024x768	14.0				1995	0.79	15815
Panasonic DC1563	85	10.0	5.0		1024x768	15.0				1997	0.79	15832
Panasonic DC1565	66	12.0	3.5		1024x768	15.0				1997	0.79	15828
Panasonic DC1567	77	15.0	3.0		1024x768	15.0				1997	0.79	15834
Panasonic DC5F68	76	12.2	3.3		1024x768	15.0				1998	0.79	15796
Panasonic DC5F69	68	8.4	4.4		1024x768	15.0				1997	0.79	15805
Panasonic DC5F70	82	11.5	3.9		1024x768	15.0				1997	0.79	15803
Panasonic DC5F76	80	6.8	1.9		1024x768	15.0				1999	0.79	15841
Panasonic DC5N74	69	9.4	4.9		1024x768	15.0				1999	0.79	15843
Panasonic DC7F75	65	5.0	5.0		1280x1024	17.0				1998	1.31	15781
Panasonic E 110	102	7.9	3.0		1600x1200	21.0	X	X	X	1997	1.92	15812
Panasonic E110i	145	15.0	4.0		1600x1280	21.0				2001	1.92	15861
Panasonic E15	100	29.0	8.0		1024x768	15.0			X	1997	0.79	15816
Panasonic E21	160	14.0	7.0		1600x1280	21.0	X	X	X	1997	1.92	15822
Panasonic E50	66	12.0	3.5		1024x768	15.0	X	X	X	1998	0.79	15798
Panasonic E50i	68	8.4	4.4		1024x768	15.0	X	X	X	1998	0.79	15792
Panasonic E-70	68	8.1	4.5		1280x1024	17.0	X	X	X	1998	1.31	15793
Panasonic LC40	45	24.0	7.0		1024x768	14.0	X	X	X	1997	0.79	15825
Panasonic LC50S	32	3.5	3.5	LCD?	1024x768	15.0	X	X	X	1998	0.79	15790
Panasonic M-T7F22*	94	6.6	2.1		1024x768	17.0				1999	0.79	15850
Panasonic P 110	117	20.0	4.8		1600x1200	21.0	X	X	X	1997	1.92	15813
Panasonic P110i	170	15.0	8.0		1800x1440	21.0				2001	2.59	15860
Panasonic P15	90	29.0	8.0		1280x1024	15.0		X	X	1997	1.31	15819
Panasonic P17	120	14.0	7.0		1600x1280	17.0	X	X	X	1997	1.92	15821
Panasonic P21	140	24.0	7.0		1800x1440	21.0	X	X	X	1997	0.00	15824
Panasonic P50	76	12.2	3.3		1024x768	15.0				1998	0.79	15795
Panasonic P70	79	7.2	3.0		1280x1024	17.0	X	X	X	1997	1.31	15809
Panasonic PF70	88	6.8	4.9		1280x1024	17.0	X	X	X	1997	1.31	15810
Panasonic PM15	88	8.8	4.8		1024x768	15.0				1997	0.79	15818
Panasonic PM17	82	11.9	4.1		1280x1024	17.0	X	X	X	1997	1.31	15808
Panasonic S 110	102	7.9	3.0		1600x1200	21.0	X	X	X	1997	1.92	15811
Panasonic S110I	138	7.1	2.0		1600x1200	21.0	X	X	X	1999	1.92	15848
Panasonic S15	66	12.0	3.5		1024x768	15.0	X	X	X	1998	0.79	15799
Panasonic S15	90	29.0	5.0		1280x1024	15.0		X	X	1997	1.31	15817
Panasonic S17	110	14.0	8.0		1280x1024	17.0		X	X	1997	1.31	15820
Panasonic S21	160	14.0	7.0		1600x1200	21.0	X	X	X	1997	1.92	15823
Panasonic S50	68	8.4	4.4		1024x768	15.0				1997	0.79	15804



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Panasonic S70	67	5.8	1.5		1280x1024	17.0	X	X	X	1997	1.31	15807
Panasonic SL70	83	6.9	2.0		1280x1024	17.0	X	X	X	1997	1.31	15806
Panasonic SL-90	114	9.8	2.9		1600x1200	19.0	X	X	X	1997	1.92	15835
Panasonic SM50	82	11.5	3.9		1024x768	15.0				1997	0.79	15802
Panasonic SM70	76	6.4	1.9		1280x1024	17.0				1999	1.31	15846
Panasonic SM70	78	6.8	2.1		1280x1024	17.0	X	X	X	1998	1.31	15797
Panasonic TX-D1734F	82	4.4	4.4		1280x1024	17.0	X	X	X	1998	1.31	15785
Panasonic TX-D1F63	145	4.0	4.0		1600x1200	21.0	X	X	X	1998	1.92	15782
Panasonic TX-D1F64-M	138	7.1	2.0		1600x1200	21.0	X	X		1999	1.92	15849
Panasonic TX-D2162	160	8.0	8.0		1280x1024	21.0	X	X	X	1998	1.31	15786
Panasonic TX-D2171	103	4.5	4.5		1600x1200	21.0	X	X	X	1998	1.92	15787
Panasonic TX-D4L31	45	8.0	8.0		1024x768	14.0	X	X	X	1998	0.79	15789
Panasonic TX-D5L31F	32	3.5	3.5	LCD?	1024x768	15.0	X	X	X	1998	0.79	15836
Panasonic TX-D5L31F-M	32	3.5	3.5	LCD?	1024x768	15.0	X	X	X	1998	0.79	15791
Panasonic TX-D7F35	110	4.0	4.0		1280x1024	17.0	X	X	X	1998	1.31	15784
Panasonic TX-D7F54	95	4.0	4.0		1600x1200	17.0	X	X	X	1998	1.92	15783
Panasonic TX-D7P53	88	6.8	4.9		1280x1024	17.0	X	X	X	1998	1.31	15788
Panasonic TX-T1461	65	6.5	4.4		1024x768	14.0				1995	0.79	15814
Panasonic TX-T1563	85	10.0	5.0		1024x768	15.0				1997	0.79	15831
Panasonic TX-T1563F	88	8.8	4.8		1024x768	15.0				1997	0.79	15829
Panasonic TX-T1563NMF	88	8.8	4.8		1024x768	15.0				1997	0.79	15830
Panasonic TX-T1565	66	12.0	3.5		1024x768	15.0				1997	0.79	15826
Panasonic TX-T1567	77	15.0	3.0		1024x768	15.0				1997	0.79	15833
Panasonic TX-T5F62	77	8.5	2.3		1024x768	15.0				1998	0.79	15837
Panasonic TX-T5F65	66	12.0	3.5		1024x768	15.0				1997	0.79	15827
Panasonic TX-T5F68	76	12.2	3.2		1024x768	15.0				1998	0.79	15794
Panasonic TX-T5F69	68	8.4	4.4		1024x768	15.0				1997	0.79	15801
Panasonic TX-T5F70	82	11.5	3.9		1024x768	15.0				1997	0.79	15800
Panasonic TX-T5F73	80	6.7	1.9		1024x768	15.0				1998	0.79	15839
Panasonic TX-T5F76	80	6.8	1.9		1024x768	15.0				1999	0.79	15840
Panasonic TX-T5L21	28	1.8	1.8	LCD?	1024x768	15.0	X			2000	0.79	15859
Panasonic TX-T5L21*	28	1.8	1.8	LCD?	1024x768	15.0				2000	0.79	15857
Panasonic TX-T5N72	62	8.5	2.7		1024x768	15.0				1998	0.79	15838
Panasonic TX-T5N74	69	9.4	4.9		1024x768	15.0				1999	0.79	15845
Panasonic TX-T7F21	65	8.5	5.0		1280x1024	17.0				1999	1.31	15844
Panasonic TX-T7F22*	94	6.6	2.1		1024x768	17.0				1999	0.79	15851
Panasonic TX-T7F35F	76	6.4	1.9		1280x1024	17.0				1999	1.31	15842
Panasonic TX-T7F75	65	5.0	5.0		1280x1024	17.0				1998	1.31	15780
Panda CX373	72	3.4	3.4		1024x768	14.0				1996	0.79	12211
Philips 104B	57	6.3	6.0	CRT	800x600	14.0		X		1997	0.48	18047
Philips 104E	64	6.3	4.0	CRT	1024x768	14.0		X		1998	0.79	18068
Philips 104S11	65	7.0	7.0	CRT	1024x768	14.0		X		2000	0.79	18091
Philips 104S12, 104S19	65	7.0	7.0	CRT	1024x768	14.0				2000	0.79	18092
Philips 105B	67	7.7	4.5	CRT	1024x768	15.0		X		1997	0.79	18049
Philips 105B10, 105B13 (105B, 105G)	76	8.6	2.6	CRT	1280x1024	15.0	X			1999	1.31	18083
Philips 105B11 (105B)	76	8.6	2.6	CRT	1280x1024	15.0		X		1999	1.31	18084
Philips 105B20	68	6.6	4.8	CRT	1280x1024	15.0				2000	1.31	18101
Philips 105B21	68	6.6	4.8	CRT	1280x1024	15.0		X		2000	1.31	18102
Philips 105E	70	6.0	4.0	CRT	1024x768	15.0	X			1998	0.79	18069
Philips 105E13	65	7.0	7.0	CRT	1024x768	15.0		X		2000	0.79	18093
Philips 105E14	65	7.0	7.0	CRT	1024x768	15.0				2000	0.79	18094
Philips 105S	70	7.6	7.6	CRT	800x600	15.0		X		1997	0.48	18050
Philips 105S10 (105S, 105Sx)	67	7.9	2.6	CRT	1280x960	15.0	X			1999	1.31	18081
Philips 105S11 (105S, 105Sx)	67	7.9	2.6	CRT	1280x960	15.0		X		1999	1.31	18082
Philips 105S20	67	6.4	4.9	CRT	1024x768	15.0	X			2000	0.79	18103
Philips 105S21, 105S26	67	6.4	4.9	CRT	1024x768	15.0		X		2000	0.79	18104
Philips 107B10 (107B)	85	10.6	2.8	CRT		17.0	X			1999	0.00	18085
Philips 107B20	78	9.1	2.5	CRT	1600x1200	17.0	X			2000	1.92	18105
Philips 107B30	70	2.5	2.5	CRT	1600x1200	17.0	X			2001	1.92	18119
Philips 107B33	70	2.5	2.5	CRT	1600x1200	17.0	X			2001	1.92	18124



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Philips 107E	75	5.5	3.0	CRT	1280x1024	17.0	X	X		1998	1.31	18070
Philips 107E22	78	8.4	7.5	CRT	1280x1024	17.0	X			2000	1.31	18106
Philips 107E23	78	8.4	7.5	CRT	1280x1024	17.0		X		2000	1.31	18107
Philips 107E25	70	2.0	1.9	CRT	1280x1024	17.0	X			2001	1.31	18123
Philips 107P10	95	9.0	2.6	CRT	1600x1200	17.0	X			1999	1.92	18088
Philips 107S20	74	8.4	7.8	CRT	1280x1024	17.0	X			2000	1.31	18108
Philips 107S21, 107S26	74	8.4	7.8	CRT	1280x1024	17.0		X		2000	1.31	18109
Philips 107T20	85	8.0	2.2	CRT	1280x1024	17.0	X			2000	1.31	18110
Philips 107T21	80	8.4	7.8	CRT	1280x1024	17.0				2000	1.31	18111
Philips 107X23	70	2.5	2.0	CRT	1280x1024	17.0	X			2001	1.31	18122
Philips 109B10 (109B)	98	9.3	2.6	CRT		19.0	X			1999	0.00	18086
Philips 109B20	89	10.3	2.1	CRT	1600x1200	19.0	X			2000	1.92	18112
Philips 109B23	90	2.3	2.3	CRT	1600x1200	19.0	X			2001	1.92	18125
Philips 109P10	110	7.4	2.8	CRT	1600x1200	19.0	X			1999	1.92	18090
Philips 109P20	102	7.8	2.8	CRT	1600x1200	19.0	X			2000	1.92	18113
Philips 109S10, 109S13	90	9.1	2.6	CRT	1600x1200	19.0	X			1999	1.92	18089
Philips 109S20	89	9.9	3.0	CRT	1600x1200	19.0	X			2000	1.92	18114
Philips 140S1	17	1.7	1.7	LCD	1024x768	14.0	X			2000	0.79	18096
Philips 14B13205	57	6.3	6.0	CRT	800x600	14.0		X		1997	0.48	18052
Philips 14B1320W	57	6.3	6.0	CRT	800x600	14.0		X		1997	0.48	18051
Philips 14B23205	67	7.0	7.0	CRT	1024x768	14.0		X		1998	0.79	18061
Philips 14B2320W	67	7.0	7.0	CRT	1024x768	14.0		X		1998	0.79	18060
Philips 150B1	18	2.0	2.0	LCD	1024x768	15.0	X			2000	0.79	18097
Philips 150B2	18	1.9	1.9	LCD	1024x768	15.0				2001	0.79	18117
Philips 150MT10P	45	1.4	1.4	LCD	1024x768	15.0	X			2001	0.79	18120
Philips 150P2	18	1.9	1.9	LCD	1024x768	15.0				2001	0.79	18116
Philips 150S1	18	2.0	2.0	LCD	1024x768	15.0				2001	0.79	18115
Philips 150X1	24	4.5	4.5	LCD	1024x768	15.0	X			2000	0.79	18098
Philips 15A2227Z	76	7.8	0.2	CRT	1280x1024	15.0	X			1997	1.31	18054
Philips 15A2228Q	76	7.8	0.2	CRT	1280x1024	15.0	X			1997	1.31	18053
Philips 15B1221W	67	11.0	5.5	CRT	1280x1024	15.0		X		1997	1.31	18055
Philips 15B2322N	71	13.0	4.0	CRT	1280x1024	15.0		X		1998	1.31	18026
Philips 15B2322Q	71	13.0	4.0	CRT	1280x1024	15.0	X			1998	1.31	18025
Philips 15C13205	70	7.6	7.6	CRT	800x600	15.0		X		1997	0.48	18058
Philips 15C23205	65	6.0	6.0	CRT	1024x768	15.0		X		1998	0.79	18063
Philips 15C23208	65	6.0	6.0	CRT	1024x768	15.0		X		1998	0.79	18064
Philips 15C2320W	65	6.0	6.0	CRT	1024x768	15.0		X		1998	0.79	18062
Philips 15C3220W	73	7.5	5.0	CRT	1024x768	15.0		X		1997	0.79	18042
Philips 15C32A08	68	6.5	6.5	CRT	1024x768	15.0	X			1998	0.79	18065
Philips 15C32A0W	68	6.5	6.5	CRT	1024x768	15.0	X			1998	0.79	18066
Philips 15L5082Q	68	6.5	6.5	LCD	1024x768	15.0	X			1998	0.79	18067
Philips 170B1	37	2.8	2.8	LCD	1280x1024	17.0	X			2000	1.31	18099
Philips 170B2	34	2.0	2.0	LCD	1280x1024	17.0	X			2001	1.31	18121
Philips 17A580BQ	96	4.5	2.2	CRT	1600x1200	17.0	X			1997	1.92	18044
Philips 17A8808Q	92	3.9	1.7	CRT	1280x1024	17.0	X			1997	1.31	18036
Philips 17B23002E	81	4.6	4.6	CRT	1280x1024	17.0		X	X	1998	1.31	18019
Philips 17B2302H	81	4.6	4.6	CRT	1280x1024	17.0		X	X	1998	1.31	18018
Philips 17B2302Q	81	14.0	4.6	CRT	1280x1024	17.0	X			1998	1.31	18028
Philips 17B2322N	81	14.0	4.6	CRT	1280x1024	17.0		X		1998	1.31	18027
Philips 17B23A2Q	81	14.0	4.6		1280x1024	17.0	X			1998	1.31	18031
Philips 17B2402H	83	9.0	4.7	CRT	1280x1024	17.0	X			1999	1.31	18077
Philips 17B6822N	75	10.0	3.5	CRT	1280x1024	17.0		X		1997	1.31	18059
Philips 17C13A2E	80	7.8	7.3	CRT	1280x1024	17.0		X		1997	1.31	18043
Philips 17C2321N	79	4.1	4.1	CRT	1280x1024	17.0	X	X	X	1998	1.31	18021
Philips 17C2321Q	79	4.1	4.1	CRT	1280x1024	17.0	X	X	X	1998	1.31	18020
Philips 17C2322E	79	4.1	4.1	CRT	1280x1024	17.0	X	X	X	1998	1.31	18022
Philips 17C2622E	71	12.0	3.0	CRT	1280x1024	17.0		X		1999	1.31	18074
Philips 17C2622H	71	12.0	3.0	CRT	1280x1024	17.0	X			1999	1.31	18075
Philips 17C26C2E	71	12.0	3.0	CRT	1280x1024	17.0		X		1999	1.31	18071
Philips 180P1	49	2.9	2.9	LCD	1280x1024	19.0	X			2000	1.31	18100



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Philips 19A580BQ	96	4.5	2.2	CRT	1600x1200	19.0	X			1997	1.92	18045
Philips 19B2502H	96	9.0	3.0	CRT	1600x1200	19.0	X			1999	1.92	18072
Philips 19C2502H	96	8.5	2.5	CRT	1600x1200	19.0	X			1999	1.92	18073
Philips 19C5808E	85	2.2	2.2	CRT	1600x1200	19.0	X		X	1998	1.92	18024
Philips 19C5808H	85	2.2	2.2	CRT	1600x1200	19.0	X		X	1998	1.92	18023
Philips 201B10 (201B)	117	7.3	2.7	CRT		21.0	X			1999	0.00	18087
Philips 201P10	128	7.1	2.7	CRT	1600x1200	21.0	X			2000	1.92	18095
Philips 21A170BQ	128	2.3	0.6	CRT	1600x1200	21.0	X			1997	1.92	18037
Philips 21A582BH	133	5.4	3.0	CRT	1800x1440	21.0	X			1998	2.59	18029
Philips 21B582BH	133	5.4	3.0	CRT	1800x1350	21.0	X			1998	2.59	18030
Philips 21B772BE	111	5.1	2.3	CRT	1600x1200	21.0	X			1997	1.92	18038
Philips 21B772BH	111	5.1	2.3	CRT	1600x1200	21.0	X			1997	1.92	18039
Philips 4500AX	28	4.3	4.3	LCD	1024x768	14.0	X			1997	0.79	18046
Philips Brilliance 105	76	7.8	0.2	CRT	1280x1024	15.0	X			1997	1.31	18048
Philips MB4010M001	52	6.2	6.1	CRT	640x350	14.0		X		1996	0.31	18032
Philips MB7301T001	63	9.7	3.5	CRT	640x400	17.0		X		1996	0.31	18033
Philips MV5011M001	70	7.6	7.6	CRT	800x600	15.0		X		1997	0.48	18057
Philips PA1305T001	128	2.3	0.6	CRT	1600x1200	21.0	X			1997	1.92	18040
Philips PA5304T001	65	7.8	0.2	CRT	640x400	15.0	X			1996	0.31	18034
Philips PA7507T001	92	3.9	1.7	CRT	1280x1024	17.0	X			1997	1.31	18041
Philips PB1508T001	95	5.1	2.3	CRT	640x400	21.0		X		1996	0.31	18035
Philips PB5012T001	67	11.0	5.5	CRT	1280x1024	15.0		X		1997	1.31	18056
Pixie Model 450	63	9.0	5.0	CRT	1024x768	14.0		X		1998	0.79	15220
Pixie Model 525	85	7.5	4.9	CRT	1280x1024	15.0		X		1998	1.31	15217
Pixie Model 555	72	4.5	4.5	CRT	1024x768	15.0		X		1998	0.79	15228
Pixie Model 570	92	3.0	3.0	CRT	1280x1024	15.0		X		1998	1.31	15221
Pixie Model 770	121	18.3	8.0	CRT	1280x1024	17.0	X	X		1998	1.31	15218
Pixie Model 960	125	8.5	2.5	CRT	1600x1200	19.0	X	X		2003	1.92	15229
Pixie Model 995	150	8.0	5.0	CRT	1600x1200	19.0	X	X		1998	1.92	15219
Pixie PBC-1450	68	20.9	14.4	CRT	1024x768	14.0		X		1997	0.79	15227
Pixie PBC-1564	72	1.0	1.0	CRT	1280x1024	15.0		X		1997	1.31	15226
Pixie PBC-1570	71	3.0	1.0	CRT	1280x1024	15.0		X		1997	1.31	15224
Pixie PBC-1764	121	18.7	8.0	CRT	1280x1024	17.0		X		1997	1.31	15225
Pixie PBC-7164	80	12.0	5.0	CRT	1280x1024	17.0		X		1997	1.31	15222
Pixie PCC-1525	85	7.5	4.9	CRT	1280x1024	15.0		X		1997	1.31	15223
Planar CM17.45XAD	32	3.6	3.6	LCD	1280x1024	17.0	X			2001	1.31	15569
Planar CM17.45XAD-TR	32	3.6	3.6	LCD	1280x1024	17.0	X			2001	1.31	15570
Planar VS15XAD	17	3.4	3.4	LCD	1024x768	15.0	X			1999	0.79	15565
Planar VS17.45XADYZ	32	3.6	3.6	LCD	1280x1024	17.0	X			2001	1.31	15568
Princeton EO500	85	15.0	8.0		1280x1024	15.0	X	X	X	1997	1.31	11593
Princeton EO710	100	15.0	8.0		1280x1024	17.0	X	X	X	1997	1.31	11592
Pro Arch Archview-151A	30	4.6	4.5	LCD	1024x768	15.0	X	X		2001	0.79	9337
Prosys 15G+	80	4.9	4.9	CRT	1280x1024	15.0		X	X	1998	1.31	17972
Prosys 17G+	90	4.9	4.9	CRT	1280x1024	17.0		X	X	1998	1.31	17971
Proton GM-1449X	72	15.6	15.6		1024x768	14.0		X		1996	0.79	15180
Proton GM-1560X	82	14.8	2.9		1280x1024	15.0		X		1996	1.31	15181
Proton GM-1562X	88	20.0	2.9		1280x1024	15.0		X		1996	1.31	15182
Proton GM-1764X	107	16.7	16.7		1280x1024	17.0		X		1996	1.31	15183
Proview 215	105	12.3	3.8		1600x1200	21.0	X	X		2000	1.92	15175
Proview 455	72	12.0	7.1		1024x768	14.0				1998	0.79	15160
Proview 456	66	12.5	6.5		1024x768	14.0				1999	0.79	15165
Proview 460	75	12.0	7.5		1024x768	14.0				1998	0.79	15159
Proview 462	67	12.0	6.0		1024x768	14.0				1999	0.79	15166
Proview 550D	80	15.0	15.0		1024x768	15.0				1998	0.79	15147
Proview 558	68	11.6	5.2		1024x768	15.0		X		2000	0.79	15176
Proview 561	71	11.0	6.1		1024x768	15.0		X		1999	0.79	15167
Proview 564, 560	80	12.0	6.1		1024x768	15.0				1998	0.79	15154
Proview 566	76	12.5	6.5		1280x1024	15.0		X		1999	1.31	15170
Proview 570	85	15.0	6.0		1280x1024	15.0		X		1997	1.31	15152
Proview 571	83	11.0	6.2		1280x1024	15.0		X		1999	1.31	15158



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Proview 572	85	12.0	7.0		1280x1024	15.0		X		1999	1.31	15164
Proview 720	88	11.0	6.8		1280x1024		X	X		1998	1.31	15163
Proview 722	80	11.6	6.0		1280x1024			X		1999	1.31	15168
Proview 768	95	5.0	5.0		1280x1024	17.0	X	X		1998	1.31	15150
Proview 769	85	12.3	6.3		1280x1024	17.0		X		1999	1.31	15169
Proview 770, 765	95	12.0	5.5		1280x1024	17.0				1998	1.31	15156
Proview 771	92	12.0	6.0		1280x1024	17.0		X		1999	1.31	15162
Proview 772	94	13.0	6.5		1280x1024	17.0		X		1999	1.31	15157
Proview 777	80	10.4	4.6		1280x1024	17.0		X		2000	1.31	15177
Proview 786	85	13.3	6.8		1280x1024	17.0	X	X		1999	1.31	15171
Proview 795	95	13.0	6.3		1600x1200	17.0	X	X		1998	1.92	15161
Proview 796	90	10.0	3.5		1600x1200	17.0	X	X		1999	1.92	15172
Proview 797	84	10.6	4.1		1600x1200	17.0	X	X		2000	1.92	15178
Proview 848D	75	13.0	13.0		1024x768	14.0				1998	0.79	15148
Proview 860	75	15.0	6.0		1024x768	14.0		X		1997	0.79	15151
Proview 986	96	12.6	6.6		1280x1024	19.0	X	X		1999	1.31	15173
Proview 997	84	11.2	3.9		1600x1200	19.0	X	X		2000	1.92	15179
Proview 998, 995	120	8.3	5.2		1600x1200	19.0	X			1998	1.92	15153
Proview 998A	100	10.3	3.8		1600x1200	19.0	X	X		1999	1.92	15174
Proview PV-564-D	80	15.0	15.0		1280x1024	15.0				1998	1.31	15145
Proview PV-7721M	100	18.0	18.0		1280x1024	17.0		X		1998	1.31	15149
Proview PV-850D	75	13.0	13.0		1024x768	14.0				1998	0.79	15146
Proview SA-564D	80	15.0	15.0		1280x1024	15.0				1998	1.31	15143
Proview SA-776, PX-775	95	13.0	6.5		1280x1024	17.0				1998	1.31	15155
Proview SA-850D	75	13.0	13.0		1024x768	14.0				1998	0.79	15144
Proview VS-564D	80	15.0	15.0		1280x1024	15.0				1998	1.31	15141
Proview VS-850D	75	13.0	13.0		1024x768	14.0				1998	0.79	15142
Relisys RE518B	95	13.0	4.5		1024x768	15.0	X	X	X	1997	0.79	13293
Relisys RE767B	100	13.0	4.5		1024x768	17.0	X	X	X	1997	0.79	13294
Relisys RE768B	112	13.0	4.5		1600x1200	17.0	X	X	X	1997	1.92	13295
Relisys RE995	110	7.9	4.5		1600x1200	14.0	X	X	X	1998	1.92	13300
Relisys TE555	73	8.7	4.8		800x600	15.0	X	X		1999	0.48	13310
Relisys TE785	83	10.0	6.9		1280x1024	17.0	X	X		1999	1.31	13308
Relisys TE996	112	7.8	4.2		1600x1200	19.0	X	X		1999	1.92	13306
RIC C-770	83	6.1	2.0		1280x1024	17.0				2000	1.31	12843
RIC C-771	85	7.6	3.5		1280x1024	17.0	X			2000	1.31	12847
RIC C-780	86	6.1	2.0		1280x1024	17.0				2000	1.31	12844
RIC C-786	86	6.1	2.0		1280x1024	17.0		X		2000	1.31	12849
RIC C-787	87	7.6	3.5		1280x1024	17.0	X	X		2000	1.31	12848
RIC C-796	87	4.0	2.0		1600x1200	17.0				2000	1.92	12851
RIC C-986	91	7.6	3.5		1600x1200	19.0	X	X		2000	1.92	12846
RIC C-996	90	3.6	2.2		1600x1200	19.0				2000	1.92	12850
RIC S-111	127	8.7	3.1		1600x1200	21.0	X	X		2000	1.92	12845
RIC X-754	73	8.5	5.6		1024x768	17.0				2000	0.79	12842
RIC X-970	120	5.5	2.5		1280x1024	19.0				1999	1.31	12841
RIC X-996	125	8.5	2.5		1600x1200	19.0	X	X		1999	1.92	12840
Royal Info (TRL-RIC) X-796	94	8.0	6.0		1600x1200	17.0	X	X		1998	1.92	12832
Royal Info L-50T	70	7.5	7.5		1024x768	15.0	X	X		1998	0.79	12835
Royal Info. (TRL-RIC) DH-1564	92	3.0	3.0		1280x1024	15.0		X		1997	1.31	12827
Royal Info. (TRL-RIC) DH-1564M	92	3.0	3.0		1280x1024	15.0		X		1997	1.31	12828
Royal Info. (TRL-RIC) DH-1750 MU	80	12.0	5.0		1280x1024	17.0		X		1996	1.31	12821
Royal Info. (TRL-RIC) DH-1764U	81	3.0	1.0		1280x1024	17.0		X		1996	1.31	12822
Royal Info. (TRL-RIC) DH-764BLK	121	8.0	8.0		1280x1024	17.0	X	X		1998	1.31	12817
Royal Info. (TRL-RIC) DL-1455	63	9.0	5.0		1024x768	14.0		X		1997	0.79	12831
Royal Info. (TRL-RIC) DL-1455M	63	9.0	5.0		1024x768	14.0		X		1997	0.79	12830
Royal Info. (TRL-RIC) DL-15Q	85	7.5	4.9		1280x1024	15.0		X		1997	1.31	12829
Royal Info. (TRL-RIC) L-41T	43	4.0	4.0		1024x768	14.0	X	X		1997	0.79	12833
Royal Info. (TRL-RIC) X-19	72	8.0	3.0		1600x1200	19.0	X	X		1997	1.92	12826
Royal Info. (TRL-RIC) X-450	76	5.0	3.5		1024x768	14.0		X		1998	0.79	12815
Royal Info. (TRL-RIC) X-450M	76	5.0	3.5		1024x768	14.0		X		1998	0.79	12816



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Royal Info. (TRL-RIC) X-554	62	4.0	4.0		1024x768	15.0		X		1998	0.79	12834
Royal Info. (TRL-RIC) X-555	72	4.5	4.5		1024x768	15.0		X		1998	0.79	12818
Royal Info. (TRL-RIC) X-570	72	6.5	3.6		1280x1024	15.0	X	X		1998	1.31	12819
Royal Info. (TRL-RIC) X-570M	72	6.5	3.6		1280x1024	15.0	X	X		1998	1.31	12820
Royal Info.(TRL-RIC) DH-1764, DH176	121	18.7	8.0		1280x1024	17.0		X		1995	1.31	12823
Royal Info.(TRL-RIC) DL-1564, DL-15 6	72	1.0	1.0		1280x1024	15.0		X		1995	1.31	12824
Royal Info.(TRL-RIC) DL-1750, DL-17 5	74	7.0	3.0		1280x1024	17.0		X		1995	1.31	12825
Royal L-21 T	25	3.8	3.8	LCD?	800x600	12.0		X		1999	0.48	12836
Sampo PME-42V3	340	3.0	3.0	Plasma	800x600	17.0				2000	0.48	9636
Sampo PME-42V3	340	3.0	3.0	Plasma	800x600	17.0				2000	0.48	9636
Sampo SM-72A1	155	17.0	4.3		1024x768	27.0			X	1997	0.79	9611
Sampo SM-72D2	180	20.0	9.0		1024x768	27.0				1997	0.79	9610
Sampo SME-23D3 Series	155	5.8	5.8		1024x768	34.0			X	1997	0.79	9612
Sampo SME-32SD5	193	5.7	5.7	CRT	1024x768	34.0				2000	0.79	9634
Sampo SME-34WHD5	155	5.7	5.7	CRT	1024x768	35.0				2000	0.79	9635
Sampo SME-37HD5	156	5.7	5.7	CRT	1024x768	29.0				2000	0.79	9633
Samsung CGB5607L	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12678
Samsung CGC5607L	73	7.2	4.6		1280x1024	15.0	X		X	1997	1.31	12683
Samsung CGE7507L	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12672
Samsung CGH7609L	89	13.9	4.1		1600x1200	17.0	X		X	1997	1.92	12686
Samsung CGK5507L	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12638
Samsung CGM7607L	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12632
Samsung CGP1607L	123	13.1	4.8		1600x1200	21.0	X		X	1998	1.92	12662
Samsung CGS7609L	87	11.2	3.5		1600x1200	17.0	X		X	1998	1.92	12657
Samsung CGS7629L	87	11.2	3.5		1600x1200	17.0	X		X	1998	1.92	12656
Samsung CGX1609L	162	6.0	4.9		1600x1200	21.0	X		X	1997	1.92	12688
Samsung CHA4217L	72	3.0	3.0		1024x768	14.0	X	X	X	1998	0.79	12713
Samsung CHA5807L	64	7.2	3.3		1024x768	15.0	X	X	X	1998	0.79	12694
Samsung CHB5707L	66	6.6	4.6		1280x1024	15.0	X	X	X	1998	1.31	12697
Samsung CHB7707L	73	6.7	4.6		1280x1024	17.0	X	X	X	1998	1.31	12700
Samsung CKE5507L	59	7.8	5.8		1024x768	15.0	X			1998	0.79	12664
Samsung CKF5607L	61	5.6	3.8		1280x1024	15.0	X		X	1998	1.31	12669
Samsung CKG7507L	77	12.1	5.6		1280x1024	17.0	X		X	1998	1.31	12666
Samsung CQA4147*	62	11.6	4.9		800x600	14.0		X		1996	0.48	12647
Samsung CQB4147*	63	14.0	5.3		1024x768	14.0		X		1996	0.79	12648
Samsung CQP4147L	65	7.4	4.7		1024x768	14.0				1997	0.79	12644
Samsung CSH780B	102	4.5	4.5		1600x1200	17.0	X	X	X	1998	1.92	12691
Samsung CSH7839L	94	4.4	4.4		1600x1200	17.0	X	X	X	1998	1.92	12689
Samsung CSH980B	109	13.8	4.4		1600x1200	19.0	X		X	1998	1.92	12660
Samsung CSH9829L	109	13.8	4.4		1600x1200	19.0	X		X	1998	1.92	12658
Samsung CSH9839L	109	13.8	4.4		1600x1200	19.0	X		X	1998	1.92	12659
Samsung CSM920B	118	11.9	3.1		1280x1024	19.0				1998	1.31	12483
Samsung DV17AS	36	2.4	2.4	LCD?	1280x1024	17.0				1999	1.31	12714
Samsung DV18AS	40	2.3	2.3		1280x1024	18.0				1999	1.31	12715
Samsung GH15**	26	1.5	1.5	LCD	1024x768	15.0	X	X		2001	0.79	12734
Samsung GH17**	35	2.8	2.8	LCD	1280x1024	17.0	X	X		2001	1.31	12735
Samsung GH18**	40		2.8	LCD	1280x1024	17.0	X	X	X	2001	1.31	12738
Samsung LXA510T	42	3.8	3.8		1024x768	15.0	X	X	X	1998	0.79	12710
Samsung LXA511T	42	3.8	3.8		1024x768	15.0	X	X	X	1998	0.79	12711
Samsung LXB310T	33	2.5	2.5	LCD?	1024x768	14.0	X	X	X	1998	0.79	12704
Samsung LXB530T	42	3.8	3.8		1024x768	15.0	X	X	X	1998	0.79	12707
Samsung ML15AS	30	2.6	2.6	LCD?	1024x768	15.0				1999	0.79	12488
Samsung ML15NS	30	2.6	2.6	LCD?	1024x768	15.0				1999	0.79	12716
Samsung ML15SS	30	2.6	2.6	LCD?	1024x768	15.0				1999	0.79	12487
Samsung ML17NS	50	2.7	2.7		1280x1024	17.0				1999	1.31	12485
Samsung ML17SS	50	2.7	2.7		1280x1024	17.0				1999	1.31	12484
Samsung NK15**	44		1.1	LCD	1024x768	15.0	X	X	X	2001	0.79	12749
Samsung NK17**	43		1.0	LCD	1024x768	17.0	X	X	X	2001	0.79	12750
Samsung PC21LS	97	13.1	2.3		1600x1200	21.0				1999	1.92	12718
Samsung PG19LT	107	13.0	2.1		1600x1200	19.0				1999	1.92	12490



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Samsung PG21MS	97	13.1	2.3		1600x1200	21.0				1999	1.92	12717
Samsung PN15H*	70		1.9	CRT	1024x768	15.0	X	X	X	2001	0.79	12744
Samsung PN15V*	75		2.1	CRT	800x600	15.0	X	X	X	2001	0.48	12743
Samsung PN17H*	75		1.7	CRT	1600x1200	17.0	X	X	X	2001	1.92	12746
Samsung PN17J*	73		2.1	CRT	1280x1024	17.0	X	X	X	2001	1.31	12739
Samsung PN17K*	73		2.1	CRT	1280x1024	17.0	X	X	X	2001	1.31	12740
Samsung PN17L*	78		2.4	CRT	1024x768	17.0	X	X	X	2001	0.79	12745
Samsung PN17P*	73		2.1	CRT	1280x1024	17.0	X	X	X	2001	1.31	12741
Samsung PN19**	96		2.0	CRT	1600x1200	19.0	X	X	X	2001	1.92	12748
Samsung PN19L*	102		2.0	CRT	1280x1024	19.0	X	X	X	2001	1.31	12747
Samsung RB15**	30	2.5	2.7	LCD	1024x768	15.0	X	X		2001	0.79	12736
Samsung RB17**	42	2.7	2.7	LCD	1280x1024	17.0	X	X		2001	1.31	12737
Samsung SAMTRON 40B	72	3.0	3.0		1024x768	14.0	X	X	X	1998	0.79	12693
Samsung SAMTRON 50(M)E	64	7.2	3.3		1024x768	15.0	X	X	X	1998	0.79	12696
Samsung SAMTRON 50B	66	6.6	4.6		1280x1024	15.0	X	X	X	1998	1.31	12699
Samsung SAMTRON 70(M)E	73	6.7	4.6		1280x1024	17.0	X	X	X	1998	1.31	12702
Samsung SyncMaster 1000p	162	6.0	4.9		1600x1200	21.0	X		X	1997	1.92	12687
Samsung SyncMaster 1000s	123	13.1	4.8		1600x1200	21.0	X		X	1998	1.92	12663
Samsung SyncMaster 15M (CTF5467L)	78	8.2	4.6		1280x1024	15.0		X		1996	1.31	12649
Samsung SyncMaster 15Me (CTG5427)	67	9.0	4.0		1024x768	15.0		X		1996	0.79	12650
Samsung SyncMaster 21 GLs (CFX157)	130	26.3	5.4		1280x1024	21.0		X		1996	1.31	12651
Samsung SyncMaster 2400W	142	6.6	6.6		1024x768	24.0	X			1997	0.79	12628
Samsung SyncMaster 3	65	7.4	4.7		1024x768	14.0		X		1997	0.79	12642
Samsung SyncMaster 320 TFT	33	2.5	2.5	LCD?	1024x768	14.0	X	X	X	1998	0.79	12705
Samsung SyncMaster 330 TFT	33	2.5	2.5	LCD?	1024x768	14.0	X	X	X	1998	0.79	12706
Samsung SyncMaster 3Ne	65	7.4	4.7		1024x768	14.0		X		1997	0.79	12643
Samsung SyncMaster 400b	67	9.8	4.7		1024x768	14.0				1997	0.79	12627
Samsung SyncMaster 400TFT	32	3.8	3.8	LCD?	1024x768	14.0	X			1997	0.79	12624
Samsung SyncMaster 410b	72	3.0	3.0		1024x768	14.0	X	X	X	1998	0.79	12692
Samsung SyncMaster 500 TFT	42	3.8	3.8		1024x768	15.0	X	X	X	1998	0.79	12712
Samsung SyncMaster 500b	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12676
Samsung SyncMaster 500b Plus	61	5.6	3.8		1280x1024	15.0	X		X	1998	1.31	12668
Samsung SyncMaster 500Mb	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12677
Samsung SyncMaster 500Mp	73	7.2	4.6		1280x1024	15.0	X		X	1997	1.31	12682
Samsung SyncMaster 500Ms	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12637
Samsung SyncMaster 500s	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12636
Samsung SyncMaster 500s plus	59	7.8	5.8		1024x768	15.0	X		X	1998	0.79	12665
Samsung SyncMaster 510 (M)s	64	7.2	3.3		1024x768	15.0	X	X	X	1998	0.79	12695
Samsung SyncMaster 510b	66	6.6	4.6		1280x1024	15.0	X	X	X	1998	1.31	12698
Samsung SyncMaster 520 TFT	42	3.8	3.8		1024x768	15.0	X	X	X	1998	0.79	12708
Samsung SyncMaster 530 TFT	42	3.8	3.8		1024x768	15.0	X	X		1998	0.79	12709
Samsung SyncMaster 5b	70	7.2	3.9		1280x1024	15.0	X			1997	1.31	12625
Samsung SyncMaster 5e	64	8.1	3.2		1024x768	15.0	X			1997	0.79	12626
Samsung SyncMaster 700	102	4.5	4.5		1600x1200	17.0	X	X	X	1998	1.92	12703
Samsung SyncMaster 700b	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12630
Samsung SyncMaster 700Mb	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12631
Samsung SyncMaster 700Mp	89	13.9	4.1		1600x1200	17.0	X		X	1997	1.92	12685
Samsung SyncMaster 700Ms	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12671
Samsung SyncMaster 700p	89	13.9	4.1		1600x1200	17.0	X		X	1997	1.92	12684
Samsung SyncMaster 700p	94	4.4	4.4		1600x1200	17.0	X	X	X	1998	1.92	12690
Samsung SyncMaster 700s	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12670
Samsung SyncMaster 700s Plus	77	12.1	5.6		1280x1024	17.0	X		X	1998	1.31	12667
Samsung SyncMaster 710 (M)s	73	6.7	4.6		1280x1024	17.0	X	X	X	1998	1.31	12701
Samsung SyncMaster 7e	82	7.5	3.8		1280x1024	17.0	X			1997	1.31	12629
Samsung SyncMaster 900p	109	13.8	4.4		1600x1200	19.0	X		X	1998	1.92	12661
Samsung TP17LS	73	8.0	2.6		1024x768	17.0				2000	0.79	12719
Samsung TP17LT	73	8.0	2.6		1024x768	17.0				2000	0.79	12720
Samtron 4B	65	7.4	4.7		1024x768	14.0		X		1997	0.79	12646
Samtron 5B	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12680
Samtron 5E	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12640



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Samtron 5MB	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12681
Samtron 5ME	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12641
Samtron 7B	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12634
Samtron 7E	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12674
Samtron 7MB	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12635
Samtron 7ME	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12675
Samtron CGB5617L	79	6.7	4.2		1280x1024	15.0	X		X	1997	1.31	12679
Samtron CGE7517L	80	6.7	4.8		1280x1024	17.0	X		X	1997	1.31	12673
Samtron CGK5517L	61	7.1	5.0		1024x768	15.0	X		X	1997	0.79	12639
Samtron CGM7617L	78	13.6	5.2		1280x1024	17.0	X		X	1997	1.31	12633
Samtron CQP4127L	65	7.4	4.7		1024x768	14.0		X		1997	0.79	12645
Samtron DV17A*	36	2.4	2.4	LCD?	1280x1024	17.0				2000	1.31	12478
Samtron PG17**	97	13.1	2.3		1600x1200	17.0				2000	1.92	12482
Samtron PG19VT	107	13.0	2.1		1600x1200	19.0				2000	1.92	12480
Samtron PG21LT	119	9.7	2.0		1600x1200	21.0				2000	1.92	12481
Samtron PN15HO	70	1.9	1.9	CRT	1024x768	15.0	X	X		2000	0.79	12725
Samtron PN15HT	70	1.9	1.9	CRT	1024x768	15.0	X	X		2000	0.79	12724
Samtron PN15VO	75	2.1	2.1	CRT	800x600	15.0	X	X		2000	0.48	12723
Samtron PN15VT	75	2.1	2.1	CRT	800x600	15.0	X	X		2000	0.48	12722
Samtron PN17HO	75	1.7	1.7	CRT	1600x1200	17.0	X	X		2000	1.92	12729
Samtron PN17HT	75	1.7	1.7	CRT	1600x1200	17.0	X	X		2000	1.92	12728
Samtron PN17LO	78	2.4	2.4	CRT	1024x768	17.0	X	X		2000	0.79	12727
Samtron PN17LT	78	2.4	2.4	CRT	1024x768	17.0	X	X		2000	0.79	12726
Samtron PN19LO	102	2.0	2.0	CRT	1280x1024	19.0	X	X		2000	1.31	12731
Samtron PN19LT	102	2.0	2.0	CRT	1280x1024	19.0	X	X		2000	1.31	12730
Samtron PN19MO	96	2.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	12733
Samtron PN19MT	96	2.0	2.0	CRT	1600x1200	19.0	X	X		2000	1.92	12732
Samtron RN15A*	24	2.3	2.3	LCD?	1024x768	15.0				2000	0.79	12479
Samtron SC-428PS*	62	11.6	4.9		800x600	14.0		X		1996	0.48	12652
Samtron SC-428PT*	63	14.0	5.3		1024x768	14.0		X		1996	0.79	12653
Samtron SC-528MDL	75	12.0	4.0		1024x768	15.0		X		1996	0.79	12654
Samtron SC-528TXL	75	12.0	4.0		1024x768	15.0		X		1996	0.79	12655
Scott 772	71	12.9	2.6	CRT	1280x1024	17.0				2001	1.31	9454
Scott 772F	65	12.0	3.2	CRT	1280x1024	17.0	X	X	X	2001	1.31	9401
Scott SLCD015K	21	4.5	4.5	LCD	1024x768	15.0	X	X		2000	0.79	9586
Scott SM007720	96	5.5	2.7		1280x1024	17.0	X	X		1999	1.31	9362
SGI CMN014	50	5.0	5.0	LCD	1280x1024	18.0	X	X	X	2001	1.31	14545
Shamrock C408XXX	90	15.0	8.0	CRT	1024x768	14.0				1997	0.79	13253
Shamrock C409XXX	95	15.0	8.0	CRT	1024x768	14.0				1997	0.79	13254
Shamrock C508XXX	95	15.0	8.0	CRT	1280x1024	15.0	X	X		1997	1.31	13244
Shamrock C509XXX	95	15.0	8.0	CRT	1280x1024	15.0	X	X		1997	1.31	13243
Shamrock C706XXX	85	10.0	5.0	CRT	1280x1024	17.0	X	X		1996	1.31	13247
Shamrock C708XXX	135	15.0	8.0	CRT	1280x1024	17.0	X	X		1997	1.31	13245
Shamrock M564XXX	110	15.0	8.0	CRT	1280x1024	15.0		X		1997	1.31	13246
Shamrock M569XXX	115	15.0	8.0	CRT	1280x1024	15.0		X		1996	1.31	13248
Shamrock SRC1505XXX	90	10.0	8.0	CRT	1024x768	15.0	X	X		1996	0.79	13249
Shamrock SRC1702L	130	25.0	25.0	CRT	1280x1024	17.0		X		1995	1.31	13250
Shamrock SRC1705XXX	130	11.0	8.0	CRT	1600x1280	17.0	X	X		1996	1.92	13251
Shamrock SRG1507XX	90	15.0	10.0	CRT	1024x768	15.0		X		1996	0.79	13252
Sharp CE-LT14M	33	19.0	19.0	LCD	1024x768	14.0			X	1997	0.79	17832
Sharp LL-T1500A	24	0.0	3.0	LCD	1024x768	15.0	X	X		1999	0.79	9538
Sharp LL-T1501A	20	4.2	3.3	LCD	1024x768	15.0	X			2000	0.79	17835
Sharp LL-T1510A	24	0.0	3.0	LCD	1024x768	15.0	X	X		1999	0.79	9537
Sharp LL-T1511A	20	4.1	3.3	LCD	1024x768	15.0	X			2000	0.79	17834
Sharp LL-T152A	33	4.0	4.0	LCD	1024x768	15.0				1999	0.79	17833
Shaw CM1038	60	12.0	12.0		1024x768	10.0				1996	0.79	13242
Shin Ho IE1528DN6	80	15.0	5.0		1280x1024	15.0				1996	1.31	13240
Shin Ho SM483C	80	15.0	5.0		1024x768	14.0				1996	0.79	13237
Siemens 175V	82	3.6	3.6	CRT	1024x768	17.0	X			2000	0.79	9187
Siemens C775	82	3.6	3.6	CRT	1024x768	17.0	X			2000	0.79	9188



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Siemens MCF 3512TA	33	2.3	2.3	LCD	1024x768	15.0	X	X		1999	0.79	9169
Siemens MCF 3801T	27	3.3	3.3	LCD	1024x768	15.0	X			2003	0.79	9173
Siemens MCF 3812TA	33	2.3	2.3	LCD	1024x768	15.0	X	X		2003	0.79	9175
Siemens MCF 3813TA	35	2.9	2.9	LCD	1024x768	15.0	X	X		1999	0.79	9182
Siemens MCF 4611TA	64	4.6	4.6	LCD	1280x1024		X			1999	1.31	9178
Siemens MCM 154V	62	6.6	4.6	LCD	800x600	15.0		X		2000	0.48	9186
Siemens MCM 15P1	55	6.5	2.3	CRT	1024x768	15.0	X			1999	0.79	9180
Siemens MCM 173V	87	5.3	3.0	CRT	1024x768	17.0	X	X		1999	0.79	9168
Siemens MCM 174-V150	73	9.2	1.6	CRT	1024x768	17.0	X	X		1999	0.79	9179
Siemens MCM 174V-V150	73	9.2	1.6	CRT	1024x768	17.0	X	X	X	2003	0.79	9176
Siemens MCM 17P1	87	11.2	3.2	CRT	1280x1024	17.0	X			1999	1.31	9170
Siemens MCM 17P2	84	7.0	3.5	CRT	1280x1024	17.0	X	X		1999	1.31	9177
Siemens MCM 19P1	99	11.2	3.2	CRT	1280x1024	19.0	X	X		1999	1.31	9171
Siemens MCM 19P1N	106	9.4	1.8	CRT	1600x1200	19.0	X	X		2000	1.92	9185
Siemens MCM 19T1	105	7.0	5.8	CRT	1280x1024	19.0	X	X		1999	1.31	9181
Siemens MCM 213V	119	6.8	3.0	CRT	1600x1280	21.0	X	X		1999	1.92	9184
Siemens MCM 21P1	115	5.3	3.5	CRT	1600x1200	21.0	X	X		1999	1.92	9172
Siemens MCM 21P2	120	7.0	3.5	CRT	1600x1280	21.0	X	X		1999	1.92	9183
Siemens MCM1405ND	65	25.0	5.0		1024x768	14.0				1996	0.79	10155
Siemens MCM141V	73	6.9	4.1	CRT	800x600	14.0		X		1998	0.48	9166
Siemens MCM15P1	55	6.5	2.3	CRT	1024x768	15.0	X			2003	0.79	9174
Siemens MCM171VN	72	5.9	3.8	CRT	1024x768	17.0		X		1998	0.79	9167
SlimAGE 71XY	120	4.0	1.5	LCD	1280x1024	15.0				2001	1.31	15521
SlimAGE 821A	120	3.6	1.6	LCD	1280x1024	17.0				2001	1.31	15520
Slimwin Slimwin lite	21	4.5	4.5	LCD	1024x768	15.0	X	X		2000	0.79	9587
SNI MCF 3511TA	31	3.5	3.2	LCD	1024x768	14.0	X	X	X	1998	0.79	9157
SNI MCF 3811TA	37	2.4	2.4	LCD	1024x768	15.0	X	X		1998	0.79	9164
SNI MCM 1405ND	70	12.0	1.8	CRT	800x600	14.0		X		1996	0.48	9150
SNI MCM 1506	63	9.0	4.0	CRT	1024x768	15.0	X	X		1996	0.79	9151
SNI MCM 1508NTD	70	7.1	3.9	CRT	1024x768	15.0	X	X		1997	0.79	9155
SNI MCM 1510	71	1.7	1.7	CRT	1024x768	15.0	X			1998	0.79	9163
SNI MCM 152 V	58	11.5	1.2	CRT	1024x768	15.0		X		1998	0.79	9156
SNI MCM 1552	76	9.2	2.3	CRT	1280x1024	15.0		X		1996	1.31	9146
SNI MCM 1703	86	4.5	1.9	CRT	1024x768	17.0		X		1995	0.79	9147
SNI MCM 1704	88	13.2	3.9	CRT	1024x768	17.0	X			1996	0.79	9148
SNI MCM 1706NTD	112	7.2	3.0	CRT	1280x1024	17.0	X	X		1997	1.31	9144
SNI MCM 1707	94	2.5	2.5	CRT	1280x1024	17.0	X	X		1998	1.31	9161
SNI MCM 171V	75	4.2	3.0	CRT	1024x768	17.0		X		1998	0.79	9159
SNI MCM 1754	77	3.0	2.0	CRT	1024x768	17.0		X		1995	0.79	9149
SNI MCM 1756	75	4.2	3.0	CRT	1024x768	17.0		X		1997	0.79	9145
SNI MCM 1902	118	3.0	3.0	CRT	1280x1024	19.0	X	X		1998	1.31	9160
SNI MCM 212V	119	4.9	3.1	CRT	1600x1200	21.0	X	X		1998	1.92	9165
SNI MCM 21T1	122	6.8	2.8	CRT	1600x1200	21.0		X		1998	1.92	9162
SNI MCM1507	68	5.3	2.4	CRT	1024x768	15.0		X		1997	0.79	9152
SNI MCM1705	85	13.1	3.2	CRT	1024x768	17.0		X		1997	0.79	9153
SNI MCM1755	74	6.5	3.1	CRT	1024x768	17.0		X		1997	0.79	9154
Socos DA-570xxx	82	9.9	5.5		1280x1024	15.0				1998	1.31	10243
Socos DA-PP5xxx	136	9.0	6.0		1600x1200	19.0	X	X	X	1998	1.92	10248
Socos DB-770xxx	94	7.2	3.1		1280x1024	17.0				1998	1.31	10242
Socos DC-770xxx	100	7.0	7.0		1024x768	17.0	X	X		1998	0.79	10245
Socos DE-570xxx	75	13.0	7.0		1024x768	15.0	X	X		1997	0.79	10244
Socos HG-500HG	35	5.0	5.0	LCD?	1024x768	15.0		X		1998	0.79	10247
Sonica ImagePlus	65	11.0	11.0		1024x768	14.0		X		1995	0.79	17651
Sonica ImageVision	67	4.0	4.0		1024x768	15.0		X		1996	0.79	17652
Sonica ImageVision 1565HP	70	3.0	3.0		1280x1024	15.0		X		1995	1.31	17654
Sonica ImageVision 1565-OSD	70	11.0	2.0		1280x1024	15.0				1995	1.31	17653
Sonica SoundVision 1750	65	12.0	12.0		1024x768	17.0				1995	0.79	17655
Sonica SoundVision 1765-OSD	75	11.0	2.0		1280x1024	17.0		X		1995	1.31	17656
Sony CPD-1005FT	85	9.0	7.0		1280x1024	15.0	X			1996	1.31	17197
Sony CPD-100ES	83	9.0	7.6		1280x1024	15.0		X	X	1997	1.31	17190



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Sony CPD-100GS	110	15.0	0.0		1280x1024	15.0			X	1997	1.31	17203
Sony CPD-100GST	10	15.0	0.0	LCD?	1280x1024	15.0			X	1997	1.31	17204
Sony CPD-100SF	85	9.0	7.0		1280x1024	15.0		X		1996	1.31	17198
Sony CPD-105F	85	9.0	7.0		1280x1024	15.0		X		1996	1.31	17199
Sony CPD-105FT	85	9.0	7.0		1280x1024	15.0	X			1996	1.31	17200
Sony CPD-2001G	100	9.0	7.0		1280x1024	17.0	X	X	X	1998	1.31	17188
Sony CPD-2001GT	100	9.0	7.0		1280x1024	17.0	X	X	X	1998	1.31	17189
Sony CPD-2003GT	100	7.0	7.0		1280x1024	17.0	X	X	X	1998	1.31	17205
Sony CPD-200ES	91	6.7	5.2		1280x1024	17.0		X	X	1997	1.31	17192
Sony CPD-200EST	91	6.7	5.2		1280x1024	17.0		X	X	1997	1.31	17191
Sony CPD-200GS	110	15.0	0.0		1280x1024	15.0			X	1997	1.31	17202
Sony CPD-200GST	110	15.0	0.0		1280x1024	15.0			X	1997	1.31	17201
Sony CPD-220GS D1H+ 7001517		11.3	7.2			17.0				1998	0.00	17206
Sony CPD-4201G	120	8.0	0.3		1600x1200	19.0	X	X	X	1999	1.92	17210
Sony CPD-4201GT	120	8.0	0.3		1600x1200	19.0	X	X	X	1999	1.92	17207
Sony CPD-420GS	120	8.0	0.3		1600x1200	19.0	X	X	X	1999	1.92	17208
Sony CPD-420GST	120	8.0	0.3		1600x1200	19.0	X	X	X	1999	1.92	17209
Sony CPD-E225	105	0.0	3.0		1600x1280	17.0	X		X	2000	1.92	17214
Sony CPD-E540		1.5	1.5	CRT	2048x1536	21.0		X	X	2001	3.15	17235
Sony CPD-G220*	105	0.0	3.0		1024x768	17.0	X		X	2000	0.79	17213
Sony CPD-G220R		1.4	1.4	CRT	1600x1200	17.0	X	X	X	2001	1.92	17222
Sony CPD-G220S		1.7	1.7	CRT	1600x1200	17.0	X	X	X	2001	1.92	17223
Sony CPD-G410R		1.6	1.6	CRT	1800x1440	19.0	X	X	X	2001	2.59	17225
Sony CPD-G420S		1.6	1.6	CRT	1800x1440	19.0	X	X	X	2001	2.59	17224
Sony CPD-G520		1.5	1.5	CRT	2048x1536	21.0	X	X	X	2001	3.15	17226
Sony CPD-G520P		1.5	1.5	CRT	2048x1536	21.0		X	X	2001	3.15	17234
Sony CPD-GF250T	85	7.0	7.0		1280x1024	17.0	X	X	X	1997	1.31	17195
Sony CPD-GF250TS	85	7.0	7.0		1280x1024	17.0	X	X	X	1997	1.31	17196
Sony CPO-203FT	85	7.0	7.0		1280x1024	17.0	X	X	X	1997	1.31	17193
Sony GDM-90WOITS	180	5.0	0.0		1920x1200	24.0	X	X		1997	2.30	17212
Sony GDM-F520		1.5	1.5	CRT	2048x1536	21.0	X	X	X	2001	3.15	17227
Sony HMD-A230 (U.K.)	100	2.5	2.5	CRT	1280x1024	17.0	X	X	X	2001	1.31	17230
Sony SDM-M51		1.4	1.4	LCD	1024x768	15.0	X	X	X	2001	0.79	17218
Sony SDM-M51D	22	2.0	2.0	LCD	1024x768	15.0				2001	0.79	9713
Sony SDM-M51D		1.3	1.3	LCD	1024x768	15.0	X	X	X	2001	0.79	17219
Sony SDM-M61	35	3.0	3.0	LCD	1280x1024	16.0				2001	1.31	9714
Sony SDM-M61		2.6	2.6	LCD	1280x1024	16.0	X	X	X	2001	1.31	17220
Sony SDM-M81	50	3.0	3.0	LCD	1280x1024	18.0				2001	1.31	9712
Sony SDM-M81		2.4	2.4	LCD	1280x1024	18.0	X	X	X	2001	1.31	17221
Sony SDM-N50		1.8	1.8	LCD	1024x768	15.0	X	X	X	2001	0.79	17215
Sony SDM-N50PS		1.8	1.8	LCD	1024x768	15.0	X	X	X	2001	0.79	17216
Sony SDM-N80		1.3	1.3	LCD	1280x1024	18.0	X	X	X	2001	1.31	17217
Sony SDM-S51	23	2.5	2.5	LCD	1024x768	15.0	X	X		2001	0.79	17228
Sony SDM-S81	34	2.7	2.7	LCD	1280x1024	18.0	X	X		2001	1.31	17229
SOTEC Co., Ltd. L15ASK2D	15		3.0	LCD?	1024x768	15.0		X	X	2001	0.79	11647
SOTEC Co., Ltd. L5KDG1	20		5.0	LCD?	1024x768	15.0		X	X	2001	0.79	11646
SOTEC L5KAG2	32		3.0	LCD?	1024x768	15.0		X	X	2001	0.79	11648
Sun 447Z	65	2.5	0.3		1152x900	17.0	X	X		1997	1.04	15084
Sun 449A	63	4.4	1.0		1024x768	17.0	X	X		1996	0.79	15085
Sun CHB7727L	56	4.4	0.7		1152x900	17.0	X	X		1999	1.04	15092
Sun CKA4127	24	9.5	2.7	LCD?	800x600	14.0		X		1998	0.48	15090
Sun CM751 (SU1)	90	3.0	0.3		1280x1024	19.0	X	X	X	1997	1.31	15082
Sun CPD-4410	102	2.5	0.1		1280x1024	19.0	X	X		1999	1.31	15093
Sun CQB4157L	66	5.8	0.1		1024x768	14.0		X		1996	0.79	15086
Sun GDM-17E20	99	3.5	1.0		1280x1024	17.0	X	X		1996	1.31	15087
Sun GDM-20E20	98	3.6	1.0		1280x1024	20.0	X	X		1996	1.31	15088
Sun GDM-5010PT	101	4.2	0.5		1280x1024	21.0	X	X	X	1998	1.31	15089
Sun GDM-5410	108	3.6	0.0		1280x1024	21.0	X	X		1999	1.31	15091
Sun GDM-5510	96		2.3	CRT	1600x1200	21.0	X	X	X	2001	1.92	1E+06
Sun GDM90W-10	145	4.6	0.5		1920x1200	24.0	X	X		1997	2.30	15083

Sun GH18PS	40		2.8	LCD	1280x1024	18.0	X	X	X	2001	1.31	15095
Sun LSA800	37	3.6	3.4	LCD?	1280x1024	18.0	X	X		1999	1.31	15094
Sync View SV-2017	96	5.5	52.7		1280x1024	17.0	X	X		1999	1.31	9395
Sync View SV-2019	85	9.8	2.2		1600x1200	19.0	X	X		1999	1.92	9394
SYS 15-C-NX	21	1.6	1.6	LCD	1024x768	15.0				2002	0.79	1E+06
SYSKOM MSC 810	33	6.6	6.6	LCD	1280x1024	18.0	X			2001	1.31	1E+06
Tandberg ErgoScan 17C	120	29.0	7.0		1280x1024	17.0	X	X		1995	1.31	15078
Tandberg ErgoScan 21C	150	29.0	7.0		1600x1280	21.0	X	X		1995	1.92	15079
Tatung C4D	80	15.0	8.0		800x600	14.0				1998	0.48	13336
Tatung C4E4XYZ	85	15.0	4.0		1024x768	14.0	X	X		1997	0.79	13324
Tatung C4MTR	75	15.0	5.0		800x600	14.0	X	X		1999	0.48	13343
Tatung C5B	90	15.0	5.0		1280x1024	15.0	X	X		1998	1.31	13338
Tatung C5D	80	15.0	8.0		800x600	15.0	X	X		1998	0.48	13337
Tatung C5E43XYZ	85	15.0	4.0		1024x768	15.0	X	X		1997	0.79	13325
Tatung C5MTR	85	15.0	5.0		800x600	15.0		X		1999	0.48	13344
Tatung C7B	100	15.0	5.0		1024x768	17.0	X	X		1999	0.79	13339
Tatung C7E****	85	6.4	2.4	CRT	1024x768	17.0				2001	0.79	13347
Tatung C7E4XYZ	85	15.0	4.0		1024x768	17.0	X	X		1997	0.79	13323
Tatung C7Q	100	15.0	5.0		1600x1200	17.0	X	X		1999	1.92	13340
Tatung C9F****	103	8.5	4.3	CRT	1600x1200	19.0				2001	1.92	13349
Tatung C9Q	120	15.0	5.0		1600x1200	19.0	X	X		1999	1.92	13341
Tatung C9R	120	15.0	5.0		1600x1200	19.0	X	X		1999	1.92	13342
Tatung F7E****	90	6.3	2.3	CRT	1024x768	17.0				2001	0.79	13348
Tatung F9F****	91	12.0	2.8	CRT	1280x1024	19.0		X		2001	1.31	13358
Tatung L5***	22	1.6	1.6	LCD?	1024x768	15.0				2000	0.79	13346
Tatung L7C***	34	1.8	1.8	LCD	1280x1024	17.0	X	X		2001	1.31	13356
Tatung TM4422VA	85	25.0	5.0		1024x768	14.0		X		1995	0.79	13326
Tatung TM4424 VAM	85	25.0	5.0		1024x768	14.0	X			1995	0.79	13327
Tatung TM4523VAM	85	25.0	5.0		1024x768	15.0		X		1995	0.79	13328
Tatung TM4524VAM	85	25.0	5.0		1024x768	15.0		X		1995	0.79	13329
Taxan Ergovision 747 TCO99	80	6.0	2.5		1024x768	17.0	X			2000	0.79	17693
Taxan Ergovision 977 TCO99	110	10.0	2.0		1280x1024	19.0	X	X		2001	1.31	17694
Taxan KSA51XX	25	3.0	3.0	LCD	1024x768	15.0				2000	0.79	9711
Taxan Taxan Valuevision 1710 TCO 9 9	80	4.0	4.0	LCD	1280x1024	17.0	X	X		2001	1.31	17695
Taxan Valuevision 1710 TCO99	70	6.8	2.6		1024x768	17.0	X	X		2000	0.79	10279
TEAC DM-52F	100	15.0	8.0		1280x1024	15.0				1997	1.31	13322
Techmedia TCM-1450D	75	20.0	8.0		1024x768	14.0		X	X	1997	0.79	13320
Techmedia TCM-1785	100	25.0	8.0		1600x1200	17.0		X	X	1997	1.92	13321
TECO RE572	77	3.9	3.9		1024x768	15.0	X	X	X	1998	0.79	13290
TECO RE772	90	0.9	0.9		1024x768	17.0	X	X	X	1998	0.79	13288
TECO RE786	103	1.5	1.5		1280x1024	17.0	X	X	X	1998	1.31	13292
TECO TE518B	95	13.0	4.5		1024x768	15.0	X	X	X	1997	0.79	13296
TECO TE555	73	8.7	4.8		800x600	15.0	X	X		1999	0.48	13309
TECO TE570	84	5.6	8.6		1024x768	15.0	X	X		1999	0.79	13302
TECO TE572	77	3.9	3.9		1024x768	15.0	X	X	X	1998	0.79	13289
TECO TE767B	100	13.0	4.5		1024x768	17.0	X	X	X	1997	0.79	13297
TECO TE768B	112	13.0	4.5		1600x1200	17.0	X	X	X	1997	1.92	13298
TECO TE770	87	9.3	6.1		1024x768	17.0	X	X	X	1999	0.79	13301
TECO TE772	90	0.9	0.9		1024x768	17.0	X	X	X	1998	0.79	13287
TECO TE785	83	10.0	6.9		1280x1024	17.0	X	X		1999	1.31	13307
TECO TE786	103	1.5	1.5		1280x1024	17.0	X	X	X	1998	1.31	13291
TECO TE995	110	7.9	4.5		1600x1200	14.0	X	X	X	1998	1.92	13299
TECO TE996	112	7.8	4.2		1600x1200	19.0	X	X		1999	1.92	13305
TECO TF785B, TF785E	110	7.5	2.9	CRT	1280x1024	17.0	X	X		2001	1.31	13318
TECO TF796B	89	5.1	2.7		1600x1200	17.0	X		X	2000	1.92	13311
TECO TL710A, TL710E, TL700A	35	4.8	4.8	LCD	1280x1024	17.0	X	X	X	2001	1.31	13319
TopFly TF-1450	80	3.0	3.0		1024x768	14.0		X		1995	0.79	13486
TopFly TF-1566	87	3.0	3.0		1280x1024	15.0		X		1995	1.31	13487
TopFly TF-1766X	97	14.6	8.3		1280x1024	17.0		X		1995	1.31	13485
Topvision 3761428	17	3.4	3.4	LCD	1024x768	15.0	X			1999	0.79	15564
Topvision 3763420	32	3.6	3.6	LCD	1280x1024	17.0	X			2001	1.31	15567
Topvision 75767450	57	4.2	4.2	LCD	1600x1200	19.0	X			2001	1.92	15572
Topvision CT1503N	17	3.4	3.4	LCD	1024x768	15.0	X			1999	0.79	15563
Topvision PT1503N	17	3.4	3.4	LCD	1024x768	15.0	X			1999	0.79	15562
Topvision PT170KA	32	3.6	3.6	LCD	1280x1024	17.0	X			2001	1.31	15566



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
Topvision PT1814A	50	4.3	4.3	LCD	1280x1024	18.0	X			1999	1.31	15571
Toshiba PV2011E	35	2.5	2.5	LCD	1024x768	15.0	X			1998	0.79	9936
Toshiba Tekbright 510 V	65	7.4	5.6		1280x1024	15.0		X		1999	1.31	9389
Toshiba TekBright 512 V	66	8.2	3.8	CRT	1024x768	15.0	X	X	X	2001	0.79	9418
Toshiba Tekbright 710V	87	8.0	5.8		1280x1024	17.0		X		1999	1.31	9374
Toshiba TekBright 712 V	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9419
TOTOKU CDT1772A	99	7.5	5.3		1280x1024	17.0		X		1995	1.31	13428
TOTOKU CDT2122A	108	6.9	5.0		1280x1024	21.0		X		1995	1.31	13429
tsinghua tongfang 531X	75	8.0	4.5	CRT	1024x768	15.0	X			2000	0.79	1E+06
tsinghua tongfang 719BF	85	8.0	4.5	CRT	1280x1024	17.0	X			2001	1.31	1E+06
TVM AS-4D	80	5.0	5.0		1024x768	14.0		X		1996	0.79	14550
TVM AS4Dv	80	5.0	5.0		1024x768	14.0		X		1997	0.79	14549
TVM AS5Dv	80	5.0	5.0		1024x768	15.0		X		1997	0.79	14548
TVM AS5S	75	3.0	3.0		1024x768	15.0		X		1998	0.79	14555
TVM AS6D	120	14.0	6.0		1280x1024	17.0		X		1995	1.31	14551
TVM AS6S	76	3.0	3.0		1024x768	17.0	X	X		1998	0.79	14557
TVM LR4Gv	80	5.0	5.0		1024x768	14.0		X		1997	0.79	14547
TVM LR5Dv	80	12.0	5.0		1024x768	15.0				1997	0.79	14546
TVM TCO5S	75	3.0	3.0		1024x768	15.0	X	X		1998	0.79	14556
TVM TCO6S	76	3.0	3.0		1024x768	17.0	X	X		1998	0.79	14554
Twinhead M1500T Series	20	5.0	1.0	LCD?	1024x768	15.0			X	1998	0.79	13793
Unisys DU2004CWT	75	13.0	0.0		800x600	14.0				1996	0.48	14474
Unisys DU2004MWT	36	10.0	0.0	LCD?	640x480	14.0				1996	0.31	14475
Unisys DU2005/105	75	13.0	0.0		800x600	15.0				1996	0.48	14476
Unisys DU2005/115CWT	75	13.0	0.0		1024x768	15.0				1996	0.79	14477
Unisys DU2005/15	75	13.0	0.0		640x480	15.0				1996	0.31	14478
Unisys DU2014CWT	75	13.0	0.0		800x600	14.0				1996	0.48	14479
Unisys DU2014MWT	36	10.0	0.0	LCD?	640x480	14.0				1996	0.31	14480
Unisys DU2104CWT	75	13.0	0.0		800x600	14.0				1996	0.48	14481
Unisys DU3910C	60	19.0	4.0		1024x768	10.0	X			1997	0.79	14466
Unisys DU3920C	150	24.0	8.0		1280x1024	10.0	X			1997	1.31	14465
Unisys DU3935M	60	30.0	5.0		1024x768	9.0	X			1996	0.79	14482
Unisys DU3938-C	60	30.0	5.0		1600x1280	9.0	X			1996	1.92	14483
Unisys EVG1000-E	85	15.0	0.0		1024x768	14.0				1997	0.79	14467
Unisys EVG-142-COL	80	14.0	7.0		1024x768	14.0				1996	0.79	14484
Unisys EVG-151-COL	80	14.0	5.0		1024x768	15.0				1995	0.79	14485
Unisys EVG-152-COL	90	15.0	5.0		1280x1024	15.0	X	X		1996	1.31	14486
Unisys EVG-153-COL	80	14.0	7.0		1280x1024	15.0				1996	1.31	14487
Unisys EVG-153-TC2	90	15.0	5.0		1280x1024	15.0	X	X		1996	1.31	14488
Unisys EVG-174-COL	95	14.0	5.0		1600x1200	17.0				1995	1.92	14489
Unisys EVG2000-E	70	7.0	7.0		1280x1024	15.0	X	X	X	1997	1.31	14470
Unisys EVG2000-P	80	4.0	4.0		1280x1024	15.0	X	X	X	1997	1.31	14471
Unisys EVG2100-E	120	7.9	7.9		1024x768	15.0		X		1998	0.79	14461
Unisys EVG2100-P	120	7.9	7.9		1024x768	15.0		X		1998	0.79	14460
Unisys EVG-215-COL	90	30.0	5.0		1600x1200	21.0	X	X	X	1996	1.92	14490
Unisys EVG3000-E	90	7.0	7.0		1280x1024	17.0	X	X	X	1997	1.31	14472
Unisys EVG3000-P	110	4.0	4.0		1280x1024	17.0	X	X	X	1997	1.31	14473
Unisys EVG3100-E	120	15.0	0.0		1280x1024	17.0				1997	1.31	14468
Unisys EVG3100-P	130	15.0	0.0		1280x1024	17.0				1997	1.31	14469
Unisys EVG4000-P	140	4.0	4.0		1600x1200	19.0	X	X		1998	1.92	14462
Unisys EVGA5000-P	145	4.0	4.0		1600x1200	21.0	X	X		1998	1.92	14463
Unisys JPH-1564-MON	76	12.2	3.3		1024x768	15.0				1998	0.79	14464
Viewmate VM-15	66	7.4	5.6		1280x1024	15.0		X		1998	1.31	9381
Viewmate VM-17	87	8.0	5.8		1280x1024	17.0		X		1998	1.31	9382
ViewSonic A110	107	8.5	5.0	CRT	1600x1200	21.0				2000	1.92	13599
ViewSonic A50	69	10.4	5.1	CRT	1024x768	15.0				1999	0.79	13575
ViewSonic A70	110	15.0	5.0	CRT	1280x1024	17.0				1999	1.31	13574
ViewSonic A70-2	70	6.1	2.6		1280x1024	17.0				2000	1.31	13632
ViewSonic A70f-2	75	3.5	3.5	CRT	1280x1024	17.0				2001	1.31	13652
ViewSonic A72f	71	5.9	3.1		1280x1024	17.0				2000	1.31	13625



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
ViewSonic A72f-2	75	3.5	3.5	CRT	1280x1024	17.0				2001	1.31	13653
ViewSonic A75f	86	5.1	0.4	CRT	1280x1024	17.0				1999	1.31	13573
ViewSonic A75s	89	6.7	4.6	CRT	1024x768	17.0				1999	0.79	13591
ViewSonic A90	116	2.0	2.0	CRT	1600x1024	19.0				1999	1.92	13571
ViewSonic A90-2	104	8.2	3.0	CRT	1600x1200	19.0				2000	1.92	13613
ViewSonic A90-3	91	2.9	2.9	CRT	1600x1200	19.0				2001	1.92	13654
ViewSonic A90f	69	2.0	2.0	CRT	1600x1200	19.0				2001	1.92	13655
ViewSonic A95f	115	4.7	2.4		1600x1200	19.0				2000	1.92	13637
ViewSonic AF75F	76	4.5	0.5	CRT	1024x768	17.0	X	X		1999	0.79	13556
ViewSonic E220	127	12.1	1.5	CRT	1800x1440	21.0				2001	2.59	13656
ViewSonic E40	75	5.0	5.0	CRT	1024x768	14.0				1998	0.79	13521
ViewSonic E50	64	8.6	5.6		1024x768	15.0				2000	0.79	13619
ViewSonic E50-2	64	8.6	5.6		1024x768	15.0				2000	0.79	13631
ViewSonic E50-4	62	3.3	3.3	CRT	1024x768	15.0				2001	0.79	13657
ViewSonic E51	75	13.0	3.0		1024x768	15.0				1997	0.79	11735
ViewSonic E53	68	6.0	2.0		1280x1024	15.0				2000	1.31	13618
ViewSonic E641-2	75	13.0	3.0		1024x768	14.0				1997	0.79	11736
ViewSonic E655-4	51	7.9	7.8	CRT	1280x1024	15.0	X	X	X	1999	1.31	13531
ViewSonic E70-3	88	4.0	2.3		1280x1024	17.0				2000	1.31	13624
ViewSonic E70-4	81	4.6	2.4		1280x1024	17.0				2000	1.31	13623
ViewSonic E70-5	75	5.5	2.6	CRT	1280x1024	17.0				2000	1.31	13605
ViewSonic E70-8	75	3.5	1.6	CRT	1280x1024	17.0				2001	1.31	13651
ViewSonic E70F	102	5.5	2.0	CRT	1280x1024	17.0				2001	1.31	13658
ViewSonic E70F-2	102	5.5	2.0	CRT	1280x1024	17.0				2001	1.31	13659
ViewSonic E70fb	102	5.5	2.0	CRT	1280x1024	17.0				2001	1.31	13660
ViewSonic E70fb-2	102	5.5	2.0	CRT	1280x1024	17.0				2001	1.31	13661
ViewSonic E70fm	73	1.7	1.7	CRT	1280x1024	17.0				2001	1.31	13662
ViewSonic E70fmb	73	1.7	1.7	CRT	1280x1024	17.0				2001	1.31	13663
ViewSonic E70m	81	4.9	2.1	CRT	1280x1024	17.0				2001	1.31	13664
ViewSonic E71-2	81	4.3	2.2	CRT	1280x1024	17.0				2000	1.31	13600
ViewSonic e71-2	81	4.3	2.2		1280x1024	17.0				2000	1.31	13621
ViewSonic e75	80	6.7	2.0	CRT	1280x1024	17.0				2000	1.31	13610
ViewSonic E75f	80	1.9	1.9	CRT	1280x1024	17.0				2001	1.31	13665
ViewSonic E771-2	83	4.7	3.0	CRT	1280x1024	17.0				1998	1.31	13606
ViewSonic E773	83	5.0	2.0		1280x1024	17.0				1999	1.31	13646
ViewSonic E790-3	111	5.4	1.5	CRT	1600x1200	19.0				2000	1.92	13588
ViewSonic E790B	115	3.7	1.0	CRT	1600x1200	19.0				2000	1.92	13587
ViewSonic E90-2	94	6.0	2.0		1600x1200	19.0				2001	1.92	13638
ViewSonic E90-3	94	3.8	1.4	CRT	1600x1200	19.0				2001	1.92	13666
ViewSonic E90cdw	94	3.8	1.4	CRT	1600x1200	19.0				2001	1.92	13667
ViewSonic E90f	69	2.0	2.0	CRT	1600x1200	19.0				2001	1.92	13668
ViewSonic E90fb	69	2.0	2.0	CRT	1600x1200	19.0				2001	1.92	13669
ViewSonic E95	104	8.2	0.3	CRT	1600x1200	19.0				2001	1.92	13670
ViewSonic EA771	150	20.0	8.0		1280x1024	17.0		X	X	1997	1.31	13524
ViewSonic EA771B	150	20.0	8.0		1280x1024	17.0		X	X	1997	1.31	13534
ViewSonic EF70	86	5.1	4.0	CRT	1280x1024	17.0				2000	1.31	13584
ViewSonic G220F	126	12.0	1.2	CRT	1600x1200	22.0				2001	1.92	13671
ViewSonic G225F	126	12.0	1.2	CRT	1600x1200	22.0				2001	1.92	13672
ViewSonic G653	90	8.0	8.0	CRT	1280x1024	15.0	X	X	X	1997	1.31	13532
ViewSonic G655	79	7.1	2.4	CRT	1024x768	15.0	X			1999	0.79	13580
ViewSonic G70f	75	3.5	3.5	CRT	1280x1024	17.0				2001	1.31	13673
ViewSonic G70fm	73	1.7	1.7	CRT	1280x1024	17.0				2001	1.31	13674
ViewSonic G70fmb	73	1.7	1.7	CRT	1280x1024	17.0				2001	1.31	13675
ViewSonic G70M	81	4.9	2.1	CRT	1280x1024	17.0				2001	1.31	13676
ViewSonic G70mb	81	4.9	2.1	CRT	1280x1024	17.0				2001	1.31	13677
ViewSonic G72f	78	1.2	1.2	CRT	1280x1024	17.0				2001	1.31	13678
ViewSonic G73f	70	4.1	1.4		1280x1024	17.0				2001	1.31	13645
ViewSonic G73Fm	93	5.8	2.3	CRT	1280x1024	17.0				2001	1.31	13679
ViewSonic G75f	95	7.0	1.0	CRT	1280x1024	17.0				2001	1.31	13614
ViewSonic G75F-2	70	1.7	1.7	CRT	1280x1024	17.0				2001	1.31	13680



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
ViewSonic G771	90	6.0	2.0		1280x1024	17.0				1997	1.31	13538
ViewSonic G771	95	4.0	4.0	CRT	1280x1024	17.0	X	X		1998	1.31	13522
ViewSonic G773	110	15.0	8.0	CRT	1280x1024	17.0	X	X	X	1997	1.31	13533
ViewSonic G7773-3	64	6.0	2.3	CRT	1280x1024	17.0	X			1999	1.31	13576
ViewSonic G790	135	8.0	8.0	CRT	1600x1200	19.0	X	X	X	1997	1.92	13525
ViewSonic G800	150	30.0	8.0		1600x1200	20.0	X	X		1996	1.92	13545
ViewSonic G810-3	146	7.0	2.2	CRT	1600x1200	21.0	X			1999	1.92	13569
ViewSonic G810-5	131	9.1	3.0		1600x1200	21.0				2000	1.92	13628
ViewSonic G90f	101	8.7	3.5	CRT	1600x1200	19.0				2000	1.92	13615
ViewSonic G90F-2	91	2.1	2.1	CRT	1600x1200	19.0				2001	1.92	13681
ViewSonic G90fb-2	91	2.1	2.1	CRT	1600x1200	19.0				2001	1.92	13682
ViewSonic G90m	91	2.1	2.1	CRT	1600x1200	19.0				2001	1.92	13683
ViewSonic G90mb	91	2.1	2.1	CRT	1600x1200	19.0				2001	1.92	13684
ViewSonic GA655	84	11.0	4.0	CRT	1280x1024	15.0				1998	1.31	13523
ViewSonic GF775	108	4.0	1.0	CRT	1600x1200	17.0	X			1999	1.92	13577
ViewSonic GS771	101	2.5	2.5	CRT	1280x1024	17.0				1998	1.31	13516
ViewSonic GS771-2	79	6.3	1.9	CRT	1280x1024	17.0	X			1998	1.31	13579
ViewSonic GS771-3	91	5.9	2.6	CRT	1280x1024	17.0	X			1999	1.31	13578
ViewSonic GS773-2	68	4.8	1.6	CRT	1280x1024	17.0				2000	1.31	13595
ViewSonic GS790	107	7.1	4.7	CRT	1600x1200	19.0	X			1999	1.92	13572
ViewSonic GS790-2	99	6.7	1.2	CRT	1600x1200	19.0				2001	1.92	13685
ViewSonic GS815	133	9.2	1.6	CRT	1920x1200	21.0				2000	2.30	13597
ViewSonic GS815-2	134	11.0	2.4	CRT		21.0				2000	0.00	13612
ViewSonic M50	88	7.0	4.0	CRT	1280x960	15.0	X	X		1999	1.31	13558
ViewSonic M70	95	7.9	4.1	CRT	1280x1024	17.0	X	X		1999	1.31	13557
ViewSonic M70B	95	7.2	3.4	CRT	1024x768	17.0				1999	0.79	13592
ViewSonic MB110	170	8.0	5.0	CRT	1600x1200	21.0	X	X	X	1998	1.92	13515
ViewSonic MB90	170	25.0	3.0		1600x1280	19.0	X		X	1998	1.92	13552
ViewSonic P220f	138	8.1	2.4	CRT	1600x1200	21.0				2000	1.92	13596
ViewSonic P220f	138	8.1	2.4		1600x1200	22.0				2000	1.92	13630
ViewSonic P220f-2	138	8.1	2.4		1600x1200	22.0				2000	1.92	13629
ViewSonic P225f-2	134	4.0	2.0		2048x1536	22.0				2001	3.15	13635
ViewSonic P775	82	7.3	3.3	CRT	1600x1280	17.0				1997	1.92	13537
ViewSonic P810-4	135	6.7	2.3	CRT	1800x1440	21.0	X			1999	2.59	13560
ViewSonic P815-4	146	7.0	3.0	CRT	1800x1440	21.0	X			1999	2.59	13559
ViewSonic P817	150	15.0	5.0	CRT		21.0	X			1998	0.00	13566
ViewSonic P95f	93	10.7	2.3	CRT	1600x1200	19.0				2000	1.92	13609
ViewSonic PF77	107	9.0	2.0	CRT	1600x1200	17.0				2000	1.92	13585
ViewSonic PF775	103	13.5	1.8	CRT	1600x1200	17.0	X			1999	1.92	13564
ViewSonic PF790	122	4.7	2.7	CRT	1600x1200	19.0	X			1999	1.92	13561
ViewSonic PF790-2	95	11.0	1.0	CRT	1800x1440	19.0				2001	2.59	13686
ViewSonic PF815	128	4.0	2.0	CRT	1920x1200	21.0				2000	2.30	13581
ViewSonic PF817	137	4.3	1.5	CRT	1600x1200	22.0	X	X		2000	1.92	13583
ViewSonic PF97	118	9.4	2.1	CRT	1920x1200	19.0				2000	2.30	13589
ViewSonic PS775	117	7.9	2.0	CRT	1600x1200	17.0				1998	1.92	13551
ViewSonic PS775-2	93	6.5	2.3	CRT	1600x1200	17.0	X			1999	1.92	13563
ViewSonic PS790	112	2.9	2.9	CRT	1600x1200	19.0				1998	1.92	13517
ViewSonic PS790-2	107	5.0	2.0	CRT	1600x1200	19.0	X			1999	1.92	13562
ViewSonic PT 770	120	14.0	6.0	CRT	1280x1024	17.0		X		1995	1.31	13544
ViewSonic PT 810	130	6.7	4.9	CRT	1600x1200	20.0				1995	1.92	13547
ViewSonic PT775	120	15.0	5.0	CRT	1600x1200	17.0				1996	1.92	13548
ViewSonic Q115-2	126	7.5	3.5		1600x1200	21.0				2000	1.92	13627
ViewSonic Q71-5	39	2.2	2.2	LCD?	1280x1024	17.0				2000	1.31	13643
ViewSonic VA500	18	2.0	2.0	LCD	1024x768	15.0				2001	0.79	13690
ViewSonic VA656	120	30.0	8.0		1280x1024	15.0		X		1996	1.31	13536
ViewSonic VCDTS 23103-XY	89	1.8	1.8	CRT	1280x1024	17.0		X		2001	1.31	13351
ViewSonic VCDTS 23103-XYZ	89	1.8	1.8	CRT	1280x1024	17.0				2001	1.31	13649
ViewSonic VCDTS 23104-XY	89	1.8	1.8	CRT	1280x1024	17.0	X	X		2001	1.31	13350
ViewSonic VCDTS 23307-XYZ	87	2.7	2.7	CRT	1280x1024	19.0		X		2001	1.31	13650
ViewSonic VCDTS21354-15	75	13.0	3.0		1024x768	14.0				1997	0.79	11737



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
ViewSonic VCDTS21354-1E	75	13.0	3.0		1024x768	14.0				1997	0.79	11730
ViewSonic VCDTS21355-15	110	13.0	3.0		1024x768	15.0				1997	0.79	11739
ViewSonic VCDTS21355-5E	110	13.0	3.0		1024x768	15.0				1997	0.79	11729
ViewSonic VCDTS21603-XXX	110	10.0	2.0	CRT	1280x1024	19.0		X		2000	1.31	13582
ViewSonic VCDTS21654	90	9.0	5.0		1024x768	17.0	X	X		2000	0.79	13593
ViewSonic VCDTS21654-2018	90	9.0	5.0		1024x768	17.0	X			2000	0.79	13594
ViewSonic VCDTS21654-XXX	80	10.0	7.0		1024x768	17.0		X		2000	0.79	13601
ViewSonic VCDTS21655-XX	116	10.0	2.0		1280x1024	21.0	X	X		2000	1.31	10284
ViewSonic VCDTS21755-XXX	110	10.0	1.5		1280x1024	19.0	X	X		2000	1.31	10285
ViewSonic VCDTS21756-XXX	80	10.0	2.0	CRT	1024x768	17.0		X		2000	0.79	13604
ViewSonic VCDTS21873-XXX	80	10.0	2.0	CRT	1024x768	17.0		X		2000	0.79	13603
ViewSonic VCDTS21914-XYZ	80	13.0	6.2		800x600	15.0		X		2000	0.48	10287
ViewSonic VCDTS21915-XXX	80	10.0	8.0	CRT	800x600	15.0		X		2000	0.48	13602
ViewSonic VCDTS22336-XXX	108	12.0	2.0	CRT	1280x1024	19.0	X			2000	1.31	13608
ViewSonic VCDTS22337-XXX	88	4.6	2.2	CRT	1600x1200	19.0				2000	1.92	13607
ViewSonic VCDTS22487-XXX	75	6.0	3.0	CRT	1024x768	17.0	X			2000	0.79	13611
ViewSonic VCDTS23125-XXX	69	2.0	2.0	CRT	1024x768	17.0	X	X		2001	0.79	13634
ViewSonic VCDTS23283-XX	93	2.9	2.9	CRT	1280x1024	19.0	X	X		2001	1.31	13648
ViewSonic VCDTS23284-XX	73	5.0	5.0	CRT	800x600	15.0		X	X	2001	0.48	13647
ViewSonic VCDTS23482-***	95	3.0	3.0	CRT	1280x1024	17.0		X		2001	1.31	13362
ViewSonic VCDTS23483-***	110	3.0	3.0	CRT	1280x1024	19.0		X		2001	1.31	13361
ViewSonic VCDTS23693-***	100	3.3	3.3	CRT	1280x1024	19.0		X		2001	1.31	13360
ViewSonic VE150	24	2.8	2.7	LCD	1024x768	15.0	X			1999	0.79	13570
ViewSonic VE150B	21	2.5	2.5	LCD	1024x768	15.0				2000	0.79	13586
ViewSonic VE170	36	1.2	1.2	LCD?	1280x1024	17.0				2001	1.31	13642
ViewSonic VE170b	36	1.2	1.2	LCD?	1280x1024	17.0				2001	1.31	13641
ViewSonic VE170m	32	1.7	1.7	LCD	1280x1024	17.0				2001	1.31	13693
ViewSonic VE170mb	32	1.7	1.7	LCD	1280x1024	17.0				2001	1.31	13694
ViewSonic VE180	45	3.0	3.0	LCD	1280x1024	18.0				2001	1.31	13695
ViewSonic VE180m	45	3.0	3.0	LCD	1280x1024	18.0				2001	1.31	13696
ViewSonic VE180mb	45	3.0	3.0	LCD	1280x1024	18.0				2001	1.31	13697
ViewSonic VG151	19	1.9	1.9	LCD	1024x768	15.0				2000	0.79	13598
ViewSonic VG151-2	21	2.0	2.0	LCD	1024x768	15.0				2001	0.79	13698
ViewSonic VG151B-2	21	2.0	2.0	LCD	1024x768	15.0				2001	0.79	13699
ViewSonic VG171	32	1.7	1.7	LCD	1280x1024	17.0				2001	1.31	13700
ViewSonic VG171B	32	1.7	1.7	LCD	1280x1024	17.0				2001	1.31	13701
ViewSonic VG175	39	2.2	2.2	LCD?	1280x1024	17.0				2000	1.31	13640
ViewSonic VG180	49	2.5	2.5	LCD	1024x768	18.0	X			1999	0.79	13568
ViewSonic VG181	54	1.9	1.9		1280x1024	18.0				2000	1.31	13639
ViewSonic VG181B	54	1.9	1.9	LCD	1280x1024	18.0				2001	1.31	13702
ViewSonic VG191	40	1.6	1.6	LCD	1280x1024	19.0				2001	1.31	13703
ViewSonic VG191B	40	1.6	1.6	LCD	1280x1024	19.0				2001	1.31	13704
ViewSonic VLDCS 21538-xx	50	8.5	4.5		1024x768	15.0	X			1999	0.79	10271
ViewSonic VLDCS21544-XXX	75	8.5	4.5	CRT	1280x1024	18.0	X	X		1999	1.31	10272
ViewSonic VP140	45	15.0	5.2	LCD	1024x768	14.0				1997	0.79	13543
ViewSonic VP140-3	20	1.9	1.9	LCD?	1024x768	14.0				2000	0.79	13620
ViewSonic VP150	33	2.6	2.6	LCD	1024x768	15.0				1998	0.79	13549
ViewSonic VP150m	30	1.9	1.9	LCD?	1024x768	15.0				2000	0.79	13616
ViewSonic VP151	90	8.0	2.5	LCD	1280x1024	17.0	X	X		2000	1.31	10278
ViewSonic VP180m	57	7.5	2.0	LCD	1280x1024	18.0				2001	1.31	13705
ViewSonic VP201m	58	1.3	1.3	LCD	1600x1200	21.0				2001	1.92	13706
ViewSonic VP201mb	58	1.3	1.3	LCD	1600x1200	21.0				2001	1.92	13707
ViewSonic VP230mb	81	1.5	1.5	LCD	1600x1200	23.0				2001	1.92	13708
ViewSonic VPA138	35	4.0	3.0	LCD	1024x768	14.0				1997	0.79	13527
ViewSonic VPA145	35	4.0	3.0	LCD	1024x768	14.0				1997	0.79	13526
ViewSonic VPA150	35	4.0	3.0	LCD	1024x768	15.0				1997	0.79	13528
ViewSonic VPD150	40	5.0	5.0	LCD	1024x768	15.0	X			1998	0.79	13565
ViewSonic VPD180-AGP	32	2.8	2.2	LCD	1280x1024	18.0	X			1999	1.31	13567
ViewSonic VX500	32	3.0	3.0	LCD	1024x768	15.0				2001	0.79	13709
ViewSonic VX500T	32	3.0	3.0	LCD	1024x768	15.0				2001	0.79	13710



Monitors 1995-2001
Energy Star® Qualified
Brand Model

	Watts on/ active	Watts sleep	Watts deep sleep	type	pixels (max)	size(")	TCO	MPRII	Mac cp.	Year	Mega pixels	PD_ID
ViewSonic VX700T	40	4.6	4.6	LCD	1280x1024	17.0				2001	1.31	13712
ViewSonic A70-2	70	6.1	2.6		1280x1024	17.0				2000	1.31	13626
Visual Sensation VS-77	65	5.7	2.6	CRT	1280x1024	17.0	X	X	X	2001	1.31	9414
Vuego 1569i		5.0	0.0		1280x1024	15.0				1998	1.31	9908
Vuego 1768i		15.0	0.0		1280x1024	17.0				1998	1.31	9917
Vuego 1772e		15.0	0.0		1280x1024	17.0				1998	1.31	9914
Vuego 1786i		15.0	0.0		1280x1024	17.0				1998	1.31	9924
Vuego 1795g		15.0	0.0		1280x1024	17.0				1998	1.31	9922
VXL VM23XX	23	22.9	22.9	LCD?		14.0				1997	0.00	15868
WACOM PL-550	45	3.0	3.0	LCD	1024x768	15.0				2001	0.79	9710
Xococo 15YA	73	7.1	5.0		1024x768	15.0				2000	0.79	9693
Xococo 15Z	80	10.0	5.2		1024x768	15.0				2000	0.79	9694
Xococo 15ZC	79	6.1	3.6		1024x768	15.0				2000	0.79	9699
Xococo 15ZD	79	6.1	3.6		1024x768	15.0				2000	0.79	9700
Xococo 15ZIII	79	6.1	3.6		1024x768	15.0				2000	0.79	9698
Xococo 17YA	85	5.8	3.6		1280x1024	17.0				2000	1.31	9703
Xococo 17YA-K	80	4.8	3.0		1024x768	17.0				2000	0.79	9696
Xococo 17ZF	82	8.1	5.3		1280x960	17.0				2001	1.31	9707
Xococo 17ZF-L	82	8.1	5.3		1280x960	17.0				2001	1.31	9708
Xococo 17ZII	85	5.8	3.6		1280x1024	17.0				2000	1.31	9704
Zhuhai Yuki YK-1588, VT-15D	78	9.4	4.4		1280x1024	15.0				1997	1.31	13489
Zhuhai Yuki YK-2497, VT-14D	70	10.1	4.5		1024x768	14.0				1997	0.79	13488